How To Cut Telecommunications Costs

# COMPUTE! Story November 1980

The Leading Magazine Of Home, Educational, And Recreational Computing

A Hands-On Look At The New Apple IIGS Computer



We just did something only the best can do! We made our award winning' software for the Commodore™ 128 and 64 computers even better!

#### Introducing ...

**Pocket Writer 2** Pocket Planner 2 spreadsheet Pocket Filer 2 database

#### **New Features**

New Features
Our new Packet 2 series affers features usually found only in much more suphisticated applications software. Features that include: campatobility with the new GEOS operating system?, ability to work with the Cammadore RAM expander to allow a RAM disk, mouse upport with pull down menus, 1571 bust made far faster file loading, increased support far two single disk drives, automatic configuration for screen calar farmat and printer selection t

Sophisticated software, yes, and still easy to use. You can be up and running in under 30 minutes even if you haven't aperated a computer before.

2 Programs in 1 Naw, when you upgrade your Commadare™ 64 ta a 128, Pocket software helps make it a breeze. The new Packet 2 saftware has both 128 and 64 applications on the same disk. So when you buy one you are actually buying two saftware packages. The cast only \$59.95 (U.S.).

6 Programs in 1
The 180% Saluthan saves you maney! You can buy all three
Packet 2 applications, Packet Writer 2, Packet Planner 2 and
Packet filer 2 in ane convenient Superpak for the law price of anly \$99.95 (U.S.). A super way to discover all the integrated features of Packet 2 saftware and save almost eighty dallars. As a companian to Packet Writer 2, a Dictionary Disk containing 32,000 words (expandable to 40,000) is available. The cast \$14.95 (U.S.)

For those of you who have already discovered the many benefits of owning Packet software; we affer all registered awners an upgrade to Packet 2 software for any \$19.95 (U.S.) plus 3.00 (U.S.) shipping and handling! Available anly by writing ta Digital Salutians Inc

### Pecket Writer 2 Word Processor In addition to the new features above... Spriling Checker iscorporated in program

(requires a dictionary disk) Spelling Cheder now runs over 30,096 forter than in original Packet software Word weep is now fully automatic? Ability to move columns Go To page number for finding informa

too in long tests?

Fully outcomotic upper and lower case type
convention?

Enhanced Deliste process for word, line or paragraph
Ward Court feature for essays and and Court reature for essays also assignments t Reaced split memory mail merge aprior

## Pocket Pleaser 2 Spreadshee in addition to the new features above... Individual column width selection now available?

Multiple files in memory with cut and

Serious Software That's Simple to Use

Superpak: The Solution That

Saves Money!

Focket Winter 2, Pocket Planner 2 and Pocket Filer 2 together Convenient; get all three integrated applications at once Opplications of once 128/64 softwore on some disks Economisch \$179.85 (U.S.) worth of

#### \$99.95 (U.S.)



Makes Spelling Checker foster and Simpler to use More convenient than developing personal disk 32,000 words available Expendable to 40,000 words

# Able to peel mathemotical formulas as well as results of calculations? Clobal formoting apina Tahanand row/calcum insert delete? lagorithmic and XY graph reg appablish increased file comparability with other homes of the comparability with other to the comparability with other well as the comparability with other to the comparability with the co

Pecket Filer 2 Database
In addition to the new features
where...

Dynamic calculations during data entry
intelligent re-entry to enter/data made
Esser file convention from other software!

Joan Nie convenion from other solwwest Automotic wides updating for constantly setted file! Enhanced mathematical language indieding loops and labels! High speed soit using dynamic buffering! Automotic certify of impetative data !

\*Cosmodore's Microcomputers Magazine, independent reviewers, rated the original focket Wither 128/64 and Facket Planner 128/64 software the "Annual Best of 1986" in the Commodore is a registered tradement of Commodore Sections Modifies the Effectives overlooks for Commodore 64<sup>NA</sup>, in 1965 Deated Software for



ernational Distributor Enquiries to: Digital Solutions

> 2-30 Wertheim Court Schmood Hill, Ontorio Canada L48 189 Telephone (416) 731-8775 Telex 06-964501 Fax (416) 731-8915

# **Super Solutions 2**



Pocket Planner 2

**Spreadsheet** 

Parabase

The Best Just Got Better



# One for all.



#### Affordable, Compatible, and Full-Color Capable!

Besides being the one printer for all the PC's pictured above, the OKIMATE' 20 is also the one for all your printing needs. Want to spruce up your homework with colorful chaits and graphis? The OKIMATE 20 is for you.

Need crisp "Near Letter Quality" printing for business correspondence?

The OKIMATE 20 is for you.
Maybe you want expanded or
fine print, italics, underlining,
superscripts, or subscripts? You
guessed it the OKIMATE 20 is for
you, too.
In fact, no matter what you have

you, too
In fact, no matter what you have
in your PC, you can put it on paper
with the CKIMATE 20
With this versatile printer you

also get such high-end features as built-in type fonts, a 24-element printhead and the ability to make transparencies for overb, ads

All at a very low-end price \$268\* complete with "Plug 'n Print" " personality module. For the name of the OKIMATE 20 retailer nearest you, simply call

1-800-OKIDATA

Suggested setal poor Dealer poor may vary



#### COMPUTE NUMBER 11 SILE 78 NOVEMBER 1986

FEATURES 18 The New Apple liss 26 Cutting Elecommunications Costs David D Thomburg 26 Cutting Elecommunications Costs Kathy Valida 33 Online Update Selby Bateman 36 X*Pless Riformation Service: The Cable TV and Personal Computer Connection Kathy Valida 38 Biker Dave David Schwener	GUIDE TO ARTICLES AND PROGRAMS AT/PC/PC/r/64/AN
REVIEWS         Nell Randal           67 Hobier II: The Documday Papers         Nell Randal           68 Chessmaster 2000         James V. Trunzo           70 The Music Studio for Amilga and Atali \$1.         Stefan Lipson	AP/PC/AM/Mac/ ST/64 AP/AM/AT/ST/ 64/PC/Mac AM/ST
COLUMNS AND DEPARTMENTS 4 The Editor's Notes 6 Readest Feedback. The Editors and Readest of COMM/TEI 8 Readest Feedback. The Editors and Readest of COMM/TEI 31 Computers and Public Domain 32 Computers and Public Domain 33 Computers and Selection 36 MOTIVARE's Software Best Select 36 MOTIVARE's Software Best Select 37 Computers and Selection 38 Computers and Selection 39 Computers and Selection 30 Computers and Selection 30 Computers and Selection 30 The World Inside the Computer. 30 The Selection 4 Open Annual Public All Selection 30 NISSHT, Atoni—Your Reviring Reporter 30 NISSHT, Atoni—Your Reviring Reporter 31 Millerson 30 NISSHT, Atoni—Your Reviring Reporter 31 Millerson 31 Millerson 31 Millerson 31 Millerson 31 Millerson 32 Millerson 33 Millerson 34 Millerson 35 Millerson 36 Millerson 36 Millerson 37 Millerson 38 Millerson 38 Millerson 38 Millerson 38 Millerson 38 Millerson	st PC
THE JOURNAL  11 Afrai Sound Commonder  22 Unnew Dennik J.Jon's and Michael L. Zincola 23 Unnew Dennik J.Jon's and Michael L. Zincola 24 Unnew Dennik J.Jon's and Michael L. Zincola 25 Speed/filew.  An 80 Column Preview Program for SpeedScript Mark Schreiner 26 Commodore 128 Michael Engluage, Part 4 Michael Afra C. William 27 CAPITE Modifications or Corrections 28 Part Subditional Previous Articles 29 COMPUTES adulate to Typing In Programs 29 COMPUTES adulate to Typing In Programs	AP 64

TOLL FREE Subscription Order Line 800-247-5470 (in IA 800-532-1272)

COMPUTE! Publications, Inc. 65
Part of ABC Consumer Magazines, Inc.
One of the ABC Publishing Componies
ABC Publishing, Needown, IRCom G Burnor
ABC Publishing, Needown, IRCom G Burnor
ABC Needown of the American, New York, New York 10019

96 COMPUTEI's Author's Guide 104 Advertisers Index

COMPUTE TV-Jurnal for Program're Computing (USPS, 53720)) is spitched meethy, by COMPUTE Wholeson, Ex. 425 Nov. Nov. Nov. Work 1903 1904. Proc 123 266-5466 Editional Offices are located at 324 West Vendover Avenus, Coversione, Nr. 2794B. December Description, 12 Secs. 524 COMPUTED: Seen address Avenue to COMPUTE Magazine, P.O. Dos 10959, Der Moleso, In 59000 Second dates possespepted at Coversiones, Nr. 2794B and officer arranged, 1850 1994–3374. Content coursepine 6 1996 by COMPUTE Publishers, in A stight arranged, 1850 1994 3-374. Content course, propriet of 1996 by COMPUTE Publishers, in A stight

#### Editor's Notes

David Thornburg's recent comments on piracy have evoked some stimulating reader responses. We generally have found, over the years, that those who scream the loudest about their right to steal software exhibit some pretty convoluted logic, Example: The company who makes it charges too much for it. Solution: This makes it okay to copy? The list goes on. We've quoted here from a letter that we feel provides an excellent example of some not-solegitimate concerns. Although the author failed to include a name or address, we'd like to comment on some of his or her remarks.

...! feel that the software companies are making out like bandits. They charge outrageous amounts for programs that are not worth the money that is charged. A more traditional belief in our

society has upheld the theory of the free market rather than free theft. The free-market theory argues that a vendor who gouges, or delivers less than true value for one's dollar, will eventually be caught up with by the marketplace. Here's another novel argument our friend advances:

...I support pirating and have on tap possibly 600 disks for both the Apple and IBM XT...[tf]...I had to pay for them I would have more money in the software than I do in my house. And this is over \$200.000.

This one's great. The logical extension of this argument is that we should collectively become a community of thieves. Civen our need for software, and what apparently has become an inherent right to possess software, the solution to the expense of collecting it becomes pure thievery. The rest logic heavit begin to be applied to houses and cars. Now we're getting to the real heart of the arguments.

the arguments.

We've covered the justifications of overcharging, in various guises, and

now turn to the converse: ...do not give me that it harts the developer of the code. All companies and corporations buy hundreds—if not thousands of copies of the program at the price (if not higher) that the publisher asks for.

sands of copies of the program at the price of not higher) that the publisher wise for. In other words, either the software company already makes enough money, or it has already factored individual close to the company already protection allowed the company already makes enough money, or it has already factored individual close to the company already a

theft into its corporate sales. This is logic similar to the present arguments over liability insurance. Eventually evcrything has some impact, positive or negative, on the individual consumer. Software piracy, and theft, cannot

negative, or me imarvablat consumer.

Software piracy, and theft, cannot have beneficial impact. As an activity generally shielded by, for example, one's right to privacy, entrecement of software rights in gent edifficult. He one between community standards enforced by fear of exposure and community standards enforced by fear of exposure and community standards enforced by fear of veposure and community standards enforced by fear of the proposure and community standards enforced by fear of the proposure of the

if the software industry wishes me to buy and use software legally, they must give me more reason to, other than the pity stories of the developers losing money.

Every time we mention something related to software piracy, some reader raises the question, "How can you run advertisements for software designed to help users copy protected disks if that's the way you feel?" There's one significant reason. We used to decline advertising that in any way promoted utilities designed for copying protected software. After the copyright law was amended to allow for a software owner's right to make and store a backup of software, we amended our policy to support that notion. In short, we accept such advertising when it subscribes to those purposes supported in the copyright law. We refuse and routinely reject piracy-oriented advertising. There's a sense of semantic

ing. There's a sense of semantic jousting with votable harder for circumstances, among because the circumstances, among because we can avoid the fact many because we can avoid the fact backup programs to make duplicate copies for non-legitimate users of a product. There is no doubt in our minds that such uses can only be described as theft, regardless of the various arguments, such as those above, rasteed to make and keep a backup. Some commander that the companies have a strength of the various arguments, such as those above, rasteed to make and keep a backup. Some companies have attended to this by providing users with a backup. Others have

gether. Still others have made provision for obtaining a backup. In short, we support the notion of having access to a backup. We don't support the notion of using that need to justify distribution of the software.

n this case perhaps we should ask the question, "When is the media the message?" That seems to be the heart of a recent debate over CompuServe's exercise of its right to limit distribution of software that is undeniably public domain software. The more heated proponents of the public domain position argue that CompuServe is somehow appropriating the public domain products. We think this is an oversimplification, and as CompuServe points out, it is in fact attempting to promote and assist the utilization of such software by its subscribers. Understandably enough, CompuServe is not trying to promote and disseminate such software to those who are not subscribers. Seems fair enough. You'll find a couple of sometimes contrasting points of view on pages 30 and 31.

On pages 30 and 31.
Until next time, enjoy your

Yobert C. Fork

Robert C. Lock Editor in Chief

> We welcome Sheldon Leemon and his new column, "Microscope," to the pages of COM-PUTE! Microscope will focus on industry news and what's on the horizon in the world of microcomputers. Sheldon, a free-lance author based in Michigan, has written two COMPUTE books-Mapping the Commodore 64 and Inside Amiga Graphics-and coauthored COMPUTEI's Amiga-DOS Reference Guide: MacTalk: Telecomputing on the Macintosh; and COMPLITEI's Telecomputing on the IBM. The column debuts on page 66 in this issue.

"The #1 Best Selling Word Processing Package" - BILIBOARD'S COMPUTER SOFTWARE CHART

#### PAPERCLIP II

**FOR THE COMMODORE 128** · Compatible with C-64 PaperClip files: the natural choice for C-128 ungrades Includes integrated 38,000-word spelling

checker

Built-in telecommunications module: access on-line services, incorporate on-line data in your work, and send text to other users New editing features include multiple columns. reverse video scroll, chaptering, powerful macros Maximum document size expanded to

999 lines

PAPERCLIP FOR THE APPLE IIe, c ■ Insert/Delete, Move & Copy, Cut & Paste, Global Search & Replace · Automatic page numbering, headers and footers

 Simplified columns, tabbing and scrolling Form letter and mailing label functions Unique new canabilities for Apple: dual text

windows, automatic text protection, macro commands and more PAPERCLIE

FOR ATARI HOME COMPUTERS (WITH SPELLPACK FOR THE 130 XE) · All the high-productivity editing features plus: Dual Text Windows, Automatic Paging, Macros

and much more · Fully-integrated SpellPack spelling checker on the same disk

 36000 words in the SpellPack dictionary plus you can add thousands more Memory-resident for sneed and convenience: no need to quit the word processor to check

#### PAPERCLIP with SPELLPAK POR THE COMMODORE 64

 Built-in spelling checker · All the high-productivity text editing scatures ■ Move, Copy Insert, Delete - words, sentences

or entire blocks of text Macro power: define & store up to 52 repetitive words/phrases, then enter them with

inst one keystroke Includes 80-column Print Preview display.

requires no extra hardwar Sophisticated Global Search & Replace, Mail Merge and Mailing Label functions

PAPERCLIP ELITE FOR THE ATARI ST and COMMODORE AMIGA · Go beword word-processing, with idea

processing, text/graphics integration, real-time spell checking, independent variable columns and so much more. Look for PaperClip Elite. Coming soon.

"vou can't go wrong choosing Paper Clip" - THE GUIDE TO COMPUTER LIVING "the Cadillac of word processors."

- OMNI MAGAZINE best professional word processor available"

- RUN MAGAZINE "by for the best word processor ever anailable

... So clearly superior, ... State-of-the-art word processing

- ANTIC os for os we are concerned, PaperClip is the

top word processor running on o micro computer.

- HOME APPLICATIONS FOR THE C-64 "Performance: excellent Frombondling: excellent, Volue: excellent... You'll find

vourself growing spoiled." - FAMILY COMPLITING

"Exceptional mand processing " - INPUT

"many features . . . easy to use" - ATARI EXPLORER "A superb word processor . . . the most

sonhisticated to date ' - COMPUTE MAGAZINE the ultimate word processor - ANALOG MAGAZINE

"One of the easiest of the professional word processors ... o sensible manual ... plenty of aids for the accident prone."

- COMPUTING NOW "An excellent word processor ... well designed ... many advanced features."

- INFOWORLD "a "must have" in an ideal software library" - ELECTRONIC LEARNING

most powerful of packages" - COMMODORE MAGAZINE

"PoperClip is a logical epolutionary step forward." - AHOY ... facts attest to its excellence!"

- FAMILY COMPLITING



BATTERES DICLIDED, on FDM company, 30 March Street, Etherned SEL Celeries, Cannin, L60 ISS (145/841-841), Cantonic Information (145)-881-8941. Types cells their flowers and the fall periodical price plan 56-80 are produced referred by the product of your post of their flowers and the fall angeneral fills price plan 56-80 are product orders and your cell 146-80-81-357 (LS only). For example flowers and fall dependent prices are product orders and you can always have the latent service are program by: returning the original data and \$10.00. Write to us for earthal color catalog of products for the APTLY, APTLY MACINTONN, KEARL, KEARLS ST COMMISSIONE, COMMISSIONE, AND THE SYSTEMS. COME EMPIRIOR INCIDENT APPLE APPLE MACRYTOSH, ATAMS ST COMMODORS, COMMODORS AND A AND DATASET PRODUCTION OF A PER CONTACTOR FOR A AND CONTACTOR COMMODORS BUSINESS MAY HAVE DOES AND INTERNATIONAL REPORTS MAY HAVE NO

PaperClip

Founder/Editor in Chief Senior Editor Managing Edition Executive Editor & COMPUTE GAZZETE Assistant Editor, COMPUTE Production Director Editor, COMPUTE's Alori S Disk & Magazine Incheson Letter Assistant technical Editors Assistant Editor, COMPUTE'S Alori ST Disk & Mogozine Assistant Editor, CONFUTEI's

GAZETTE Assistant Features Editor Programming Supervisor Editorial Programmers Copy Editors Programming Assistants

Suby Bateman tance file Philip I Netsory Tony Roberts Tom R Holffell Ottis P. Cowper George Miller, Date Moliane

James A. Casella

Richard Monsfold

Kothinen Mortnee

Robert C. Lock

Shelf Anderson KCTV Yokol Pottick Portin Tim Victor, Tim Midwill Tamme Taylor, Karen David Rarance David Hersley, Troy Tucker

Julio Reming, Ms Brooks, Mary Toronto, Canada David Thombus

Grego Kelser, Ann Davier

Steve Voyatzis

Janice R Fan

Peter Johnsmayer

Remard J. Treobold, Jr.

Lee Noni De Potte Dobney Ketrow Terry Clash, Carole Duntan

Contributing Editor CONFITR's Book Division Erthon Director, Book Sales & Motosting region Manager ul & Design Director

Associate Follow

selstant Editor. Art & Design Bustinion

Soles Associate Advertising Director nduction Coordinator

Customer Service Manager Diana Longo Individual Order Supervisor Cassandra Green Watehouse Manager

Schord J Marino, Vice President Advertising Scies Christopher M. Sovrie, Director, Finance & Pinning COMPLITE Publications, inc. publishes

COMPUTEI COMPUTEI's Gazette

COMPUTEI's Gazette Disk COMPLITEI'S

Apple Applications Special COMPUTEI's Atarl ST Disk & Magazine

Editorial offices: Corporate offices

House

Contomer Service

Greensboro, NC 27438 USA 825 7th Avenue New York, NY 10019 212-265-8300 -360-0707 VY 212-887-8525)

Coming In Future Issues

Laser Strike: A Challengina Strategy Game For Atari ST. Commodore 64, Amiga, Atari,

Apple, and IBM PC. Fontier 128: Custom 80-Column Fonts For Commodore 128

3-D Amiga Graphics

**Apple Printer Master** Access: Use All The Atgri 130XE's Memory

Mail Merge And Word Count: Two Enhancements For Commodore 64 SpeedScript.

Subscription Orders COMPUTE P.O. Box 10954 Des Moines, IA 50340 TOLL FREE

Subscription Order Line 800-247-5470 In IA 800-532-127 COMPUTEI Subscription Rates

(12 Issue Year): (one yr.) \$2 (three yrs ) \$65 Canada and Foreign Surface Mail Foreign Air Delivery



MPA

Advertising Sales

New England &
 Mid Atlantic
 Bernard J Theobald, Jr
 212-315-1666

Andrew Elsenberg 2. Sautheast & Fareign 3. Midwest & Sauthwest

Lucille Denni 415-348-822 Jerry Thompson 312-726-5047 (Chicago) 713-731-2505 (Toxos) 303-595-9299 (Colorado) 415-348-8222 (California) 5. Conodo Harry Blar 010/275/08/00

West, Northwest & Hitsh Calumbia May Thompson 08-356-4994

Director of Advertising Scies: Peter Johnsmayer Associate Advertising Director: Bernard J. Theopard, Jr COMPUTEI Scies Office 212-315-1665 Address oil advertising materiols to: Kathleen Hanton Advertising Production
COMPUTEI Magazine Production Coordinates 324 West Wendover Avenue 321e 200 eensboro, NC 27408

The COMPUTE subscriber first in radio even label to carefully somened organizations with a product or sensice which may be of intrinsed to carefully produced to receive such makings, bloads and on each copy of your produced to receive such makings, bloads and on each copy of your produced to the produ

Juny of convention where the off individual particles to Constitution and order orders with a forestable grantedistry and others by beinfrequently orders to COMPT and Appropriate production of the Undividual particles become for publication, become the enables properly of COMPT in Expenditure. In it is position of the 19 Ms. COMPT in Expenditure (i.e., Particle 20 Ms. e conoral, but helpful. Afficies should be furthed as a specification but process and should be furthed as a specific property dependent on the specific process of the afficient property of the specific process of the afficient dependent of the specific process of the afficient dependent depen

PET, CSM, VIC-20 and Commodare 64 are trademarks of Commodare. ATAS is a Indemark of Atas, Inc. Business Mochines Inc. and/or Commodone Rectrolles United socie e o trademork of Agoir Computer Company M PC and PCII are trademorks of International Susiness Machines Inc. 1149/4A is a fractional of Teess Instruments the Radio Shock Color Computer is a modernal of Tandy, inc.



#### SUPPORT FROM COMPUTEL BC

Everything for the Amiga. From BASIC beginner's guides to advanced programming handbooks, COMPUTEI offers you information-packed tutorials, reference guides, programming examples, ready-to-enter applications, and games to help you develop your computing skills on Commodore's Amiga.



#### COMPUTET's AmigaDOS Reference Gulde

Arian R. Levitan and Sheldon Leemon A comprehensive tutorial and reference guide to the powerful AmagaDOS-the operating ystem underlying the Workbench and tuition—this book offers information useful to every Amica owner, it defines and illustrates all DOS commands, and shows you how to create file directories, access peripherals, run batch file programs, and avoid "disk shuffe." The screen- and line-oriented text editors are explained in detail. Numerous examples and echniques explain how to use AmigaDOS to make operating your Amiga both convenient \$14.95 ISBN 0-87455-047-5

#### Elementary Amiga BASIC

Here's your introduction to the new and powerful BASIC on the Amata personal computer The Amiga's impressive graphics, enimation, and sound can be unlocked with the right commands, and BASIC is the place to start. Complete descriptions of Amiga BASIC's commands, syntax, and organization take you from the beginner level to a full-fledged programmer Plus, the book offers you ready-totype-in programs and subroutines while showing you how to write your own programs There is a disk available which includes the programs in the book \$12.95. This title is also available as a book/disk combination for \$29.95

\$14.95 ISBN 0-87455-041-6

Look for these books at your local book or computer store. Or order directly from COMPUTEL Call toll-free 1-800-346-6767 (In NY 212-887-8525).



#### COMPUTEI's Amiga Programmer's Guide

Your tutorial and reference manual to AmizaDOS, BASIC, Intuition, and other important software tools which accompany the new Amies. COMPLITE's Amies Programmer's Gude is a clear and thorough guide to the inner workings of this fascinating new eneration computer. The great speed of its 8000 microprocessor, coupled with the versatifity of the Amita-specific graphics and sound, makes the Amiga one of the most This book is the key to accessing the Amura's \$16.95 ISBN 0-87455-028-9

#### Advanced Amiga BASIC

Tom R. Halfhill and Charles Brannon This guide to applications programming on emmodere's new Amica contains everything an intermediate programmer requires to bega creating sophisticated software on this powerful machine, including several ready-to-type-in programs Clear, yet comprehensive ocumentation and examples cover advanced BASIC commands, designing graphic applications, generating sound and music, using the Amer's built-in speech synthesizer, creating a user interface, and programming the computer's peripherals. There is a disk available which iscludes the programs in the book, \$15.95, ttune release \$16.95 ISBN 0-87455-045-9



#### COMPUTE!'s Beginners Guide to the Amlga

Dan McNed Written in a lively and entertaining style, the book teaches you everything a beginner needs to know to get started quickly with the Arrana from Commodore You will learn about sett up the system, all the most popular types of software, and details about the hardware \$16.95 ISBN 0-87455-025-4

#### Inside Amiga Graphics Sheldon Leemon

The Amiga, Commodore's powerful new computer, is an extraordinarily impressive graphics machine Easy to use, the Amiga can produce color graphics and excellent animatic You'll find thorough descriptions of the computer's abilities and the hardware required to create a complete graphics system. Software too, is central to the Amiga's power, and complete tutorials show you how to get the most from the machine Stune role \$16.95 ISBN 0-87455-040-6

#### COMPUTEI's Kids and the Amiga

The latest in this bestselling sones written by Edward Carlson, COMPUTE's Kids and the Amura, will acquaint you with BASIC Over 30 assignments, and lively illustrations—entertain and amuse you as you learn to program your new computer. Clear writing and concise examples make it easy for anyone-children and adults alike-to painlessly learn BASIC \$14.95 ISBN 0-87455-046-3

Please allow 4-6 weeks for delivery after your order is received.

COMPUTE! Publications.inc.

COMPUTE books are available in the U.K., Europe, the Middle East, and Africa from Holt Saunders, Ltd., I St. Arme's Road, Eastbourne, East Sussex BN21 3UN, England, and in Canada from McGraw-Hill, Ryerson Ltd.,

Edward H. Carlson

If you have any auestions, comments, or suggestions you would like to see addressed in this column, write to "Readers" Feedback," COMPUTEL P.O. Box S406, Greenshoro, NC 27403. Due to the volume of mail we receive, we regret that we cannot provide personal answers to tech-

Overseas Computing

nical auestions.

I would very much appreciate an authoritative answer to my questions. I plan to purchase a Commodore 128 computer with 1902 monitor, 1871 disk drive, Datassette, printer, and joysticks. This set will be used in Poland where the power supply frequency is S0 hertz and the voltage is 220 volts AC. I can obtain a suitable step-down transformer to convert the voltage to 110 volts. but the frequency will be unchanged. Will this system work correctly with SOhertz current?

the New York City area. Some say that this equipment will work in Europe, others say that it won't work, and others simply don't know. My letter to Commodore has not been answered, I can easily purchase all of these items in Western Europe, but would prefer to buy them here and ship them to Poland. At the current exchange rates, this system will cost roughly twice as much in Europe as it does in the U.S.

M. H. Trenker Chairman, Dept. of Surgery Medical School Gdansk, Poland

Though your question pertains to Commodore computers, the answer is generally the same for all U.S. computer systems. It is possible to use a step-down transformer to achieve the proper operating voltage, but you need to be sure that you do get a high-quality transformer. The small "voltage converter" units available for running hair dryers and such are not an acceptable substitute. However, the transformer may not solve all the prob-

lems of using a U.S. system overseas. The most significant hurdle is that Europe and North America use different video standards. Televisions and monitors generate video displays by repeatedly drawing a series of horizontal lines across

the screen, one under the other. Computers using the European (PAL) standard generate a frame of 312 lines redraton SO times ner second, while those using the North American (NTSC) standard produce a frame of 262 lines redrawn 60 times per second. The Commodore 64 and 128 handle scan-line differences by providing two different versions of the VIC-II video chip-one for NTSC and one for PAL. The drawing rate is determined by an internal quartz crystal, with different crystal frequencles used for NTSC and PAL systems. While we have no direct experience with the situation, it is our understanding that a complete U.S. sustem-with both the

computer and monitor designed for NTSC-should work in Europe if provided with the proper operating voltage. However, it is not possible to intermix U.S. and European equipment, You can't hook a European (PAL) monitor or television to a U.S. (NTSC) computer, or a PAL computer to a NTSC monitor or television. I have visited numerous dealers in

Disk drives are another area of confusion. Like that of the computer, the internal operating frequency of a Commodore drive is determined by a quartz crystal, and thus should not be affected by international variations in power-line frequency. However, the speed of the motor which spins the disk may be affected. The older 1541 disk drives have a speed adjustment and a strobe pattern on the drive fluwheel to allow adjustment for either 60-hertz (North American) powerline frequency or the S0 hertz used in most of Europe. The 1571 drives we have seen lack this adjustment, but it may not be necessary because the 1571 uses a more sophisticated type of motor. Unless you plan to travel frequently

between the U.S. and Europe, you may find it simpler to purchase equipment designed specifically for the environment where it will be used. We'd be interested in hearing about the experiences of any readers who have attempted to use their computers overseas.

**Autobooting ST Programs** In the June 1986 issue of COMPUTEL you explained how to make an ST program autoboot fload and run when you turn on the computer) simply by putting the program in a disk folder named AUTO. I have used this method and it seems to

work for every program except 1ST Word, the word processor supplied with the ST. Is it possible to make this program autoboot? Also, I have tried to autoboot programs in medium resolution with a color monitor. Can you tell me whether it's possible to autoboot a program in medium instead of low

Raymond Norris

As part of the boot process (caused when you turn on the power, press the reset button, or unplug the video cable) the ST checks the disk in the drive to see whether it contains a folder named AUTO. If so, it loads and runs the first program in AUTO which ends with the filename extension PRG. These steps are performed by the BIOS (Basic Input / Output System) before the computer boots GEM, the ST's visually oriented operating system interface, Since you can't run a GEM program without GEM, you can't autoboot any program that takes advantage of GEM's windows. menus, icons, and mouse, Under ordinary circumstances, autobooting works only with TOS or TTP (TOS-Takes-Parameters) programs, which are limited to conventional text, keyboard, and input/output operations.

The answer to your second auestion involves the boot process as well. When it does a cold start, the ST defaults to loss resolution for a color system or to high resolution for a monochrome system. If it can't find a .PRG program in an AUTO folder, the computer boots GEM and eventually looks for a file named DESKTOP-INF. The DESKTOP.INF file (created with the Save Preferences option) records the screen resolution, color palette, and much additional information about the desktop. If DESKTOP INF is found, the SI reads it and sets the desktop to match your stored preferences. When you autoboot, however, the computer transfers control to the designated program before it has a chance to read DESKTOP.INF. As a result, you are always in low resolution after autobooting unless the program itself resets the video display for medium resolution. Low resolution is also in effect if the system finds neither an autobooting program nor a DESKTOP.INF file.

Other narts of the boot process check whether a cartridge is present or the disk contains a special hoot sector. If either



SUPER SUNDAY—PLAY THE GREATEST SUPER BOWL TEAMS OF ALL TIME. Expansion season disks available separately—Apple\* II series, IBM\* PC & compatibles (color graphics board required) and Commedors 64128. 335



UNDER FIRE!—A Complete WWII Tactical Combat Simulation—receiving unanimou rare reviews! For Apple II series





SPITFIRE '40—WWII flight game and simulator. Available for Commodore 84/128. \$35







MACBETH—Text and graphics adventures, covering four different parts of Shakespeare's play. For Commodore 64/128, \$25



Straighten Up and Fly Right!



Mission on Thunderhead— An intergalactic scavenger hunt—an arcade adventure. Available for Apple II series, Atari 8-bit and C84/128. \$25

#### COMING SOON!!

DR. BUTH'S COMPUTER GAME OF GOOD SEXT—COMING this fail for IRBN PQ. JP. Ruth Westhelmer's unless bard of Iran's, down-for Manager of the Computer of the Compu

Whether you're in the cockpit of our super realistic SPITIER 40, matching wits with three witches in MACBETH or going for the long bomb in SVEPE SUNDAY, The Avaion Hill Game Company has the games to take you and your control of the second computer of t

microcomputer games division

The Avalon Hill Game Company
4517 Harford Road, Baltimore, MD 21214





#### GOT A NEW COMPUTER.



The Graphics Library Holiday Edition has over 100 custom graphics, fonts and borders specially designed for 27 holidays.



Make your own toys Tiventy marvelous mechanical models that really work



A double hi-res, 3-D color adventure. Pilot your jet sled through sky and sea and try to save the prince.



A mystery educational adventure where you're the detective and the whole USA is your beat.



Enhance Science Toolkit Master Module with new tools, new experiments and new knowledge.



slight problem. Out of ontrol social misfits called Breakers, Help!



planning and entertaining with food. Includes menus, recipes and shopping lists.



The latest research meets the computer. You learn to type quickly, accurately and for keeps.



Take control of the family finances! This really is the easiest way to manage the money side of life. A ATARI 520ST

APPLEII



tutor with all the excitement of Macintosh graphics.



and bring them to life in double hi-res movies and cartoons

Look for Brøderbund Products at your favor software dealer or call

Brøderbund at (415) 479-1185

■ MACINTOSH

COMMODORE COMMODORE

ISM IBM © Besiderbund Software, Inc. 17 Paul Drive, San Rafael, California 94903-2101
Apple IBM, Commodore and Atani are registered trademarks of Apple Computer, Inc., International Business Machines Corp., Commodore Electronics, Ltd.
and Atani Corp., respectively Machinesh is a trademark ilcomed to Accel Computer. Inc. condition exists, control is diverted from the normal boot process to the machine language program found in the cartridge or the hoot sector. Once this occurs, it's un to that program to set the resolution as needed

Applesoff B Commands I am familiar with the Applesoft BASIC commands LOAD, SAVE, and RUN. These commands sometimes show up in your magazine with the letter B in front. What do these commands do?

Bruce Meulendyke BSAVE, BLOAD, and BRUN are used to save, load, and run binary files. A binary file often consists of a machine language program, but it can also contain other data such as a screen image. Here's the syntax for RSAVE

BSAVE filename, Aaddress, Llength,

Salat Darine Vnolume BSAVE saves the contents of a designated memory area to a disk file. Every BSAVE command must include at least three narameters: a filename, the letter A followed by the starting address of the memory area you wish to save (add a \$ after the A if you supply the address value in hexadecimal), and the letter L followed by the length of the area to save (you can also add a 5 after the L to supply the length value in hexadecimal). The last three parameters (S followed by a slot number. D followed by a drine number. and V followed by a volume number) are optional. (The volume number parameter is valid for DOS 3.3 only) Here's the syntax for BLOAD:

BLOAD filename, Anddress, Sslot, Darive, Vvolume

BLOAD loads a binary file from disk into the commuter's memory. Only the filename parameter is mandatory. The other narameters take the same format as for BSAVE (indicate hexadecimal numbers with a \$). If you supply a load address, BLOAD loads the binary file into the designated memory area. If the address is omitted, the computer loads the file into the same area it was saved from. Note that you needn't specify the file's length: The computer simply loads until it reaches the end of the file. Here's the syntax for BRIIN.

BRUN filename, Anddress, Solot, Darine, Vpolume

BRUN assumes that the binary file contains a machine language program. It performs a BLOAD of the designated file, then starts the program by performing a IMP to the beginning of the file. Just as with BLOAD, the address, slot, drive, and (for DOS 3.3) volume parameters are optional. BRUN offers a very convenient program, since you don't need to know where the program goes in memory. Some other computers (the Commodore 64, for instance) require that you start an ML program with a SYS to the correct address after you've loaded it.

Atari DOS Mystery After reading "Atari Disk Speedup,"

("Readers' Feedback," November, 1985), I POKEd off the verify function and created a new copy of DOS 2.5 with this enhancement. Shortly thereafter I noticed that any file I save to disk has angle brackets (<>) on either side of the filename in the DOS directory. Is this normal?

Mark A. Jossart DOS 2.5 uses angle brackets around a

filename to indicate that that file cannot be accessed by the old DOS 2.0. This is only important if you hoot up with DOS 2.0 (a single-density DOS) and want to use a file on your DOS 2.5 (enhanced-density) disk.

It's possible that your POKE and the angle brackets are unrelated. If you have used more than 710 sectors of your disk, it is likely that you have no problem. There's a chance, however, that you have confused DOS. To be safe, you might try booting up with an unmodified copy of DOS 2.5 and using the WRITE DOS ontion on your problem disk. Of course, you should always perform any changes to DOS on a copy of the master disk, not the master disk itself. If won have the SETUP.COM file

which comes with DOS 2.5, load it from the DOS menu with the L option. This is the preferred way to make the change. Otherwise, here is the POKE: POKE 1913.80

Use the WRITE DOS option to save the change.

Disguised Input in BASIC I have a Commodore computer and am writing a program with a code system. When I type in the code, anyone standing nearby can see it. Is there a way to replace each character in the code with

an X or any other letter in order to disguise the code? I have noticed that 24-hour bank machines use this method to hide their customers' codes. Michael Hamm

This simple routine waits for you to enter the word IUIUBE. Though it's written for Commodore computers, only slight modifications are needed to convert it for any computer with Microsoft BASIC. Use the DEL key to erase mistakes: input terminates when you press RETURN. 10 CODES="JUJUBE"

way to load and run a machine language | 28 B\$="":PRINT "ENTER PASSHORD"

38 GET XS:IF XS=" THEN 38 48 IF XS=CHRS(28) AND LEN(BS)> S THEN PRINT X\$ , 1B\$-LEFT \$(B\$,LEN(B\$)-1):GOTO 48

50 IF X\$=CHR\$(20) THEN 30 68 IF X\$<>CHR\$(13) THEN PRINT" X";:B\$=B\$+X\$:GOTO 38

78 IF BS -CODES THEN PRINT: PRI NT "INVALID CODE": GOTO 2 88 PRINT "WELCOME"

IBM BASIC Versions I would like to know the difference between IBM BASIC and BASICA.


Glenn Kunsch, Ir. IBM has created four different versions of

BASIC for the PC and PCir. They are known as cassette BASIC, disk BASIC, advanced BASIC (BASICA), and cartridge BASIC, Cassette BASIC is the simplest persion. It resides in 32K of ROM and does not vermit any disk commands or graphics other than plain text. If you boot up a PCir without a BASIC cartridge, it activates cassette BASIC automatically. Cassette BASIC is rarely used on the PC. since few, if any, PCs were sold without a disk drive (in fact, the PC XT doesn't have a cassette port at all). However, you can activate cassette BASIC on the PC by booting the computer without a disk in the drine

Disk BASIC must be loaded from disk, and requires at least 32K of RAM as well as a disk drive. Disk BASIC includes the commands in cassette BASIC as well as a timer function and support for RS-232 communications and two additional printers. BASICA, or advanced BASIC, is the most comprehensive version of IBM BASIC for the PC. It requires 48K of RAM and a disk drive. In addition to the disk BASIC commands, BASICA supports event trapping, which lets you monitor several different kinds of events (key board, joystick, light pen, timer, and RS 232 activity) in the background. Music and advanced graphics operations are also made available through commands such as PLAY, CIRCLE, PUT, GET, PAINT, and DRAW

If you boot up a PCjr with a BASIC cartridge, the computer activates cartridge BASIC-an enhanced version of BASICA which supports the PCjr's extra features. In addition to most BASICA commands, cartridge BASIC offers extra screen modes and new graphics com-mands such as PCOPY, PALETTE, and PALETTE USING

You can tell what persion of BASIC you're using by looking at the version identifier in the BASIC startup message. The identifier C stands for cassette; D stands for disk: A stands for advanced BASIC; and J stands for cartridge BASIC (the J signifies junior). Some versions of IBM BASIC have gone through one or



17(2): Is available for Apple I, and Look personal computers. Coming doos for Commodere 61/2016.

Dok for list a your favorite Biofederum Software deader or call Biofederum at (103):477–318.

Dischartural Software, Inc., 127 Faul Drive, Sin Kalad, California 19903–2101.

Apple, IBM and Commodere services paired indemnated of Apple Computer, Inc., International Business Machines Corp. and Commodere Electropics, Ind., respectively.

more revisions. The number after the identifier tells you which revision you are using. For instance, cassette BASIC on the PCir is Version C1.20, while the PCir's cartridge BASIC identifies itself as Version J1.00, indicating that cassette BASIC was revised twice but cartridge BASIC has not wet been repised.

With minor exceptions, the more advanced versions of IBM BASIC understand all the commands in simpler persions. Thus, most cossette RASIC or disk BASIC programs run with BASICA on the PC or cartridge BASIC on the PCir. But the reperse is not necessarily true. The PCOPY command, for example, is unique to cartridge BASIC, so it's not available in any other version. One exception to the general rule of upward compatibility appears in cartridge BASIC, which doesn't support the SHELL command found in both disk BASIC and BASICA.

Certain BASIC statements also require extra hardware. On the PC, a serial interface card is required for RS-232 communications, and a color/graphics card is necessary for color graphics. On the PCir, you must have an internal modem in order to use telecommunications programs or the built-in terminal emulator (activated with the command TERM). The PC and PCjr know whether you

have the hardware needed to support spe-

cial BASIC commands. If you attempt to

use RS-232 or graphics features without the right hardware, the computer resnonds with the error message Illegal function call or Device unavailable. In other cases, BASIC informs you that you're trying to do the impossible. Disk BASIC, for example, generates the error message Advanced feature when you attempt to execute a statement found only in

BASICA The PCir is a special case when it comes to booting BASIC. Since it's designed for cartridge BASIC, it intercepts any attempt to boot other versions from disk. When you type BASIC or BASICA at the DOS prompt, the PCjr ignores your request and activates cartridge BASIC instead. However, there's a simple trick that allows you to run BASICA on the PCjr (to take advantage of the SHELL command. for instance). Simply copy BASICA onto a disk and rename it as BASICB; then type BASICB from the DOS prompt. Actually, any letter will do in place of the A in

BASICA. By renamine disk BASIC as BA-SICD (or anything other than BASIC or BASICA) you can also run that version of Saving Atari Graphics I am writing a drawing program in BASIC for the 130XE. I would like to add the screens I create to my BASIC

BASIC on the PCir.

programs, but I don't know how to save and retrieve the finished pictures on disk in various GRAPHICS modes, including the new 61/2 and 71/2 modes. I hope you can help.

Here's one way to do it. This program is taken from the book Mapping the Atari, written by Ian Chadwick and published by COMPUTE! Books.

A. Rosamilia

1868 SCREEN-PEEK(88)+PEEK(89)\* 1010 OPEN \$2,8,0, "DIPICTURENAM 1626 FOR TYMSCREEN TO SCREEN +

N:BYTE-PEEK(TV):PUT #2, BYTE: NEXT TV: CLOSE #2 This program copies the screen to a disk file. You must first set N in line 1040 to the number of butes you need to save.

Use the chart below to determine the value of N. Graphics Full Split mode screen screen 4200 4190 4270 4206

8112 8138 To retrieve your screen, use this program segment:

2888 CCREW-PERK(88)+PERK(89)\* 2818 OPEN \$2,4,8,"D:PICTURENAM

#### Infocom introduces four new gam and profound. You journey

Infocom,™ the crazy people who brought you "Zork"® and "The Hitchhiker's Guide to the Galaxy,"™ has a habit of coming up with games that add a new dimension to interactive fiction. And the best keeps getting better. Case in point: "Leather Goddesses of Phobos "" It has a scratch n'sniff card and a 3-d comic book to excite all your

piqued, you'll embark on a rowdy romp through the solar system. This hilarious spoof of 1930's pulp science fiction has 3 "naughtiness levels," for the prude to the lewd. "Leather Goddesses" is sure to amuse members of either sex.

One's really warped. Then there's "Trinity." It answers the question of whether a game can be both light-hearted through a time warp into a mischievous fantasy world where all atomic explosions are mysteriously connected. "Trinity" takes you back to the dawn of the atomic age and puts the course of history in your hands.

One's a real circus. It has been said that the circus is the only really mysterious thing left in civilization.

One thing's for sure, there is plenty of mystery in "Ballyhoo." While trying to locate the circus owner's kidnapped daughter, you are somersaulted into a threering world of deception and crime. To solve the crime





2020 FOR TV=SCREEN TO SCREEN + N:GET #2,BYTE:POKE TV,B YTE:NEXT TV:CLOSE #2

YTENEET VIACIOSE #2
These programs use the GET and
PUT commands, which are used to comminicate with impul cutput develoes like
the disk drive. Your letter uses the terms
GRAPHICS 59's.
These names became popular during the
region of ATAR 400 and 800 computers,
region of ATAR 400 and 800 computers,
rectly from BASIC. ATARI XI/XE computers call three modes 1s and 15. Totup mode 7%, just use the command
GRAPHICS 15.

Dvorak Keyboard Update Here is some follow-up information for

the CONTUTE reader who was Interested in converting his Commodere 64 to a Dverak keyboard ("Readers' Reed-products available for the 64 and other computers, ranging from inexpensive keycap overlays and emulation software of the contument of the

because of the assumptions inherent in any such program. In response to the article, a top linglish keyboard expert (Professor Hisao Yamada, University of Tokyo) noted that several factors influence the results when measuring finger travel, and it is very difficult to get

accurate measurements, It is a combination of factors, not any single factor, that makes Dyorak superior in the view of myself and others. According to a controlled study by the U.S. government, Dvorak can result in a 74-percent productivity increase over the gwerty method. It can be learned in less time, finger travel is less (how much less is controversial, but it is clearly less), and Dvorak results in higher speed and accuracy. If any of your readers want more information on the Dvorak method, including a list of products available for personal computers, please send a self-addressed, legal-size envelope with 39 cents in postage to me at the following address.

will also enclose a free copy of the "Dvorak Developments Newsletter." Randy Cassingham, Editor Dvorak Developments Newsletter

P.O. Box 1895 Upland, CA 91785

Thank you for offering this additional information.

Reversing SpeedScript

Until recently, many of COMPUTE's foreign readers could not use SpendScript because their languages use a different form of letters. That problem was solved by Charles Brannon's 'Speca'-Script' Fontmaker' (COMPUTE), January 1966), which allows you to create your own custom character set. I'm sure that this program has made it possible for a

tins progenit rads finate in possure ror a large number of foreign readers to use this superb word processor. There are, however, some readers who still cart the Ambie countries. In those large and the countries in the large proceeds from right to left, so a word processor whose curse whose curse the countries. On the large proceeds from right to left, so a word processor whose curse moves left to right; so filliet use. Can you make another small step (at least, I think it's small) and add a subrouties which permits us to write either from right to left or jeth?

Dov Ratzman You're correct in your suspicion that the

problem isn't as simple as it first seems. The direction of writing is far from a mere coametic feature of SpeedScript. It's bound up with the fundamental structure of the program. To explain, at the heart of SpeedScript is a routine labeled Refrest, which redraws the entire screen display every time you press a krg. In essence, Refrest scoops a screen-stead chunk of

## s. One really smells.

Every package includes an integral set of prope to exoit your senses and exhause the grant. and save your hide from a per-

manent spot in the freak show, you'll need to stretch your puzzle-solving skills to the limit.

One's really haunting.
Wrapping up this new quartet
is a classic gothic mystery set in
a haunted castle on the mistshrouded seacoast of Cornwall.
In "Moonmist" "" you'll explore
the darkest reaches of Tresvillian

Castle and get involved with an eccentric cast of characters, including British nobility, while trying to save your best friend "from a vengeful ghost." Moornist" offers four distinctly different sets of clues, problems, solutions and hidden treasures.

So you'll die to replay it again and again. All four are easy to get. Simply follow your nose to

your local software store today.

For more information, call 1-800-252-6888, x. 17C, Or write to us st 125 Cambridge Park Drive, Cambridge, MA 02140.

> ofocuse, Inc. Zork is a registered trademark and Bulls Treaty, Lendor Goddmon of Phobos and Meconstrapagements of Infocus, Jos. To Hatchalter i Guide



#### HOW TO TURN YOUR PERSONAL COMPUTER INTO YOUR PERSONAL BANKER.

Here's how to make the investment in your personal computer really pay off

With SPECTRUM," the electronic home banking and information system from The Chase Manhattan Bank, N.A. Teamed up with your PC, SPECTRI, Mis your direct link to Chase And the start of a better way to manage your money and

your time
A push of a button lets
you pay bills electronically,
anywhere, transfer funds,
keep records, and more
Even get vital financial information and trade stocks\* at

discount rates.

Bight at home, anytimewith complete security.
All inolucing electronic mail,
starting at just \$5 a month.
And, with 2 months fee for
new subscribers, now's an
even better time to get control of your finances. Call
today for your free demo
diskette.



CALL TOLL FREE 1-800-522-7766



© 1996 The Chair Markattan Baris N.A. (Member FDIC) "Stacks are traded through Rese & Company restricts Brokens, Inc., a Chaire affiliate, Manager North and J. text from the text portion of memory and displays it in the computer's screen mem-

ory area. SpeedScript's text memory begins immediately above the end of the program itself. As you type in more characters, the text grows upward into higher memory locations. Screen memory is also arranged sequentially, with lower memory locations at the upper left corner of the screen and higher locations toward the bottom. A higher location in text memory corresponds to a higher location in screen memory. To display a screenful of text. SpeedScript moves characters one by one from a section of text memory into screen memory, automatically wrapping words which overlay the right screen border, until the entire screen is full. Since the Refresh routine is called so often, it must

also be very fast.

To write from right to left, you would need to begin by rewriting the Refresh routine to display words in right to left order. Such a change destroys the simple, lewer-to-higher correspondence between text memory and screen memory. In itself, the modification isn't impossible, Housever, it would add significantly to the sixe.

and complexity of Refresh and slow the routine somewhat.

Once Refresh had been rewritten. you would also need to rewrite all the routines that move the cursor from one character, word, sentence, or varagraph to another. Under the present scheme, moving the cursor forward (right) moves youforward in the text, which corresponds to a higher location in both text memory and screen memory. In a right-to-left Speed-Script, moving the cursor forward (right) along a screen line would move you formord (higher) in text memory, but backward (lower) in screen memory. When you hit the end of the line, you would need to iump to a higher screen memory location. without changing your location in text memory, and begin working your way backward (down) to the next line. Wordwrap, in particular, becomes much more difficult to implement under such circumstances.

Of course, if text is displayed from right to left, you'll want to print it the same way. A surprisingly large portion of SpeedScript involves printed output—which includes printing to disk, tape, or the screen, as well as with a printer. Rewriting these routines creates the same type of difficulties outlined above.

In short, what seems like a small change adds up to a very authitions programming project which would change the size and location of nearly every other the seem of the seems of speedscript we be published a number of Speedscript confusionment programs such as "Speed-New" (elsewhere in this issue) and "Speedschee" (the spelling checker (COM-

PUTE'S GAZETTE, December 1985). Those programs, and the various modifications which have appeared in this Column, depend on the fact that you can find certain parts of SpeedScript at certain locations in memory. Modifying SpeedScript to display text from right to left would render most, if not all, of those programs and enhancements useless.

Binciry Number Converter

I am working on an Atari 800XL program that needs to convert a decimal number such as 255 to a binary digit such as 1111111. If statements would work, but they seem very inefficient. Can this be done without If statements?

Danny Maupin

Here is a program that does quick decimal-to-binary conversions:

18 NDIG-8:DIM BINS(NDIG)
28 PRINT "DECIMAL NUMBER";
36 INPUT DCM:GCSUB 18988
46 PRINT "BINARY:";BINS
58 GOTO 28
18888 PR:128:BINS="":NUM=1

18818 FOR LOOP-MUN TO NDIG 18828 LB-LEN(SIN\$)+WUN 18838 BOO-DCM--PK 18848 BIN\$(LB)=CHR\$(48+BOO) 18858 IF ROO THEN DOWNDOW--PL

18858 IF BOO THEN DON-DON-PK 18868 PK-PK/2 18878 NEXT LOOP 18888 RETURN

As listed, the program only converts numbers in the range 0-255. To expand its range to 0-65535, change the 8 in line 10 to 16 and the 128 in line 10000 to 32768.

To receive additional information from advertisers in this issue, use the handy reader service cards in the back of

the magazine.



gift subscription to Computet. PLUS a Lyear subscription to Computet's Disk for only \$58.00.

Select one: \_\_BM \_\_Atanl \_\_Apple \_\_Commodore.

To Order Call Toll-Free 1-800-247-GIFT In Iowa 1-800-552-1272



Apple's new IIGS computer is the latset—and strongers—addition to the companys "Apple II Forever" campaign. Completely compatible with earlier Apple III, the IIGS offers exceptional advances in both graphics and sound fience, CS. With a new 16bit microprocessor, 256K of RAM, and plenty of peripheral ports, the IIGS redefines the Apple II service in some amazing ways—and IIE owners can easily upgrad their machines to the

COMPUTE! Associate Editor David Thornburg has had a hands-on preview of the new Apple 16S, and filed this report. Because of the importance of the Ilos, COMPUTE! Publications is running this article concurrently in COMPUTE magazine and COMPUTE!'s Apple Applications Special.

It happens whenever a new computer hits the market. In a matter of weeks, sometimes days, you start to hear two criticisms.

It doesn't use the latest technology. That means the computer is

ogy. That means the computer is compatible with earlier, similar machines. You heard this when computers like the Apple IIc, Commodore 128, and IBM PCjr were released.

There's no software for the computer. A bit harder to decipher, this means the machine uses some or all of the latest technology. The Macintosh, Commodore Amiga, and Atari ST fit this one.

Seems like a no-win situation, doesn't it? It was, until now.

Apple's recent announcement of the Apple IIGS, the latest addition to its original line, puts both those criticisms to rest. The IIGS is first and foremost an Apple II, and as such it runs nearly all of the

Apple II software on the market today. Yet it's also a new computer that has its own advanced modes of operation—some of which eclipse

the Macintosh in performance.

In short, the Apple IIGS is two
machines in one—a product that
bridges the gap between the Macintosh and Apple IIe, and in so doing
poses what may be serious competition for the Commodore Amiga
and the Atari ST series.

#### The Newest Apple

GS stands for Graphics and Sound areas where this computer is most noticeably different from its other

Apple II namesakes.
Anyone who's worked with
the older II-series machines has had
to contend with relatively primitive
graphics and sound—capabilities
that are a nostalgic remnant of
1970's technology. For instance, if
two areas of the hi-res graphics

#### WE TOP APPLE AND COMMODORE BEAUTIFULLY



vou wont



the competition. Thomson monitors offer these advantages:

- . Compatible with IBM. Apple. Commodore. Atari- The choice of monochrome or color monitors with TV-grade to high resolution text and graphics
- Monachrome text-editing made for color manitars Alternate use as cable or VCR monitor
   Broad range of the features you need at the prices

Because of its versatility and compatibility, you can still use your Thomson monitor if you switch computers; you'll never outgrow the capabilities of a Thomson

Who is Thomson? Thomson is a six billion dollar multi-national company. Unlike our competition, we design and manufacture our own monitors; so the quality

ussign and maintains our born monors; so ma quam; you get is constant and superb. How Apple or Commodore computer is a great body. Your Apple or Commodore computer is a great body. Choose a 1 homoson monitor, and give it a beautiful face. For the name of the Thomson dealer nearest you, all 1-800-325-0464. In California call 1-213-568-1002. (Monday-Friday, 9 a.m. to 200 p.m. PST)

A SIGHT FOR SORE EYES.TM © 1986 Thomasa Cossumer Products Corporation 5731 W Slauson Avenue, Saits III, Culver City, CA 90230 Thomses is a hardonick of Thomass 2.A. Apple is a required fundament of Apple Computer, for Commodium is a registered binderson's a Book is hardonic of Commodium for Comm

screen were to be shaded with different colors, you had to be careful that the colors didn't "bleed." This further restricted an already small palette of colors, and made the Apple Il pale in comparison to the eight-bit Atari and Commodore computers.

The built-in sound of the original II was even worse. There was notly a speaker which could be "clicked" on and off by addressing velopers were able to create speech synthesia sa well as music through this primitive port is miraculous. More modem designs, like those in the Aust and Commodore majority of the commodore was the country of the country o

In graphics and sound, Apple had a lot to overcome.

#### A Tremendous Choice Of Colors

The gap between the original Apple II and the competition grew wider and wider. Apple, after all, has sold the II in one permutation or another for nearly ten years.

The release of the IIGS does nothing to narrow the gap—It's just as wide as it ever was. Now, though, it's much of the competition that's lagging behind Apple.

The IICs graphics capabilities offer all the original Apple II modes offer all the original Apple II modes (to retain compatibility with existing software), as well as two new modes that promise to dominate the time and enthusiasm of software developers. These include a 220 × 200-pixel display mode that supports up to 16 different colors per scan line and 464 × 200-per scan line, and 464 × 200-per scan line, and 464 × 200-per scan line.

While these modes may not appear to be that much different from the original Apple II hi-res and double-hi-res modes, they are as different as night and day. The difference comes not so much from proved) as from the fact that the color choices are picked from a palette of 256 hues, each of which has the strength of the color choices are picked from a palette of 256 hues, each of which has the strength of the color choices are picked from a palette of 256 hues, each of which has had been applied to the color choices and the strength of the color of the color

log RGB monitor that shows these colors in their best light. There are



inch drive, features 256K of RAM, high-resolution graphics, high-quality sound synthesis capabilities, and complete compatibility with existing Apple II software.

no restrictions on color placement. Color bleeding is gone forever. The purity of the IIGS color display has to be seen to be appreciated. Apple chose to use a noninterlaced screen and the resultant picture is very easy on the eyes.

One side effect of the 16 luminance levels is the ability of the liGs to display monochrome pictures with a true grey scale, rather than using halfroning techniques that trade off grey levels for resolution. As a result, digitized photographs look much better on the IlGs screen than they do on the Macintosh, where each pixel is either "on" or "off," black or white.

Of course, the independent control of hue and luminance is not new to the personal computer industry—Atari was (to my knowledge) the first to introduce this scheme to personal computers.

#### An Ensoniq Sound Chip If the IIGS graphics capabilities are

good, the machine's sound capabiltites are in a class by themselves. Rather than work with the (by now) he-hum sound chips that provide simple ADSR (Attack, Decay, Sustain, Release) envelopes on sounds made from a small set of basic waveforms, the IGS uses a custom \$2-oscillator chip from Ensoniq similar to the one used in the \$1700 Mirage synthesizer. This chip is on-

pable of generating 15 voices of music, allows excellent speech synthesis, accurately reproduces sampled sounds, and is provided with its own 64K of RAM so that music can be played in a background mode while other programs are runnine.

This chip alone justifies the price of the IIGS to many music fans and fanatics.

#### All This With A 6502?

One of the reasons that the 68000based computers like the Macintosh, Atari ST, and Amiga have become so popular is because the older eight-bit chips were running out of steam—especially when programmers wanted to create new user interfaces.

The designers of the IIGS knew the 6502 and its slightly bigger brother, the 65C02, were inadequate for the task, but they wanted to maintain compatibility with the massive amount of available software on the market. The solution was to use the 65C816-a 16-bit processor that can emulate a 6502. The 65C816 forms the heart and brains of the IIGS and, like the Roman god, Janus, Iooks backwardto the days of the 6502-and forward-to capabilities that go bevond the limits of the 8-bit world. As a result. IIGS not only runs

existing Apple II software, but it is



nship begins Slowly ever so slowly, you

approach. He flinches, and you make a combination front punch and kick. You spin, then do a



A forward flip. You kick again, only higher, Bang, It connects. Lights out. This time, you survived in

one piece. You'll have 17 intri cate moves to master. As you progress, you'll fight your way from white to black belt in 8 deadly international

settings. With a final.



match at the base of Mt. Fuii. See you at the Doio.

# SMASH SOMEONE'S FACE IN THE COMFORT OF YOUR OWN HOME.

It's the Sultans of Slam The Gurus of Gashes meanest nastiest rowdies to

ever hit the canvas. Ladies and notso-Gentlemen. we proudly present the vile, irreputable

etare

of Championship Wrestling. There are 8 of

these creeps in all. each with their own disgusting personalities and revolting habits.

Throw them from the ring. Crush their heads. Slam them. to the mat. Pulverize their puny bones. You'll have over 5 moves to pin your man. You'll need over 250 stitches

if you don't. And one day, after your poor battered head resembles an over-cooked cabbage. you'll be good enough to win the title. And the Championship Wrestling Belt will be

also capable of supporting the various user-interface tools (like menus, windows, and icons) that have made the Macintosh so popular.

Easily Upgrade Your Ile Lift the hood on the IIGS and you're

treated to a view of a circuit board identical in size to the one inside the Apple IIe. This lets Apple offer a special upgrade for He owners. For a modest price you can take your He to your dealer and upgrade to a IIGS. Only the power supply, case, and keyboard are retainedthe circuit board and basepan are

A closer look at the circuit board reveals a familiar set of seven peripheral card slots that accept the same plug-in cards used by the Apple IIe. But unless you have a lot of old cards lying around, you probably won't have to use any of these slote

That's because the back panel already features a game/joystick port, a disk drive port (which accommodates up to six drives in either the 54-inch or 34-inch format), two serial ports (including support for the AppleTalk network), composite video out, audio out, and the analog RGB video output. The remaining back panel port is the Apple DeskTop Bus-up to 16 keyboards and mice may be connected via this bus. (The IIGS is the first computer in the II line to be shipped with a mouse.) Expect to see a lot of interesting peripherals on the market that take advantage of this DeskTop Bus The circuit board contains

256K of RAM that can be expanded (through a built-in connector) to eight megabytes. The on-board 128K ROM can be expanded to one megabyte, another indication of the possible third-party support for this computer.

Several custom chips fill out most of the remaining real estate on the IIGS's circuit board. One of the most interesting is the "Mega II"a chip effectively duplicating an entire Apple IIe or IIc. Don't be surprised to see this chip used to create a three- or four-chip Apple IIc someday soon. Sound, graphics, and the Apple DeskTop Bus are each

controlled with dedicated chips, shifting the burden from the micro-

#### Software Support

While Apple Computer may not have announced any programs specifically designed for the Apple IIGS, the company has gone out of its way to sup-port the development of programs by third-party vendors.

Apple's position is easy to understand. In the first place, the IIGs runs existing Apple II applications and runs them at three times their normal speed. This alone breathes new life into old products and relieves some of the pressure for creating software to justify the purchase of a new computer. At the same time, Apple wants to be sure that people know that the IIGS is more than a very fast Ile-that it has many features of its own which justify the creation of new programs. Rather than dilute internal programming efforts to create one or two special programs, Apple has ded many developers with systems on which to create programs of their own.

More than 40 companies have announced, or will announce, products specifically geared to the Apple IIGS. Some of these companies are familiar names (Brøderbund, Electronic Arts, Scholastic, and so on), while others are relative newcomers to the field. Because the IIGS supports both the Apple II environment and also supports the Macintosh style of program-ming, the list of developers includes names well known to Macintosh

users as well as to owners of the Apple IIs.

The Development Path

Those developers who started early on the IIGS had to make use of the ORCA Assembler and frequent upgrades of the system software. High-level languages (like C) were made available late in the product design cycle. This presented challenges to developers, some of whom took advantage of their prior experience to leapfrog their way through what would otherwise be a very tedious development process. Typifying this latter approach is Electronic Arts, a company known for an assortment of creativity software that is seen on almost every Amiga computer ever sold. From its beginning, Electronic Arts was committed to creating software with high-level languages such as C. The company's goal was to be as machine-independent as possible, thus simplifying the porting process to new machines (like the IIGS). As a result, Electronic Arts has converted (or will convert) its stellar Amiga programs to the IIGS and thus take advantage of the rich colors and sound available from this newest addition to the Apple family tree. According to Electronic Arts president, Trip Hawkins, the company has developed more high-level language programs for the 68000 than anyone else. The task of converting these programs to run on the IIGS is a lot easier than designing programs from scratch. Upwards of 25 programs for this computer are in development by this one company alone.

Desktop Publishing

Brøderbund has virtually defined the home desktop-publishing market with its popular program, The Print Shop. A new version of this program, along with a host of other products, could help cement Broderbund's reputation as a premier supplier of home-based productivity software.

Education

The education market for the IIGS is probably going to take some time to develop, simply because of the limited budgets of most schools and their reluctance to part with their present computers. But Apple's upgrade policy to convert IIe's to IIGS's will help. In the meantime, companies well known for their interest in this market are actively developing programs for this computer. Among these are such familiar names as Scholastic, Spinnaker, and Tom Snyder Productions.

The Buyer's Guide

The companies listed in this article are but a few of many firms who are creating programs specifically for the Apple IIGS. The next few months will be accompanied by a flurry of activity as others jump on the bandwagon for this computer.

The programs for this new computer will open a new world of

computing for us, and it's most heartening to see so many developers quickly moving to support it.

22 COMPUTEI November 1986



# USE THE BRAINS YOUR IBM WASN'T BORN WITH. Bight at your flucturing. East access to fire software. Bar access to fire software.

Right at your fingertips in CompuServe's IBM° Forums.

In the IBM New Users Forum you'll swap ideas with other new PC users, learn to use Forum features, and pose even basic questions to PC experts.

Our IBM Junior Forum gives PCp\* users a reliable source for tips on software, hardware, telecommunications, games

hardware, telecommunications, games and other interests. In the IBM Software Forum you'll trade tips with other IBM PC and AT users on utility software, word processing, DOS

and other operating systems.
Visit the IBM Communications Forum for advice on the features and compatibility of communications software and hardware, PC Bulletin Boards, micro-

mainframe interfaces and more.

The IBM Hardware Forum addresses hardware topics of all types, plus product undates and announcements.

including FREE uploads.

• Download first-rate, non-commercial user-

supported software and utility programs.

• Upload your own programs free of connect time charges.

• Take advantage of CompuSerse's

 Interpretate weekinght and weekend rates (when forums are most active, and standard online charges are just IOC per minute).
 Go online in most major metropolitan.

 And receive a \$25.00 Introductory Usage Credit with purchase of your CompuServe Subscription Kit.

Information you simply can't find anywhere else.

areas with a local phone call

Use the Forum Message Board to send and receive electronic messages, and pose specific questions to other IBM and compatible owners.

Join ongoing, real-time discussions in a Forum Conference.

Search our unparalleled Forum Data Libraries for free software, user tips, transcripts of online conferences and more. Enjoy other useful services like:

• Popular Computer Magazines — electronic editions, for your reading pleasure. Including Dr. Dobb's Journal and Computer Language.

 Other CompuServe Forums—supporting LOTUS® products like Symphony™ and 1-2-3™ Borland International," Ashton-Tate® Digital Research," MicroProf, Microsoff, Software Publishing® and others.

All you need is your IBM or IBMcompatible computer and a modem ...or almost any other computer.

To buy your Subscription Kit, see your nearest computer dealer. Suggasted retail price is \$39,95. To receive our free brochure, or to order direct, call 800-818-809 (in Ohio, call 644-87-802). If you're already a CompuServe subscriber, type GO IBMNET (the IBM Users Network) at any I prompt to see what you've been missing.

#### CompuServe<sup>o</sup>

5000 Arington Centre Blvd , Columbus, Onio 43220 800-848-8199



The AppleColor RGB monitor has a 12-inch screen with a resolution of 640 × 200 pixels. When used with the Apple IIGs computer, the monitor is capable of displaying graphics and text in as many as 4096 colors.

processor. The result is a computer that provides tremendous room for software development.

#### ortware c

Turbo II The IIGS clock runs at 2.8 MHz, almost three times the speed of the Apple IIe. As a result, programs designed for the older II-series machines run at close to three times their normal speed. This is an advantage for some programs, but not for others. Most players would be truly hard-pressed to set new records if games ran at three times their normal speed. To compensate, you can set the computer's speed to the "old" value with the IIGS's onscreen control panel. Games written for the He or Hc will then play at the correct speed.

The control panel also lets you set the color of the text and the background, as well as the pitch and volume of the internal "beep." Again, while this kind of control is familiar to owners of Atari and Commodore computers, it's a welcome addition to the Apple II line.

#### What About Software? At the time of this writing well over

At the time of this writing wen over one hundred outside developers were actively engaged in creating software for the IIGS. By the time you read this, the number is probably triple that, with new entries be-

ing announced every day.

Apple itself, however, is conspicuous in its absence from these
announcements. The company appears to be content to provide support for outside developers rather
than dedicating its resources in aggressively developing its own programs for the IIGS.

There's good reason for this approach. Unlike the MacIntosh—a computer released with no immediate third, party software support—the IIGs runs the vast library of machine that you can use from the moment you unpack it and set it up. As new products are developed to take advantage of the IIGS, people will move away from the pure Apple II software and toward the preformance, which their improved performance, which their improved performance.

David Thornburg is an associate editor with COMPUTE! magazine, a frequent contributor to other publications, and the designer of Calliope—an idea processor for the Apple IIe, Iie, the Macintosh, and now the IIos. He may be reached in care of this publication.

#### The GS At A Glance

Memory 256K RAM

Expandable to 8 megabytes 128K ROM Expandable to 1 megabyte

Graphics Modes

40 × 48 (Apple IIe/c low-res) 16 colors per scan line 280 × 192 (Apple IIe/c hi-res)

6 colors per scan line 560 × 192 (Apple IIe/c double-hi-

560 × 192 (Apple IIe/c double-hires) 16 colors per scan line 320 × 200 pixels 16 colors per scan line

640 × 200 pixels 4 colors per scan line

4 colors per scan lin Colors

40 × 48 (Apple IIe/c low-res) 16 colors

280 × 192 (Apple IIe/c hi-res) 6 colors

320 × 200 4096 (256 hues, 16 luminances) 640 × 200

4096 (256 hues, 16 luminances) Sound

32-oscillator Ensoniq chip 15 voices

Speech synthesis Reproduces sample sound Dedicated 64K of RAM

Microprocessor

#### 65C816

16-bit processor Clock speed—2.8 megahertz Emulates 6502 for Apple IIe/c compatibility

#### Ports

Game/joystick port Disk drive port

Accommodates up to six 5%inch or 3%-inch drives Two serial ports

Support for AppleTalk Composite video out Audio out

Analog RGB video out Apple DeskTop Bus Connects up to 16 keyboards and mice

Slots

Seven peripheral card slots

# COMMODORE CLASSICS!

#### PAPERCLIP WITH SPELLPACK for the Commodore 64

"The "I Best Selling Word Processing Pockage."

— BILLBOARD'S COMPUTER SOFTWARE CHART
"Superb... the most suphisticated to date."

— COMPUTE MAGAZINE

"The best professional word processor available."

RUN MAGAZINE

 Fost: Insert/ Delete, Move or Copy words, phroses, sentences or entire blocks of text.
 Eosy: save up to 52 repetitive words or phroses,

 ■ Losy: sure up to 32 repetitive words or phrow then enter them with just two keystrokes.
 ■ Sophisticated: Global Search and Replace changes every occurrence of a wrong word or whome.

purose.

Works with the Consultant Doto Bose Monoger for the Oi4.

Personolized form letter, moiling list and

moiling lobel functions.

Built-in Spellpock with Dictionory for fast error checking.

#### THE CONSULTANT for the Commodore 128/64

Dotobose monogement mode easy!
"Combines simplicity with speed and geontic

records."

— COMMODORE MAGAZINE

Built-in templotes for the most needed dotabose

functions: Inventory Budgets, Moiling Lets, Cotologs and many more.

Extensive mocro copobility
 Keyed field occess speed — 1/10 second; sorting speed — 4 seconds per 1000 records.
 Six secrets overstors — Equal To, Greater

Thon, Less Thon, Not Equal To, Motch Anywhere, Wild Card.

Totally flexible relational reporting — insert

Totally flexible relational reporting — insert ony Consultant dotafile in a report.

Works with PaperClip Word Processor

#### KEYS TO TYPING: for the Commodore 64/128

40 words a minute in 32 easy lessons — or less!
Learn to type at your own poce!

32 step bysten lessons to reach at least grade 10

proficiency!

Lessons bosed on proven instructional techniques used by trains teachers.

Lessons oused on process marricusmos techniques used by typing teachers normalis secures, as marriages (8 hard lever, Behand ourse), Cauda, Life 181 (101 at 1811), Canada lever, Behand

Committee Epocardo for Electronic suprate controller season for Electronic suprate for Electronic suprate controller season bandwarf for product setters plant and 18 Met 19 (19 Met). Suprate for Electronic suprate setters plant and 18 Met 19 (19 Met). Suprate for Electronic suprate suprate suprate suprate suprate program by retensible confided allocated 310 (60 Petros in allocated for Electronic suprate suprate suprate suprate suprate suprate suprate for Electronic suprate suprate suprate suprate suprate suprate suprate for Electronic suprate s





#### PAPERCLIP II: for the Commodore 128

"An exceptional value . . . one of the best software investments now available for the C128!" — RUN MAGAZINE

The #1 best-selling word-processor, re-designed to toke full advantage of the C128's increased memory speed and power. Compatible with C64 PowerCian text files.

 Integrated 38,000 word spelling checker to give you error free documents.
 Built in telecommunications module to occess

 Data in execommunications module to occess on line services — one toggle moves you between word processor and terminal.

Works with THE CONSULTANT for the C128.
 New editing features include multiple columns, reverse video scroll and chaptering, with

maximum document size now exponded to 909 lines.

CALKIT

for the Commodore 64/128
"... the very best program of its type ... o

powerful tool that's not overpowering . . . the perfect spreadsheet for the home user." — COMPUTER ENTERTAINER NEWSLETTER

 Simplified, streamlined spreadsheet program with "What II?" copobility for projections and estimates.
 Built in analysis templates: Check Book.

Budget, Installment Poyment, Income Tax, Bolonce Sheet, Stock Portfolio, Moteriols Estimator, and many more. Formats are already set up, colculations are pre-programmed — all you need do is enter date.

 Design your own customized worksheets to solve specialized problems.

HOMEPAK for the Commodore 64/128

"... inexpensive, powerful, integrated software As such, HomePok is the winner of InfoWorld's

As such, Homerton is the winner of intonor is a Best Bay Award."

INFOWORLD MAGAZINE

one of the finest volues on the market.

Performance excellent Volue: excellent."

— PAMILY COMPUTING MAGAZINE

Three easy to use programs on one disk:

HOMETERM TELECOMMUNICATIONS
 Powerful Mocro facility — log on to year fewarts bulletin board or database with one

Flexible doto hondling — save incoming text to
disk, edit it, print it.

HONGSTEYT WORD PROCESSOR

HONGSTEYT WORD PROCESSOR

2. HOMETEXT WORD PROCESSOR

■ Over 20 full-screen editing and formatting features: move & copy, word-woop, justification,

outomotic poging and more more.

3. HOMEFIND DATABASE MANAGER

Notural English longuage data entry/retrieval system. for simulified electronic filing.

All three HomePok programs work together so it's easy to transfer data and perform integrated tasks.

# Cutting Telecommunications Costs

Kathy Yakal, Assistant Features Editor

Learning to keep your telecommunications costs as low as possible is one of the secrets of online success. Here are a few tips to help you conserve your money while still enjoying the pleasures of telecomputing.

There's probably no other personal computer application that can be as costly overall as telecommunications. The initial costs are low: a modem, a cable, perhaps, and terminal software. And if you limit yourself to calling local electronic bulletin board systems (BBSs), your expenses can end there.

#### An Exciting And Varied World

But it's a rare computer owner who can resist moving out to explore the exciting and varied world of tele-exciting and varied world of tele-exciting and varied world of tele-exciting and varied world on the exploration of the exploration of

steadily climbing telephone bills.


However, there are ways to economize online.

Familiarize yourself thoroughly with

 Familiarize yourself thoroughly with whatever system you're on before attempting to accomplish anything there. Obviously, familiarizing yourself with the system is accom-

plishing something, but don't even attempt extensive online chatting before you understand the command system and menu structures. Fortunately, most systems offer a lot of help in this area, and encourage the user to spend some time getting acquainted. For example, the Delphi telecommunications system requires each new user to go on an online tour at the first signon. QuantumLink, a Commodorespecific service, offers guided tours to new users at regularly scheduled times. In fact, most of the major telecommunications networks attempt some sort of introductory orientation for new users, whether it's through written instructions or on-





#### Introducing the New MACH IV JOYSTICK It saves you Time, Space and Money

CH Products new MACH IV JOYSTICK is two controllers in one. A high-precision mouse replacement and loystick combined. This means you can use it with any program that requires a mouse or with any

program that requires a joystick The MACH IV saves you time because it is faster and easier to use than a mouse. It also doesn't require cleaning every 10 hours like most

mechanical mice The MACH IV saves you space because it doesn't require any desk space or special surfaces to operate. You can even use it on your lap The MACH IV saves you money because it costs less and provides a longer life expectancy than a common mouse. And with the flip of a switch you have the added advantage of a joystick control for use with

your favorite game or simulation program It works better and is compatible with more software than any other pointing device available today. Try it yourself and we're sure you will agree that the MACH IV JOYSTICK is the best cursor control available

Available for the Apple IE/IIC, Macintosh, IBM PC/XT/AT and compatibles The MACH IV for the IBM PC/XT and AT is a direct replacement for the PC Mouse from Mouse Systems, and is available with Designer Pop-up." Menus for use with Lotus 1, 2, 3, Multiplan, VisiCalo, ReshCalo, SuperCalo, WordStar, Multi-mate, Moleameter, Personal Edition, PFS Write, DBASE II, Framework and Symphony. There is even a Microsoft Mouse driver This means the MACH IV will work with hundreds of programs that support either a Mouse Systems' or Microsoft

Suppressed Reput MACH IV Apple IIE/IIC

\$ 89.95 (Apple IIE computer requires an Apple mouse card) MACH IV Macintosh (works as a mouse only)
MACH IV for IBM PC/XT/AT and compatibles MACH IV for IBM PC/XT/AT and compatibles with Designer Populp" Medur

#### MACH II and MACH III Joysticks are the number 1 choice of retailers and consumers today. They provide

more features, longer life cycles and greater precision than all others With compatibility across a wider range of programs — from games to business to graphics to cad applications. With high quality metal connectors now standard on all models, they are plug in compatible with the Apple II. IIE/IIC, IBM PC/XT/AT, IBM PCir and most compatibles. Suggested Retait MACH II - \$44.95, MACH III - \$54.95

#### GAMECARD III is our newest game control adapter. It corrects the incompatibilities of

software programs requiring different joystick outputs. It is the only game adapter which provides three switch selectable sensitivities to function properly with all game, graphics and cad software for the IBM PCs and compafibles. Available with optional Y cable for dual control The GAMECARD III PC model is compatible with the IBM PC, XT, Portable, Compag. Leading Edge and most compatibles. The GAMECARD III AT model is compatible with the IBM AT and most compatibles \$59.95 Suggested Retail GAMECARD III

GAMECARD III with optional Y Cable \$69.95

Y Cable separately \$14.95 CH Products, the leading manufacturer of precision analog joysticks for industry and home delivers the highest quality computer peripherals

SEE YOUR DEALER TODAY or for credit card orders call 1-800-624-5804

1,800,262,2004 (In California) for more information call (RI9) 744-8546 1225 Stone Drive San Marcos, California 92069



available today

computer to your disk drive) Help menus (usually accessed by typing H or a question mark symbol at a command prompt), and later print them out and study them offline (disconnected from the host) until you know them well.

These menus often contain detailed explanations of each command, and give you a good idea of the quickest, easiest ways to get around the system. It may seem a lot of trouble, but learning them will save enormous frustration. time, and money. The system operators (sysops) at each network are usually available if you really get stuck, and most are quite happy to help. But remember, if you're trying to get help while online, you're generally paying for the connect time. · Once you've learned a system fairly well, consider using its Expert mode, Most systems, and even many BBSs, offer a mode for experienced users that allows them to bypass many of the menus and go straight to the desired area. You need to be sure you know your way around well before you start using this, or you could find yourself locked out of the menu structure and unable to

go anywhere. Switch To A Faster Modem · If you do a lot of downloading, seriously consider getting a 1200-band modem. While 300 baud is a good speed for socializing, it can be frustratingly slow when you simply want to download a program into your computer. At the same time, 1200-baud is often too fast for chatting, if several people are participating online. There's no simple formula to help you determine whether or not the savings from fast downloads will justify the expense of a 1200-baud modem. While it's true that you're getting the information four times faster, most systems have a higher hourly charge for 1200-baud use. In the long run, however, computer users who opt for 1200-baud service generally don't choose to return to 300-haud. · Speed up your lov-on time by using a more sophisticated terminal program. Many terminal programs let you create macros, small user-definable

routines that set up an automatic log-on procedure. If there is one area where you always go first, or one task you always perform (such as checking mail), you can add that to the macro and save some time and keystrokes. Here again, the savings may or may not be worth the extra expense of a new terminal

program. But the extra convenience

may play a part in your decision.

#### Use Off Hours

· Try to confine the bulk of your downloading to times when the system is relatively quiet. Systems that operate on a 24-hour basis charge lower rates for off-peak hours (evenings and weekends), thus offering substantial savings. But even offpeak hours are busier at some times than at others, usually from about 8:00 until 11:00 in the evening. At those times, a system sometimes suffers from short delays, pauses between the time you type commands and the time they're executed. You'll save some money if you steer clear of those hours.

If telecommunications at offpeak hours, such as 2:00 in the morning, is impossible, there are programs that will automatically log you on to a system at a specified hour, do the tasks you've assigned them, and log you off when they've finished. This doesn't necessarily require you to leave your computer on all night. If your computer can be set to boot up automatically when the power comes on, you can leave your disk in the drive and get an automatic timer that will turn the computer on and off at predetermined hours.

#### Don't Edit Online · Consider shopping for a new long

distance telephone service that may have lower rates than your present system. This won't make any difference if you only call the major telecommunications services and live in an area with local-access numbers for services like Tymnet and

Telenet, which act as connectors to the telecommunications services. But if you're calling a lot of BBSs long distance, you might be able to reap some fairly significant savings if you switch to a more economical

long-distance service. · If you're downloading messages at 1200-baud, dump all of them to disk and search through them later. Searching through messages and deciding which ones you want to keep can be quite time-consuming. If you're at 1200-baud, it might actually save online charges to dump a whole group of messages without stopping to read them and deciding which to save and which to discard. After you've logged off, you can go through the file and keep only the ones you want.

· Set an alarm clock next to your computer. This may sound rather silly, but it's easy to lose track of time when you're online, especially in your first few weeks of telecomputing. Even if you don't feel you need to set absolute limits for yourself, it will alert you as to when a set period of time has gone by. Some terminal software includes an alarm clock function

There are no hard and fast rules when it comes to saving money online. The more experience you get in telecomputing, the more efficient you'll become. You'll also find that all of the telecommunications networks are trying to offer ways to increase their subscriber base and their percentage of online usage. As a part of this effort, rates are getting less expensive, systems are becoming easier and faster to use, and there are more services being offered within each network. Increasingly, the happy result is more telecomputing for the money.

#### Available NOW from COMPUTE! Books

# The complete guide to using Microsoft\* Works



Mastering Microsoft Works is available **now** from your local computer or book store.

You can also order directly from COMPUTEI by calling full-free 800-346-6767 (in New York 212-887-8525) or by writing COMPUTEI Books, P.O. Box 5038, F.D.R. Station, New York, NY 10150.

Mastering Microsoft Works Sharon Zardetto Aker \$16.95 ISBN 0-87455-042-4 287 pages

Microsoft Works offers a system of four integrated modules for home and business Macintosh users. This comprehensive guide and tutorial shows how to use Works efficiently and easily. Works includes a work processor, database, spreadsheet.

telecommunications, and graphics, and this book describes how to master Morks—from creating form letter with the word processor to tax forms with the spreadsheet, Integrating the modules is explained and illustrated. More than a tutorial, more than night are reference, Mastering Microsoft Works is the complete audied to this state-of-the-art software.

COMPUTE! Publications, Inc. 660

CCMPUTE books are available in the U.K., Eurape, the Middle East, and Africa from Hoti Sounders, Ltd., 1 St. Anne's Road, Eastbourne, East Sussex (RV2) 3UK, England, and in Canada from McGrow-Hill, Riverson Ltd., 330 Progress Ave., Scarboraugh, Onlarip, Canada MIP 225.

# Telecomputing Today

#### The SIG Wars

It started in earnest when newcomer People Link became the first service to use the electronic-mail facilities and SIG message boards of its comnetitors to solicit new subscribers. While some telecomputing buffs appreciated both the irony and cleverness of this approach, People Link's competitors were not amused. CompuServe even amended its user agreement to specifically forbid solicitation of its customers by its competitors. The CompuServe user-ID of anyone sending such messages will be subject to revocation.

The People Link response was to take advantage of the ability of MCI's electronic mail to "gateway" to CompuServe's E-mail system. CompuServe was effectively checkmated since the only way to stop the unwanted message flow would be to shut off all messages using the

MCI/CompuServe connection. Since that time, things have been steadily heating up in a series of online border clashes. One of the most popular services offered by the commercial services is Special Interest Groups (SIGs), areas where like-minded users can exchange messages, chat online, and access public domain programs. A highquality public domain program library is almost essential to the survival and financial viability of a SIG. The SIGs are minded by system operators (sysops) who receive a share of the connect-time charges racked up by SIG users.

#### Whose Software?

About a year or so ago, some of the sysops who ran Special Interest Groups (SIGs) on CompuServe left to set up shop on other services. While most of the defecting sysops built their new libraries from private and user-group sources, some acquired a substantial portion of their alma mater's library and used it as a base to build on. To this day, it's

common to see a lot of public domain material move freely between services. In an effort to expand their public domain libraries, GEnie eliminated connect-time charges for uploading programs early this year. Within a few months almost every other information service followed suit,

Even purveyors of popular "shareware" have begun to form liaisons with commercial services. In return for a percentage of the download charges, the shareware author grants an information service semi-exclusive distribution rights for a month or so. The early availability of new releases acts as a

drawing card for new users.

The most recent spate of SIG controversy concerned a user (whose name we will change, in the tradition of "Dragnet," to "Dash" of a SIG on Delphi. Dash, a talented programmer, developed a great public domain terminal program for the Amiga called "Dashterm." When offered a lucrative sysop position on CompuServe, Dash accepted. Dash also modified his terminal program to include a notice that it was available only via CompuServe and could not be uploaded to other services or otherwise distributed. This made perfect sense to Dash since he would get a "cut" of the connect-time charges used to acquire his program. Dash's old crowd on Delphi strongly objected. Many who felt that they had helped find flaws in-or made sug-

Enter another personality we'll call "Lear." Lear has been maintaining a set of public domain programs for the Amiga on disk, which he distributes to the public for a nominal media and copying charge. Lear asked Dash if his modification meant that Lear couldn't include

gestions that had improved— Dashterm felt that they were being

given short shrift,

Dashterm anymore in his public domain library. Dash replied that it could not be included, which Lear really didn't have any problem with. Lear was then informed by CompuServe that he is prohibited by the terms of the CIS User agreement from distributing any public domain software downloaded from CompuServe.

This touched off a tidal wave of messages within the SIGs of almost every commercial service. The populist argument: "If it's public domain software, there is no copyright. An information service can't claim rights to it and nobody can tell anyone what they can or can't do with such software." To be fair. there was a tendency on the part of the most vocal proponents of free exchange to characterize CIS as the Dark Side of the Force.

#### The information Police Are At The Door

CompuServe's argument was simply that redistributing material from CIS in any form was contrary to the CompuServe user agreement. This includes giving a copy to a friend, uploading it to another service, or submitting it to a usergroup library.

What's the bottom line of all this nonsense? As the legal eagles who joined in the online debate noted, CompuServe was within its rights. It's hard for any service not to be, since they all reserve the right to make any changes they deem necessary to their user agreements. The barristers also noted that attempting to enforce such "shrinkwrap license" policies is almost impossible...wait a minute-there's the doorbell; I gotta go. My wife says the information police want to ask me a few questions. (Editor's note: For CompuServe's view

on these topics, see "CompuServe and Public Domain" on the next page.) @

### CompuServe and Public Domain

Selby Bateman, Features Editor

(Editor's note: See "Telecommuting Today" on the previous page before reading this article.)

Philosophical differences have long existed between those computer users who favor free access to software and those software producers and distributors who see computer programs solely as a commercial market. Between those two points of view, however, lies a great deal of territory relating to software ownership, access, and distribution,

One of the most recent and heated debates, as noted in this month's "Telecomputing Today" column, concerns the question of free access to public domain software and a telecommunications service's right to control distribution of the programs and information it provides to its members.

#### A Bum Rap?

While some telecomputing enthusiasts have recently fired salvos at CompuServe for limiting distribution of the public domain programs it carries, the CompuServe organization believes it's getting a burn rap. CompuServe officials say their policies-including the user agreement copyright of all material on the service-are a positive, contributing force in the distribution of public domain software.

What CompuServe wants to protect, says Rich Baker, director of corporate communications for CompuServe, is its members' rights as well as the programs and information on the system. Compu-Serve's user agreement copyright notice does say that the information and programs there are for the express purpose and use of the owner of a CompuServe identification number. That means no copies of any public domain software can be made legally for distribution without prior written permission from CompuServe, he says,

"The purpose of the [Compu-Servel copyright is to protect the work that is on the CompuServe Information Service. That is for the benefit of our customers, so that if someone does indeed download some of the material and resells it for commercial gain, there's some recourse that can be taken to protect our customers. That's the whole purpose of the copyright.

"From that has spun off a number of opinions, some that I think are inaccurate," he adds, "As it relates to public domain software. we encourage very much the use of CompuServe to post public domain

software. "First, we make a tremendous amount of storage available to hold those kinds of programs. Second, we turn off the clock for people who are uploading the programs to us now. So it doesn't cost them anything to upload the programs. And third, we actually publish an electronic-and soon to be printed-column that's called 'The Best of the Unloads.' We work with our system administrators and a freelance writer to collectively take a look at the software that's been uploaded, and some of the more popular ones. Then we'll write about them and bring them to our customers' attention so that they can use them, too. So, we really encourage the use of public domain software an awful lot on our system."

#### **Encouraging Public**

Domain Software One recent article in a Southwest-

ern newspaper claimed that CompuServe's copyright rules were, in effect, a claim of ownership of public domain software, says Baker. 'It was quoted there that our

policy evades the spirit of public domain, and I took real exception to that because it really doesn't. Everything we do encourages the public domain software concept, everything from our free unloads to

the fact that we publicize the good programs for our customers

'It can easily be summarized by saying that the copyright is instituted as a measure of protection. not necessarily as a measure of ownership. And it's something we feel is important for the feeling that our customers have that they can use our service, and what goes on there is protected and is in their best interests," he says.

Is such a copyright enforceable? Baker admits that, to his knowledge, no one has challenged the legality of the user agreement stand the intent, they don't have a

and the copyright. "I think once people under-

problem with it. And the term copyright-you know, this is just such a different medium. We're applying rules, laws, procedures from different media onto this new medium. And therefore, in many ways, the opportunity for misinterpretation might be a little bit greater. But our goal is to continue to educate people and help everybody understand what it is the medium has to offer-and the rights that people have to the information and the rights that the people have who supply the information. It's a continuing process.

For those members of Compu-Serve who may wish to distribute copies of downloaded software, Baker says there is a procedure. "It's just like any other copyright. They would make application in writing to us, and we would review it and respond in writing with per-

mission or denial "We look at every situation as

a unique situation. And we follow pretty much the guidelines that are a part of the copyright policy. With very few exceptions, permission is granted," adds Baker. "It very heavily reflects on whether it's a program or whether it's information. It really reflects on how it's going to be used."

#### COMPUTE!'s All New Apple Applications Special

COMPUTE's latest Apple Applications Special features in-depth articles and interviews, at the inside news about Apple, clearly written tutorials, software buyer's guides, new product information, and valuable ready-to-type-in programs for all Apple users.



#### Apple owners find these special Apple Issues the most understandable, complete, and valuable resources available today.

PUS
All the programs in COMPUTE's Apple Applications
Special are also available on a timesaving disk,
ready to run on your Apple II, II+, IIe, and IIe.
The Disk costs only \$12.95 (plus \$2.00 shipping
and handling) and gives you immediate access to

all the great programs in this special issue.

Look for the Fall/Winter 1986 issue of
COMPUTE's Apple Applications Special on sale
where you buy other COMPUTE! publications, or
order directly from COMPUTE!. This special issue
goes on sale October 7, 1986.

Send in the attached order card or call toll free 800-346-6767 (in NY call 212-887-8525).

#### Feature

The Latest At Apple

An inside look at the newest products from Apple. Impressive hardware, sophisticated software. Interview: William Mensch

A fascinating talk with the designer of the chips inside the millions of Apple computers. What we can expect in the coming years.

#### Business Applications Mastering The Macintosh

Power software for the Macintosh takes Apple's innovative computer to new heights. Complete tutorial and application ideas. New On The Wire

Telecommunications keeps exploding—witness the new information services, new software, and powerhouse 2400 baud modems. Our telecommunications specialists look at all this and more.

#### At School

Experts At The Table
A panel of well-known software developers, educators, and

computerists explain where educational computing has been, where it's going, and why. The Story Machine

Children of all ages can write, read, and print stories up to 20 pages long with this easy-to-use word processor for all Apple II computers.

Solarpix

Educational software that entertains, this tour of the solar system is a dazzling display of the Apple's graphics power.

Hi-Res Poster Printer

Print hi-res drawings in poster size for banners, signs, and business presentations. Two sizes and a simple-to-use menu make it a snap.

At Home
Your Graphics Primer
Tips, techniques, and more show how to create impressive graphics on the Apple II.

Power Sketch
This hi-res sketching program for the Apple II puts paint, draw, fill, air brush, and other tools in every artist's hands. Save and load screens to disk.
High Rise

This unique game of elevators and an out-of-control robot is written entirely in machine language. Easily one of the best Apple arcade-style games we've ever published. DOS Adjust

Customize DOS 3.3 with this comprehensive program that's easy to use: no programming knowledge required.

Apple User Groups
A complete list of all Apple user groups.

And much more

Including reviews, buyer's guides, new products, and useful programs

COMPUTE! Publications, Inc. obc
Part of ARC Consumer Magazines. Inc
One of the ARC National Component
(Not of the ARC Nat

# ONLINE

Selby Bateman, Features Editor

y systems you're likely to run into.

If you're new to telecomputing, or haven't been online for a while, you'll find some pleasant surprises. The major telecommunications services have continued to add new features and to make their systems easier to use. Here's an overview of some of the newest resources at your telecommunications doorstep.

One of the most rapidly evolving, segments of the ever-changing personal computer field is telecommunications, connecting your computer to other computers through telephone lines. All you your computer, a modern that translates your computer's signals into tones that can be transmitted via telephone lines, and a terminal program that coordinates the actual translation of the computers of the control of the c

Once you begin telecomputing, you quickly find that among the most interesting and varied online pursuits are the different telecommunications services that offer you hundreds of different activities and access to thousands of computer users.

Individual services vary quite a bit, depending on what kind of computer user each is hoping to attract. Some services cater to business customers, but a growing number are trying to interest home computer users. The major consumer services listed below don't include all of the

But, they have become the bestknown major services among personal computer owners.

#### American People/Link

It's been almost two years now since American People/Link went online with its combination of news, entertainment, conversation, electronic mail, CB simulation, and games. Among its variety of online clubs, the Commodore Club continues to be one of the most popular areas of use.

People/Link users are called Pinkers, and the emphasis is on interaction among members, ease of use, and low cost. Users receive regular printed information updates called LinkLetters. There is a Help system for beginners, as well as Advanced Mode, which lets more experienced members move around more quickly.

American Home Network, 3215
N. Frontage Rd. Suite 1305, Atlust 1312-870-52009, Onno-prime time access rate is \$4.25 per hour at 300 baud and \$4.95 an hour at 1200 baud; prime time fees are \$11.95 for 300 baud and \$12.65 for 3100 baud (Illinois residents pay

# \$4.25 at all times.) CompuServe Information Service

CompuServe remains the nation's largest computerized consumer information service, and continues

to add to its huge library of online offerings. The financial services area, in particular, has undergone extensive growth. Three brokerage services are offered for online transactions, and Wall Street financial information from 1973 forward is available.

One of the new financial services offered on CompuServe is COSCREEN, which lets investors screen information about companies through as many as 24 different search variables. In addition, CompuServe has

added greatly to its database library through the IQuest gateway link. An additional 700 databases have been added to the approximately 400 already available on Compu-Serve. The new databases are primarily in the reference and bibliographical areas for such professional fields as health, law, real estate, and many others. The new databases also include many national and regional newspaper files, as well as adding the UPI (United Press International) news wire. CompuServe already offers the AP (Associated Press) service

Another service area undergoing major growth is the expanded travel information and transactions section. Using the Online Affilines Guide (OAG), you can book your own reservations anytime and anywhere. There's even a ski reservations service called the Rocky Mountain Connection that less you schedule an entire ski weekend or extended ski trio.

The popularity of CB-style communication has led to a new digitized database of users' photos. Send in a photo of yourself to CompuServe, and the company will digitize the photo for free and include it in a database of all members who send them in. So, if you've been chatting online and made a new friend, you can call up the name of the person and see a digitized picture on your screen. This service is an offshoot of CompuServe's earlier digitizing of photos of the FBI's ten most wanted criminals.

CompuServe. P.O. Box 20212 Columbus, OH 43220; 800-848-8199. \$39.95 registration fee; prime time access is \$12.50 an hour at 300 baud and \$15 an hour at 1200 baud, with non-prime time rates of \$6 an hour at 300 baud and \$12.50 an hour at 1200 haud

#### Deiphi

Delphi has added a variety of new services to its offerings, including Computer Express, an interactive shopping service that offers computer software and accessories at discount prices. Ordering is quite simple: If you see something of interest while browsing, you type the letter O. Information on that item is stored in a personal file, which is called up when you enter the command to exit. At that time, you can either cancel the order or place it.

Another new service is a classified advertising section, which allows you to receive responses to your own classified ads either via Delphi mail or through mail/telephone orders

For those visiting the Boston area. Delphi Boston is a special online service offering hotel and restaurant guides, sports schedules, and other information of interest to residents of and visitors to the area. There's also an expanded travel service on Delphi now, which allows you to shop online for the best airline rates and schedules and make your own reservations.

A new magazine and book order area lets you subscribe to various publications and even change mailing addresses online. In addition, you can correspond with the editorial staffs of participating publications.

Delphi, 3 Blackstone Court, Cambridge, MA 02139; 800-544-4005; \$49.95 registration fee; prime time access is \$17.40 an hour and nonnrime time access is \$7,20 an hour.

#### Dow Jones

#### News/Retrieval

Dow lones is considered the premier business and financial computer news service, and its databases carry extensive financial and stock market data as well as a growing array of other news and information.

Over the past several years, the subject areas included have broadened into many other areas. As with the other major services, users can find everything from generalinterest news, weather, and sports to airline guides, college selection services, and an online encyclopedia. As with CompuServe, the number and variety of offerings are huge.

Dow Iones News/Retrieval, P.O. Box 300, Princeton, NI 08540; 800-257-5114: \$29.95 registration fee. which gives you five free hours: \$12 annual service fee that's waived the first year. At 300 baud, prime time access fee is 90 cents per minute, and non-prime time rates are 20 cents a minute. At 1200 baud, rates are 2,2 times those at 300 band. In addition. about 8 of the 40 online databases carry a surcharge.

#### **GEnie**

After only a year of operation, GEnie has developed a subscriber base of over 20,000, and plans to have 30,000 by the end of 1986.

Some of the newer services include the American Airlines Easy Sabre Travel Service, which lets you peruse fares and schedules. and make reservations online: 25 new SIGs (Special Interest Groups). ranging from computer-related areas to science fiction/fantasy to scuba diving: Hollywood Hotline, a database of movie reviews, both current and as old as 10-15 years: and suspension of the \$5/hour surcharge while public domain software is being uploaded. Of the approximately 10,000 data files available on GEnie, 75 percent come from users

General Electric Information Services, 401 N. Washington St. Rockville, MD 20850- 800-638-9636

ext. 21: \$18 registration fee: prime time access is \$35 an hour, and nonprime time access is \$5 an hour.

#### QuantumLink

In its first year of operation, this Commodore 64/128-specific service has received quite a bit of interest. Several months ago, new software for the system was released, adding features such as a new downloading mechanism that speeds up downloads anywhere from 20 to 60 percent; a status report during downloads that tells how much of the download has been completed as you go along: reorganization of the software libraries, making it easier to find programs; an overhaul of the message boards for easier use; and an autoboot program for Commodore 128 users, as well as an auto-redial capability QuantumLink Customer Service,

8620 Westwood Center Drive, Vienng, VA 22180: 800-392-8200: no reqistration fee: \$9.95 monthly charge (no additional charges except for certain selected services at six cents a minute).

#### The Source

The Source continues to add services for both consumers and business users. Among the new services are SIGs, including those for Commodore, Apple, and IBM computers. Like other telecommunications services that offer SIGs. The Source offers messaging capabilities, public domain software for downloading, E-Mail, and a variety of other areas of interest to personal computer owners.

There's also a new service called USA Today Broadcast. This is a special feature offered to those employed in the field of broadcasting. Gannett, publisher of USA Today, makes editorial content available online prior to printing the actual publication

The Source, 1616 Anderson Road, McLean, VA 22102: 800-336-3366: \$49.95 registration fee, which includes 300-vave manual, Billing is \$10 a month or your usage, whichever is greater. At 300 band, prime time access is 36 cents a minute and nonprime time is 14 cents a minute: at 1200 baud, prime time rate is 43 cents per minute and non-prime time is 18 cente a minute

A Chess Program that's TOTAL PRODUCT TO DO DO W. W. LENSE IN PAR THE STATE OF On YOUR Side! MOVE 3 Hit Choice 1=Nf3 2=cxd5 Paul Whitehead Teaches Chess \$49.95 Defense. A fighting defense. Black develops a piece and attacks in the center. White's Choice: 1= Mf3 is a good developing move; 2=(xd5 is premature 125 IBM PC PC ir (color or mono)

Now, over 40 hours of interactive animated chess instruction are yours, NOTE: UNITED WE INSIGNATE OF STREET, AND ADDRESS OF STREET, AND ADDR mon are minu or an windricen Open Grampion. For deginners (9 seat tournament players, the techniques of a top master are exposed) OPENINGS:

Here is a sampling of what you will see come to life on the screen: . King's Gambi · Ruy Lopez · Tempo & Zugresng + Sectch Garre · Isolated Payers · Glucoco Princi . Rules · Chess Notation · Passed Panns · Petroff's Defende

· Coming Principles · Opposition of Kings · Alekhine's Defense · Piece Development • French Delense · Triangulation - Hypermodern Mtack · Siction Defense · Surprise Checks · Classic Opinings · Caro-Karn · Greed . Piro Delenie . Quizzes · Tectios For Each Piece · "Desperado" Move . Center Counte · Weak Points in the Opening · Enclish Opering , Pins · Britisert Outen Mores . Fofts

· Bird's Opening . King as a Pawn Escort · Larson Mack • The 3-Pawn Breakthround Overloaded Pieces · Sokolsky's Open · Opposite Color Bishops · In Between Moves · Good & Bad Pawn Position · Back Rank Checkmate · Grob's Attack · Smothered Mates · Cornecting a Mamerial Advantage to a Win - Stalen stes · Sacrifices · Biochades · Fignithetions The Lucent Position ... and more!

• King & Payer Endings Each package lockades a detailed har-aided ROAD MAP that less you less that of Each package includes a detailed her-laided ROAD MAP that lets you also have the post of the your guarant through the shows detailed. The Read Maps lated the ports of the . The Active Rock your journey shough the about deathers. The Road Mage label the parts of the about a lost by logic and by Board Narshot, Using the Board surstens and the DORESS CEPOT halters, you can shop arcerns the lateral at eat. You consist only ROAD dedge against an opponent, a single key calls MAPS over material you already know

When you want had edy your previous the control of the COFFEHOUSE CHESS MONSTER opposes program. It will autoendically set up the position you were severing in the stateoil, offer you a new gazers, or let you ug an possessa you were several in the tabase, once you a new parse, or fel-ments a general term a newspaper, feating, this is a fully leadanted opposition of program. emer a game litter a newspaper sideng. This is a fully featured opposition of processing support of the side of th FREE! OFFEEHOUSE which allowed you to base an unamade number of your print them out, and re-eramate them later CHESS ORDER TOLL FREE! 1-800-621-0851 x 100 MONSTER

Enlightenment inc.





YES! Please rush me Paul Whitehead Teaches Chess!

State \_\_\_\_ Zo \_\_ Phease enclose 550-50 (outside Cald.) or \$53.75 (Cald. residents - includes sales Phesivercide SS S0 (Sessiolo Call) or SS TS (Call repodents includes sales ISS (Per Let Includes Stageon & American press) sender ENLIGHTENMENT ISSC 1240 Sentre: SL San Françaiso, Cu, gattle

DELIVERY: 5 days from receipt of order. Commodate 64 Assi ST C. Apple II Enclosed is \$\_\_\_\_ D IBM PCIPC F

## X\*Press Information Service

## The Cable TV And Personal Computer Connection

Kathy Yakal, Assistant Features Editor

One of the benefits of computer telecommunications is that information from many different sources is instantly available. Traditionally, that process has involved using a modem and terminal software. But recently a new cable TV-based information service was introduced that offers personal computer owners immediate access to news from around the world

X\*Press Information Services of Golden, Colorado, recently began offering a new way to harness the power of satellite transmissions. combining cable television and a personal computer. This service, called X\*Press, lets personal com-puter owners who subscribe to participating cable companies pick up general news, business news, financial information (including stock quotes from all major exchanges), weather, sports, feature articles, entertainment, and other information for a flat monthly fee. The same cables that bring in your TV programs carry this information service to your computer.

X\*Press is a new approach to the efforts by various telecommunications firms to deliver everything from home banking and shopping to instant access to news and other information. Experiments in videotex and teletext, each of which brings information to your computer or television screen, have had generally limited success in attracting a mass consumer market. But X\*Press, with its tie-in with cable companies, ease of use, and flat monthly fee, offers yet another notential market.

Teletext generally refers to the transmission of information to your television, computer, or a special receiver via a standard broadcast signal. On the other hand, videotex usually refers to a more interactive information process in which your

computer talks to a company's main computer. With videotex, for example, you might be able to buy stocks and bonds, select items to purchase, and engage in other interactive pursuits.

X\*Press is closer to teletext service, delivering text on a multitude of topics instantaneously.

How Does It Work? Satellite transmissions and other data are received at the X\*Press Processing Center, where the information is coded to be read by the center's computer software. From there it's sent to a telecommunications catallite which then transmits the information to local cable systems. The cable companies relay the data via cable lines to a subscriber's home or office computer. This information is available to subscribers at the same time the information is arriving at newspapers, radio and TV stations, and news networks.

The service works with a variety of personal computers, each with different requirements. Apple He and Hc subscribers will need 128K RAM and the X\*Press Apple Software Module: IBM and compatible subscribers will need 256K RAM, MS-DOS version 2.0 or later. an asynchronous RS-232 port, and the X\*Press IBM Software Kit; Commodore 64, 128, and Plus/4 subscribers will need only the X\*Press Commodore Cartridge. Information on X\*Press is transmitted on each of these systems at the highest data rate a personal com-

puter can now accept: 9600 baud. After your system is set up and the software loaded, moving around within the X\*Press system via menus is easy. You can choose to see stories in the three categories which follow.

National And International Associated Press Business Wire Canadian Press Copley News Service Electronic Media Services

Gannett (USA TODAY) Monchik-Weber P.R. Newswire Sportsticker Standard and Poor's TV Data

United Press International Washington Post Writers Group Zephyr Weather Transmission Service Foreign

Agence France Presse (France) Central News Agency (Republic of China, Taiwan) Deutsche Presse Agentur (West

Germany) KYODO (lapan) Notomex (Mexico: in Spanish) OPECNA (Oil Producing and

Exporting Countries News Agency) TASS (Soviet Union) XINHUA (People's Republic of China) Exchanges

American Stock Exchange Montreal Exchange NASDAO New York Stock Exchange Toronto Stock Exchange Vancouver Stock Exchange

Launched in January 1986, X\*Press is already being used on 76 different cable television systems across the country, with approximately 1000 subscribers. Subscribers purchase X\*Press through their cable service and pay a monthly fee, as with other premium pay services offered by cable television systems. They can access the information 24 hours a day, seven days a week. The suggested price for the service is \$19.95/month

For more information, write to X\*Press Information Services, 1536 Cole Blvd., Bldg. 4, Suite 250, Golden, CO 80401, or use the toll-free telenhone number 1-800-7PC NEWS &

# Become A "Plinker"... And Fall In *LOVE* With Your Modem



Meeting new friends is what People/Link is all about; whether it's via live Party Line chatting or in one of the popular special interest clubs. There are clubs for computer buffs, hobbyists, dating, sports, religion, lifestyles, and more. And, of course, they all have complete upload and download support. Our private mail system even allows "power" users to send binary or ASCII files of up to 192K.

		HOURLY NON-PRIME TIME RATES"				
	REGISTRATION FEE	300 baud	1200 baud	2410 baud		
People/Link	\$10.00	\$ 4.25	\$ 4.95	\$ 6.95		
Genie	\$18.00	\$ 5.00	\$ 5.00	\$15.00		
Compuserve	\$39.95	\$ 6.25	\$12.75	\$19.25		
The Source	\$49.95	\$ 8.40	\$10.80	\$12.00		
Delphi	\$49.95	\$ 7.20	\$ 7.20	\$ 7.20		

subject to change local Street & of day Set - Sur You may call now to sign-up or to receive

VIA MODEM (800) 826-8855 (312) 822-9712 ALLINOS RESO

822-9712 (LUNCES RESIDENTS) (312) 870-520



Name	 
Address	
City	
State	Zm

ISE YOUR VISA, MASTERCARD IN THE SECOND IN T

## **Biker Dave**

David Schwener

Here's a game guaranteed to bring out the daredeoil in any computer owner. The original version of "Biker Dave" is written for Atari 400, 800, XI, and XE computers. We've added new translations for the IBM PC/PCir. Commodore 64, and Amiga. The Commodore 64 and Atari versions require a joystick.

As the ramp nears, you focus your mind, tighten you grip on the handlebars, and accelerate the motor-cycle for the final approach. The deep, throaty cry of your machine's powerful engine drowns the spectators' cheers, and the ornushing wind pushes against your body like a giganite hand. If your speed and timing aren't eastly right, you may the contine ramp and lose control, or all short into the line of tool, or all short into the line of the carp part of the property of the control of the carp seed to the carp to th

Will you earn fame by surviving the jump or tumble into anonymity with a cartwheeling crash? As your speed mounts and the sidelines fade into a blur, there's no more time to wonder and no chance to turn back. Only the utmost in coordination and skill will brings you safely to earth on the other side.

"Biker Dave" is a realistic computer game that simulates the thrills and challenge of motorcycle acrobatics. Type and save the program listed for your computer, and be sure to read the general game instructions as well as the specific notes for your machine.

### Over The Ramp

Biker Dave begins by asking you to select one of the two available skill levels: The rookie level is easier than the pro level. With this preliminary out of the way, the program displays the game screen. In the upper left corner of the screen is the garage where you begin the ride. The rest of the screen contains the racetrack, with a couple of tunnels along the way, and a formidable obstacle which consists of several autos flanked by launching and landing ramps. Press the joystick button to accelerate the bike. Your goal is to ride down the track, through the tunnels, and toward the final obstacle, gaining just enough speed to jump over the cars without crashing. That may sound easy, but it's

That may sound easy, but it's not as simple as you might think. For one thing, your blee is a specially but it sturt matchine with no brakes. Should you reach too high a speed, there's no way to slow down again. And if you accelerate too fast, the blee rises up into a wheelie. That's not bad in itself, but if you accelerate too hard from a wheelie position, the blike tips backwards and crashes.

As you approach the launching ramp, you need to go just fast enough to clear the parked cars, but not so fast that you lose control and

miss the landing ramp on the other side. A successful jump requires precise timing and sure control of the throttle. The score you earn depends on the number of cars jumped and the number of attempts you made at that level.

tempts you insor at runt rever.

Each time you jump over the
cars, the racetrack crew moves the
launching namp and adds another
car to the lineup, Unfortunately, the
cars is somewhat unrelables and
the somewhat unrelables and
launching ramp's angle slightly
you may have jumped three cars
with a speed of 100 miles per hour,
there's no guarantee that the same
sneed will youck evert time.

At the pro level you must also jump a large hoop midway through the course. The hoop has a launching ramp, but no landing ramp. Each time a car is added to the final obstacle, the hoop's launching ramp moves farther away, as well.

### Atari Version

This version of Biker Dave is written entirely in BASIC and runs on Atari 400, 800, XL, and XE computers. A joystick is required; plug it into port 1 before you run the program.

This program employs several techniques to compensate for the slowness of BASIC. Lines 1470–1610 position the P/M (Player/Missile) graphics at the same address as the string P05. When a

## Power-you know you love it.

You used to play RISK as a kid. Maybe you still do sometimes — whenever you can get enough people together.

Did you ever wish you could play by yourself? Or make changes in the map? Wouldn't it be great if you could attack North Africa from North America? Or lapan from Brazil?

Announcing Lords
of Conquest from Elec-

tronic Arts.

It isn't RISK...it's better.

It's a conquer-the-world
board game that explodes

board game that explodes with new life and new possibilities because it uses all the power of your computer. Every battle is alive with



Free kinds of forces to fight with -horses, weapone, houst, serisory postnow, and cities
 Free kinds of wealth to fight for -gold, smbcr was, coal, and herds of house
 Free kinds of wealth to fight for -gold, smbcr was, coal, and herds of house
 Free 1-6 physics As fas for one as is a for four



music, color graphics, and strategic challenges impossible in a board game. Imaging...

... having an infinite number of unique maps to choose from, so each game is different.

... marching your armies



New World's so Conquer

• An inflience earnery of gorne maps

• Create your own, or play my of 20 brails in maps
blic Annam Rome; European Wen, and The World

dom rante

onto warships for attacks across oceans.

...great multiplayer games, complete with treaties, trades, and treachery.

...playing challenging solo games against an intelligent computer opponent.

opponent.
...a built-in game
editor powerful
enough to be called

enough to be called a "Strategy Game Construction Set." Lords of Conquest, No.

Lords of Conquest. No more mucking around with cards and dice and little pieces of plastic that roll under the couch. Now you're free to concentrate on more important things. Like exterminating the opposition.



Strategy Garne Corotraction Set

Variable garne settings—you set the locations and abundance of successor, forces, and transport

Vou decade the lock factor

4 levels of complexity

## ELECTRONIC ARTS

How to order Visit wor retains If you are unable to find the product as two poles principle, you can call \$60:146-1315 for lifect VISA or Mantercard orders. On A cell \$60:041113, the let represent \$275\$ for the Constraint on any plan and have more energe one. To be used, and there were relies. Effective the constraint of the principle of the constraint of the constraint

## ATARI AL COMMODORE



## MONITORS

PANASONIC NEC CLA DESCRIPTION OF THE CONTROL OF THE

HOURS Mon-Thur 9 AM8 PM Fn 9 AM8 PM LYCO COMPUTER
MARKETING & CONSULTANTS, INC.

HOURS Mon-Thur SAM-8PM Fn SAM-8PM Sat 10 AM-8PM

## SAVE NESS PRINTERS



ICD VERBATIM COMMODORE 5500 15 88 SKC **ATARI** 

C-64

TYMAC

Connection (C-64).

Ċ

OLL FREE 1-800-233-8760

R

ν

i

ċ

IN PA 717-494-1030 CUSTOMER SERVICE 717-494-1670 or send to P.O. Box 5068

GT Atan, C-64 179

1571, 1541

COMTEL

Enhancer 2000 (C-64) ... 140

TANDON



JBMM or new whopped within 34 hard offers Mis deposit on C.O.D. orders. Fire 5 arms shapped within 34 hard offers within the determinal U.S. Yoltume discounts available on proposit cash orders within the determinal U.S. Yoltume discounts available or proposition of the APO, PPO and international criteria and 50 CO plus.

31/

MAXEL

882R

15.83

16.99

N

G

ACTIVISION

player/missile needs to be moved or changed, this string is modified with BASIC string commands. Lines 1650-1700 read various bike images into separate strings, which are later made part of P05. Since the ramp images don't change, they are read directly into memory.

When the bike enters or exits the garage and tunnels, it goes in front of the blue opening, but behind the yellow or green walls. Similarly, the bike jumps through the hoop by going in front of the red portion, but behind the green. Line 1710 prepares for these three-dimensional graphic effects by putting a special value in the priority

register (location 623).
Although the bike travels right, left, and then right again, the program liself doesn't follow that flow. The code that performs the actual jump is located near the beginning of the program. Since lines with low line numbers run faster, this insures that the speed-critical portions of the program work as quickly as possible.

Commodore 64 Version

A Joystick is required to play the 64 version of Biker Dave (Program 2), which Includes a flaming hoop midway through the Joystick into port 2 before you run the program. To accelerate the bike, hold down the Joystick button. There is no rookle level in this version; the game ends when you crash your last bike or succeed in jumping nine cars at once.

IBM PC/PCJr Version The IBM PC/PCJr version of Biker Dave (Program 3) requires cartridge BASIC for the PCJr, or BASICA and a color/graphics card for the PC. Press the space bar to accelerate the motorcycle. One skill level is provided; the game ends when you succeed in jumping nine car ya

time or run out of bikes.

Amiga Version

In this version of Biker Dave (Program 4) the left mouse button controls your speed. (Avoid the right button; pressing it may crash the program.) The game has no rookie level; it ends when you manage to jump nine cars at once or crash your last bike. You may wish to adjust



"Biker Dave" for Atari 400, 800, XL, and XE computers lets you vicariously experience the thrills of motorcycle acrobatics.

the speed at which the left button responds by using the Preferences tool from the Workbench.

For instructions on entering these listings, pieces refer to "COMPUTEI's Guido to Typing in Programs" in this issue of COMPUTEI.

### Program 1: Biker Dave For Atari 400, 800, XL, And XE

M 48 BOSUB 1418 U 58 BOSUB 1948 W 68 BOSUB 3188

11 60 805UB 3100 LI 70 805UB 2820 980 80TO 590 FLB9 REH JUHP BIKE LEFT (PR

R89 REH JUMP BIKE LEFT (PR O ONLY) E 98 P88(68,88)=8L8 W188 P88(18,128)=LEFTS U118 I=I-INT(8P/58)-1:IF 1 <117+CAR884 THEN 178

<117+CARS\*4\* THEN 178
M128 PORE 53248,I
4138 SOUND 8,45-9F/18,2,8
B148 SPSP-5\*\*STR18(8)=8):
POSITION 19+(SP\*188)+
(SF(18),127 SP;
F158 FOR J=1 TO 258-SP\*SP:
NEXT J</pre>

NEXT J 0:16# GOTO 11# 10:17# P#4:(18,13#)=JUMPL\*:P OKE 53278,# 18# V=((3F/1#+3#)\*VV)\*((S P/1#+3#)\*VV);Y=#

P/18+38) EVV): Y=8 W 198 FOR 1=25 TO 1888 STEP 1NT (SP/58)+1 H 288 Y1=(-1+(16x1\*1/V)): IF Y1>8 THEN 268 W 218 P88 (Y+118, Y+138)=8L\$

# 218 P85(Y+118,Y+138)=HL5
# 228 P85(Y+118,Y+1138)=JU
HPL5:Y=Y1
# 235 TRAP 898:POKE 53248,(
143\*CAR814)=1
# 248 IF PEEK(5322)>18 THE
N FLAS=1:80T0 898

# 260 IF (143+CARS#4)-I<55 THEN FLAG=1:GOTO 870 # 270 P05(20,250)=BL5 # 280 I=(143+CARS#4)-I:GOTO 820

M 298 P88 (118,128) = LEFTS II 388 I=I-INT (SP/58) - 1:POKE 53248, I # 318 FOR K=1 TO 258-SP\$SP: MEXT K

B 328 NEXT J II 338 GOTO 1878 BT H 339 REM JUMP BIKE RIGHT

IF 258 NEXT I

#348 P89(11B,128)=BL9 #358 P89(182,192)=RIGHT9 #358 I=1+INT(8P/58)+11IF: >163-CARSIB THEN 428 #378 POKE 53248,1 #388 BGUNG #45-9P/18.2.8

# 388 SOUNG #,45-SP/18,2,8 # 398 SP=SP+5\*(STRIG(#)=8): POSITION 17+(SP(188)+ (SP(18),12:7 SP;

# 400 FOR J=1 TO 250-SPESP: NEXT J # 410 SOTO 360 # 420 P00 (182,194)=JUMPR9 # 430 V=((SP/10+30)EVV) E((S

P/18+36) EVV) 1Y=6
4.466 FOR 1=25 TO 1666 BTEP
INT(8P/56)+1
H456 Y1=(-1+(16EIEI/V)):IF
Y1>6 THEN 526
1.466 P66(Y+162, Y+194)=8L\$

(1478 P88 (Y1+182,Y1+194)=JU HPR8:Y=Y1 00 01 0488 POKE 53278,8 0498 TRAP B98:POKE 53248,1 +142-CARRIB

+142-CARGEB
#566 IF PEEK(53252)>1 THEN
896
#516 NEXT I
#526 IF I+142-CARSEB>195 T

HEN 876 IS 536 P69 (26,256) =BLs M 546 P69 (182,192) =RIGHT9 IS 556 FGR J=I+142-CARS#8 TO 226:POKE 53248,J

# 55# FOR J=I+142-CAR8\*8 TO 22#:POKE 53248,J #6 56# FOR K=1 TO 25#-SP\*SP: NEXT K #57# NEXT J #58# GDTO 1#7#

# 589 REH HOVE BIKE RIGHT # 598 FOR I=1 TO 5:POSITION 12.8:7 'G E T (3 SPACES)R E A O Y'; :FOR J=1 TO 59:NEXT J :POSITION 12,8:7 "

(17 SPACES)": (1600 FOR J=1 TO 50:NEXT J: NEXT I:FOR I=1 TO 50: NEXT I #610 POKE 77,0:P09(180,192

)=BL\$

# 628 POKE 53248,67:P8\*(78,88)=R16HT\*

# 638 SP=518TP=1:I=66

LE648 I=I+INT(SP/58)+1:IF

>192 THEN BOTO 98+(PR 0-8) 1726 5 658 POKE 53248, I \$666 SOUND 8,45-8P/18,2,8 \$676 SP=8P+51(STRIG(8)=8): POSITION 19+(SP(186)+

(SP(10),121? SP; H 686 FOR J=1 TO 250-SPISP; NEXT J N 696 IF SP>SP1 THEN 746 E 766 IF SP>SP2 THEN 726 E 716 GOTO 646

E 718 GOTO 648 W 728 P88(6B,BB)=JUMPR8 W 738 GOTO 648 W 748 P88(6B,BB)=BL\$:SOUND 8,18,48 Ø 758 FOR K=I TO 192:POKE 7 84,K

8768 POKE 53248,K #778 IF RND(8)>8.5 THEN P8 \$(72,78)=RISHT\*:GOTO 798 N 788 P8\$(72,78)=JUHPR\*

N 788 P89 (72,78) = JUMPR9 K 798 NEXT K 1) 868 POSITION 19,12:7 "868 ";:TRIES-TRIES+1:GOTO 988 K 869 REM HOVE BIKE LEFT

# "We speak your language"



BASIC Compiler omphile BASIC compiler BASIC compiled development packaged by your programs 30x, Compile to machine compact p-code sh. "128 version: 40 or b. monitor output e ST-mode operation." It issue includes extensioned peeps programment guit great package that others have a before the share about the programment guit great package that others have a basic and the programment guit great package that others about a package that others are package that



For school or softwee development. Learn the 1 language on the 64 or 120 Complies into fast mechan core. Added 128 features CPAM-live operating system 30K FAM disk. Combine Mic & Cusing CALL; STK evall either for object code; Fer locating; Two stiendard Michael of CPAS 535, 85 bitmaries. C-122 535, 85 bitmaries.



Not jest a complier, but complies system for device ing applications in Passa with graphics. Extension and the second properties terrimber, for Standard J W complier that generals mechanic code. High-specific access, 48K RAM evaluable. If you send to lie Plascal or to develop softwa using the best foots ever all codes of the second first choice. C+8 454.5.



on your C-128 and C-64

coept.

w you can learn COBOL,
o most widely used
immercial programming
representation
represent

## .. and work hard for you, too!



Speadern-128
your C-128 communicate
the outside world. Obtain
smellon from venous
pater neworks. Flootie,
wore poolege, Supports
it moderns for the C-128,
odem end Punter file
solder end Punter file
solder end Punter file
solder end State
Akys, legge 45K capture
or a user definable func
or a user definable func
or a user definable func



produces to create exect place of the control of the system of the control of the control of the system of the control of the control of the system of the control of the control of the system of the control of the control of the control of the system of the control of the control of the control of the system of the control of the control of the control of the sy

Personal Portfolio Manager
Complete portfolio managements for the individual or professions
investor. Manage portfolios, get up-to-the-minute quotes & new
and perform selected analysis. Erier quotes manually or throug
Warner.

C-128 \$59.95 C-64 \$39.6

Easily create professional high-quality charts and graphs without programming, immediately charge the scaling, labeling, axis, bar filling, etc. to suit your needs. Accepts data from Cacifessuit and MultiPlan. C-128 \$39,95

Sophisticated charing and analysis system for serious investors.

Chart and analyse the history of a stock Pinpoint trends and pathers to predict a stock's future. Errier date via keyboard or online financial services.

C-128 \$59.95

XPER is the first "expert system" for the C-128 and C-54. While ordinary data bases are good for reproducing tacts, XPER can derive knowledge from a mountain of facts and help you make expert decisions. Large capacity.

Call now for the name of your nearest dealer. Or order directly using your Mc, Visa or Annax eard. Add \$4.00 per order for shipping. Foreign orders add \$10.00 per book. Call now or write for your free catalog—also contains information on our C-64 books and software. Dealers inquires welcome—over 1400 dealers nationwide.

clocisions, Large capacity.

Connotors 64<sup>th</sup> and Connotors 135<sup>th</sup> are between a Commotors Extension Life

P.O. Box 7219 Dept. CB Grand Rapids, MI 49510 Phone 616-241-5510 • Telex 709-101 • Fax 616-241-5510



P 810 P01 (68,80) - 8L1 # 117# S=CARS#1#-TRIES#5+5: # 826 P64 (118, 128) -LEFT4 # 83# I=I-INT(8P/5#)-1:IF I MILES FOR IST TO THE <53 THEN 348 POKE 53248, I SOUND 8,45-SP/18,2,8 A 050 SP-SP+5# (STRIG (#) -#): # 86¢ POSITION 19+(SP(100)+ T=T+S: TRIES-1 ft 121# H 1226

(SP(18),12:7 SP; N 878 FOR J=1 TO 258+SP\*SP: MEXT J # 889 REH CRASH SEQUENCE 1316 #898 POSITION 19.12:7 "888 :: TRIES-TRIES+1: TRAP

# 988 IF FLAG THEN 948 # 918 P## (168, 228) = 8L# # 920 P## (185, 196) =RIGHT# : 8 OUNG 8, 18, 4, 8 C 93# FOR J=1+142-CARS#8 TO 248: POKE 53248, J: POK E 53254, J: POKE 7#4, J:

J180TO 988 K 748 P8\$ (1,228) -BL\$ U 958 P8\$ (121, 126) = LEFT\$: 80 UNO 8,18,4,8 FOR J=143+CARS#4-I TO 52 STEP -1:POKE 5324 8. J: POKE 53256. J: POKE

764.3 F 978 FOR K=1 TO 258-SP#SP; NEXT KINEYT JIELARES 0 988 Q-PEEK (5A8) 

68, (0-1)+RNO(8) \$1: NEX # 1000 POKE 560.0 # 1010 BIKES=BIKES-1:IF BIK

ES=# THEN 131# # 1828 POSITION 36, 1317 BIK @ 1838 FOR I=1 TO 58:NEXT I # 1848 P#\$(1) =CHR\$(8):P#\$(2

56) -CHR\$ (8) : P6\$ (2) -P 0 1858 POKE 784,248 POKE 53 254.6

# 1868 BOTO 598 # 1869 REM GOOD JUHP SEQUEN U 1878 POSITION 19,12:? "## 0"

N 1080 BOUNG 0,121,10,8:80U NO 1,96,18,8:80UNO 2 ,81,10,8:SOUNO 3,60, 10.8 E 1878 FOR I=1 TO 2: POKE 78 5, RNO(8) #254+1: POKE

786, RNO(8) \$254+1: IF THEN POKE 787. RN 0(8) \$254+1 B 1188 NEXT # 1110 FOR I=0 TO 3:80UND I

B. B. B: NEXT #0 112# REH FOR I=1 TO 3 | NEX 0 1138 SOUNO 8,121,18,8:80U NO 1,76,18,8:SOUNO 2,81,18,8:SOUNO 3,68,

10.8 811148 FOR 1-1 TO 28:POKE 7 85,168 (RNG(8) \$15+1); POKE 764,148 (RNO(8) 8 15+1): IF PRO THEN PO KE 787,148 (RNO(8) #15

P 1158 NEXT N 1166 FOR I=6 TO 3:SOUND I . . . . . . . . . . . I

IF PRO THEN SES+S L 1198 POSITION 28.14:? I::

SOUNG 8, I, 18, 12: SOUN G 8, 8, 8, 8 8 1288 NEXT I POSITION 14.13:2 TCA RS::CARS-CARS+1:TCAR S=TCARS+CARS: IF CARS >13 THEN GONE=1:00TO (0 123# VV=#.8+RNO(#) ##.1

3 1248 SP1-RNO(8) \$15+81+840 ARS: SP2=RNO(8) #18+34 +RACARS # 1328 IF CONE AND PRO THEN POSITION 5,5:7 "Con # 125# FOR I=8 TO # STEP -1 :FOR J=1 TO 15:SOUNO Ø.J. 10.B: NEXT JISOU

NO 8,8,8,8 % 1268 POKE 53249, I+162-CAR \$#8:POKE 53251,188-I /2+CARS#4:NEXT I U 1278 A=INT(RNO(8) 12)

# 1288 B= (INT (RNO(6) \$6) \$2)+ # 1298 POSITION 33-28CARS, 1 #17 CHR# (8+128#A) | CH R\$ (8+128#A+1) 2 1300 GOTO 590 # 1389 REM GAME OVER

U 1318 POKE 53277, #: GRAPHIC 8 #: POKE 559, 2: POKE 752, 1: POKE 718, 98: PO KE 712, 98: POKE 789, 1

sider yourself King

## One good book... deserves another... and another...







and on...

and on...

and on...

And on...







Presentedate exclipagaraming Essential guide for everyone guide internated in CPVM on the 126 bechanges on the opening Simple-septiment of little spaces, stacks, see page, sing spales, memory using borders, the BMSC entergeter CPVM unity pages as sales. To start up (or add to) the most compre

hensive series of C-128 (or C-64) reference books, call Abacus for the name of your nearest bookstore or dealer. Or order direct by calling 616/241-5510. Add \$4.00 per order for S&H. Foreign add \$10.00 per book. Call or write for your free catalog of books and software. Dealers inquires welcome. Over 1500 dealers nationwide.

you can count on TTTT P.O. Box 7219 Dept. CB Grand Rapids. MI 49510 -5510 - Telex 709-101 - Fax 616/241-5021

	Biker!!":80TO 1358		:JUMPR*(I,I)=CHR*(A)	N 2040	LATA 21,8,168,128,18
IE 1228	IF OONE THEN POSITION 1,5:? "Great Jumpi		FOR I=1 TO 11:READ A	11 2070	OATA 22, 0, 168, 128, 1
		WIDOR	:JUMPL#(I,I)=CHR#(A)		8, 136, 136, 168, 8
	level.":80TO 1358		·NEXT I	# 2080	DATA 23, #, 148, 8, 8, 8
E 1340		0 1698	FOR I-1 TO 9: READ A:		8,8,8
	HAVE WRECKED YOUR LA		POKE PLR(1)+I+18#, A:	LE 2898	DATA 24,8,168,136,1
	ST BIKE!"		FOR I=1 TO 9:READ A:	0.2166	8,136,136,168,# DATA 25,#,168,136,1
0135#	POSITION 4,8:7 "YOU	11 1 / 00	POKE PLR(2)+I+188,A:	11 21 00	8,8,8,168,8
	SUCCESSFULLY JUMPED "; TCARS-CARS; " CARS.		POKE PLR (3)+1+116, A:	# 2118	DATA 24,8,8,48,48,8
			NEXT I		40.40.0
11 1 3 4 6	POSITION 11,11:7 "FI NAL SCORE IS ";T;	rt 1718	POKE 623,8:POKE 5325 7,1:POKE 53258,1:POK	11.2128	DATA 33, 8, 168, 136, 1
	NAL SCORE IS ";T;		7,1:POKE 53258,1:POK		6,168,136,136,#
B 137Ø	POSITION 5.18:? "Pre		E 53259,1 POKE 53248,1:POKE 53	3 2130	DATA 34,8,168,136,1
	as IRIGGER to play	W 1720	249,139:POKE 53258,1	U 2140	8,136,136,168,8 DATA 35,8,168,136,1
			88: POKE 53251,128		8. 128. 136. 148. 6
₩ 138ø	POKE 559,34:POKE 77, 255	₩ 1736	POKE 559,62: POKE 532	13 2 1 5 6	8,128,136,168,8 OATA 36,8,168,136,1
# 139#			77,2		
W 1378	398	M 1746	GOTO 1928	10 216#	DATA 37, 8, 168, 128, 1
M 1488	GOSUS 3166: GOSUS 282	UF 1750	DATA 48,32,48,52,166 ,255,24,211,195	U 2176	8,128,128,168,8 OATA 38,8,168,128,1
	#: BOTO 59#	# 176#	DATA 12,4,28,44,181,	18 21/8	0 144 120 120 d
111487	REM INITIALIZE PHB			U 2186	8,168,128,128,8 DATA 39,8,168,136,1
K 1416	OIM P## (256), P1# (256	0 1776	DATA 48.36.39.54.44.		
	),P2*(256),P3*(256) OIH PLR(3),MOV*(28),			E 2198	DATA 48,8,136,136,1
		17 17 86	DATA 12,36,228,168,5		
P 1436	OIM RIGHT*(9), LEFT*(	11 1796	2,220,220,31,3,12,12 DATA 1,1,3,3,7,7,15,	W 2288	OATA 41,8,168,32,32
		01770	15,31	M 2216	32,32,168,8 OATA 42,8,8,8,8,8,1
	(11),8L\$(256):8L\$(1)	11.1866	DATA 128, 128, 192, 192	10 22 10	6,168,8
	-CHR\$ (#):8L\$ (256)=CH		.224,224,246,246,248	JI 2226	OATA 43,8,136,136,1 8,168,136,136,8
W 1446	R\$(6):8L\$(2)=8L\$ P1\$(1)=CHR\$(6):P1\$(2	H 1889	REM TITLE SCREEN		0,160,136,136,0
~	56)=CHR\$(Ø):P1\$(2)=P	011928	A=95:POSITION 7,8:A\$	tf 2238	DATA 44,8,128,128,1
	15		R(3 SPACES)O A V E	U 2246	8,128,128,168,8 DATA 45,8,136,168,1
E 1450	P2s(1)=CHRs(8):P2s(2		(3 SPACES)": 80SU8 18		8,136,136,136,6
	56) =CHR\$(Ø):P2\$(2)=P		68	E 2256	DATA 46.8.128.168.1
	2\$ P3\$(1)=CHR\$(#):P3\$(2	# 1840	SOUND 8,8,8,8		6,136,136,136,8 OATA 47,8,168,136,1
W 1400	56) = CHR (0) : P3 (2) = P	13 1 0 5 0	RETURN	U 2260	OATA 47,8,168,136,1
	38/ "CHRY(B) 1F3#(2) "F	# 1868	P##(1,255)=8L#(1,255	11 2276	6,136,136,168,8 OATA 48,8,168,136,1
10 1476	RAM=PEEK (186)-16			10 22 78	6,168,128,128,8
B 1486	POKE 54279, RAM	10 1876	P## (A, A+1#) = RIGHT# FOR I=3# TO 73 STEP	U 228Ø	DATA 49,8,168,136,1
E 1498	PMBASE=256#RAM	W 1889	2: POKE 53248, I:SOUNO		6,136,136,160,8
	FOR I=# TO 3 PLR(I) =PMBASE+256#I+		Ø,35,2,1/8:NEXT I:S	EX 2298	DATA 58,8,168,136,1
. 1010	1024		OUNO 0.35.2.12	N 2388	6,136,168,136,8 OATA 51,8,168,128,1
N 1528	NEXT I	W 1876	FOR I=1 TO 25	11 2300	8,8,8,168,8
₩ 153Ø	POKE 186, PEEK (186)-4	N 1988	FOR J=2 TO 4 STEP 2:	# 2316	DATA 52,6,148,32,32
	: GRAPHICS #: CHSET= (P		POKE 53248, (I-1)#4+J		32, 32, 32, Ø
	EEK (106)) #256:POKE 7		+73:NEXT J 7 A\$(I,I);:NEXT I	tx 2320	DATA 53,8,136,136,1
61 1540	POKE 764.248 POKE 76	13 1920	FOR I=174 TO 258 STE	H 2336	4,134,134,148,8
	POKE 764,248:POKE 76 5,8:POKE 766,8:POKE		P 2: POKE 53248, I: 80U	m 2338	DATA 54,8,136,136,1 6,136,32,32,8
			NO 0,35,2,20-1/15:NE	0 2346	OATA 55,8,136,136,1
	E 712,0		XT I		6,168,168,32,6
A 1550	STARP-PEEK (148) +PEEK (141) #256		RETURN REM INITIALIZE CHARA	8 2350	DATA 56,8,136,136,3
	VVTP=PEEK(134)+PEEK(	W 1939	CTER SET		,32,136,136,0
	135) #256	# 1948	POKE 756-CHRET/256	# 2368	DATA 57, 8, 136, 136, 1
N 1576	OFFSET=PLR(#)-STARP	N 1950		0 2376	6,32,32,32,8
R 1500	HI=INT(OFFSET/254)		EASE STANDRY":	u 2378	OATA 58,8,168,8,32, 2,128,168,8
		U 1940	RESTORE 2000	8. 238#	DATA 59,0,32,128,12
# 1600 # 1610	POKE VVTP+2,LO POKE VVTP+3,HI	E 1978	READ A: IF A=-1 THEN		,120,120,32,6
	P1\$(1)=CHR\$(8):P1\$(2	E 1986	FOR I=# TO 7:READ J:	₩ 239Ø	DATA 68,8,8,8,8,8,8,8
# 1626	56) = CHR + (8) : P1 + (2) = P		POKE CHSET+A#8+I,J:N		0,85
# 162#			EXT I	U 2488	DATA 61,8,32,8,8,8,
	16				
# 162# E 163#	P2#(1) = CHR#(8) + P2#(2	₩ 199¢	GOTO 1978		
	P2\$(1)=CHR\$(8):P2\$(2 56)=CHR\$(8):P2\$(2)=P	N 1998 10 2888	OATA 1.8.32.32.32.32	# 2416	DATA 42.8.8.8.8.6.8
E 1638	P2#(1) = CHR#(8) + P2#(2	10 2000	OATA 1,8,32,32,32,32	# 2418 # 2428	OATA 62,8,8,8,8,8,8,8 8,178 OATA 63,8,8,8,8,8,8,8
E 1638	P2s(1)=CHRs(Ø):P2s(2)=P 36)=CHRs(Ø):P2s(2)=P 2s P3s(1)=CHRs(Ø):P3s(2)=P 56)=CHRs(Ø):P3s(2)=P	N 2000	OATA 1,8,32,32,32,32,32 ,8,32,8 OATA 16,8,168,136,13 6,136,136,168,8	# 2428	OATA 62,0,0,0,0,0,0 0,170 OATA 63,0,0,0,0,0,0
IE 1638	P2s(1)=CHRs(8):P2s(2)=P 56)=CHRs(8):P2s(2)=P 2s P3s(1)=CHRs(8):P3s(2)=P 3s	N 2000	OATA 1,8,32,32,32,32,32,8,32,8,32,8 OATA 16,8,168,136,13 6,136,136,168,8 OATA 17.8,32,168,32,	# 2428	OATA 62,8,8,8,8,8,8,8 8,178 OATA 63,8,8,8,8,8,8,8 8,255 OATA 65,2,42,37,5,5
IE 1638	P2s(1)=CHRs(8):P2s(2)=P 56)=CHRs(8):P2s(2)=P 2s P3s(1)=CHRs(8):P3s(2) 56)=CHRs(8):P3s(2)=P 35 FOR I=1 TO 9:READ At	10 2000 1X 2010 1M 2020	OATA 1,8,32,32,32,32,32,8,32,8 ,8,32,8 OATA 16,8,168,136,13 6,136,136,168,8 OATA 17,8,32,168,32,32,32,148,8	N 2428 U 2438	OATA 62,8,8,8,8,8,8,8,8,8,8,178 OATA 63,8,8,8,8,8,8,8,8,255 OATA 65,2,42,37,5,5
IE 1638	P2s(1)=CHRs(8):P2s(2 56)=CMRs(8):P2s(2)=P 2s P3s(1)=CHRs(8):P3s(2 56)=CHRs(8):P3s(2)=P 3s FOR I=1 TO 9:READ A: RIBHTS(I,I)=CMRs(A):	N 2000	OATA 1,8,32,32,32,32,32,8,32,8 OATA 16,8,168,136,13 6,136,136,168,8 OATA 17,8,32,168,32,32,168,8 DATA 18,8,168,8,168,8,168	N 2428 U 2438	OATA 42,8,8,8,8,8,8,8 8,176 OATA 63,8,8,8,8,8,8 8,255 OATA 65,2,42,37,5,5 5,5,5 DATA 46,178,178,85,
E 1638	P2e(1)=CHR*(0):P2*(2 56)=CHR*(0):P2*(2)=P 2* P3s(1)=CHR*(0):P3*(2)=P 35)=CHR*(0):P3*(2)=P 35 FOR I=1 TO 9:READ A: RIGHT*(I,I)=CHR*(A): NEXT I	R 2888 K 2818 M 2828 F) 2838	OATA 1,8,32,32,32,32,32,8,32,8,32,8,32,8,168,136,136,136,136,136,32,168,32,32,32,148,8,168,168,128,128,128,148,148,148,148,148,148,148,148,148,14	# 2428 U 2438 # 2448	OATA 62,8,8,8,8,8,8,8,8,8,8,8,8,8,8,8,8,8,8,8
E 1638	P2s(1)=CHRs(8):P2s(2 56)=CHRs(8):P2s(2) 2s P3s(1)=CHRs(8):P3s(2)=P 3s(1)=CHRs(8):P3s(2)=P 3s FOR I=1 TO 9:READ A: REAT I FOR I=1 TO 9:READ A: LEFT*(I, I)=CHR*(A):N	R 2888 K 2818 M 2828 F) 2838 FE 2848	OATA 1,8,32,32,32,32,32,45,832,45,32,45,45,45,45,45,45,45,45,45,45,45,45,45,	# 2428 U 2438 # 2448 # 2458	OATA 62,8,8,8,8,8,8,8,8,8,8,8,8,8,8,8,8,8,8,8
E 1638 D 1648 R 1658 R 1668	P26(1)=CHR8(8):P28(2)=P 26)=CHR8(8):P28(2)=P 29 P38(1)=CHR8(8):P38(2)=P 36)=CHR8(8):P38(2)=P 38 FOR I=1 TO 9:READ A: FOR I=1 TO 9:READ A:	R 2888 K 2818 M 2828 F) 2838 FE 2848	OATA 1,8,32,32,32,32,32,8,32,8,32,8,32,8,168,136,136,136,136,136,32,168,32,32,32,148,8,168,168,128,128,128,148,148,148,148,148,148,148,148,148,14	# 2428 U 2438 # 2448 # 2458	OATA 62,8,8,8,8,8,8,8,8,8,8,8,8,8,8,8,8,8,8,8

IF 2478	DATA 69,178,178,85,8		: BIKES-5: T-#: 8-#: CON	Program 2: Commodore 64
M 2486	5,85,85,85,149 DATA 70,170,170,89,8	V 2858	SP1=RND(#) #15+G1+O+C	Biker Dave
H 2498	DATA 78,178,178,89,8 9,89,91,91,91 DATA 71,178,85,85,85		ARS: SP2-RND(6) \$16+36 +8#CARS	Version by Tim Midkiff, Editorial
		M 286#	POKE DL+6,5: POKE DL+	Programmer
H 2566	DATA 72,168,184,88,8	₩ 287¢	7,4 FOR I=DL+8 TO OL+15	11
FE 2516	8,88,248,248,248 DATA 73,5,5,5,5,5,5,	8 288¢	POKE I.SINEXT I	EF 18 POKE53288,12:POKE53281,1
₩ 252¢		n 2966	FOR I=DL+16 TO DL+21 POKE I,4	BH 20 PRINT*[CLR][7 DOWN][BLK]
11 2534	85,85,85,85 DATA 75,181,181,149,	ft 2916	NEXT I	[RVS][J][BLU][5 SPACES]B IKER DAVE WILL BE READY
	85, 85, 85, 85, 85	R 292#	POKE 7#8,26:POKE 7#9 ,198:POKE 71#,132:PO	[7 SPACES][BLK]\$L2" MQ 36 PRINT"[RVS]\$J3[BLU]
	87.76.85.85			(5 SPACES)TO RIDE IN JUS T A MOMENT(7 SPACES)
X) 255¢	DATA 77.181.89.89.89		POSITION 16,117 "BIK ER DAVE"	7 A MOMENT(7 SPACES)
₩ 256Ø	,181,149,85,85 DATA 78,91,91,91,91,	M 295#	POSITION 1,2:7 "(A)	MS 40 PRINT"[RVS] #3"; PRINTSP
N 2576			(M) " - REM CONTROL A O	HR 56 PRINT"[RVS]\$13" HR 56 PRINT"[RVS]\$33"; PRINTSP
	255, 255, 255, 255, 85	E 2960	,C,D,E,F,B,H POSITION 1,3:7 *(I)	OR 65 PRINT (BVS) ELE
	240, 240, 240, 240, 85			OR 66 PRINT"[RVS]5J3", PRINTSP C(36), PRINT"[RVS]5L3" C(36), PRINT"[RVS]5L3"
M 2596	DATA 97,0,0,0,10,32, 176,98,128		(M)	BJ 78 SA=249*64:POKE53258,72:P OKE53251,153:POKE53276,2
U 2666	DATA 98, 8, 8, 8, 128, 32		ONTROL I, J, K, L, M, N, O	JH 66 GOSUB1366:GOSUB1366:REST
LI 2618	. 168, 148, 8	LE 2976		ORE
	178,95,192	E 2998	POSITION 37,5:7 "rr" POSITION 1,6:7 "coop	AG 98 POKE53285,7:POKE53286,1: POKE53288,8:POKE53269,2
	DATA 188,8,8,8,192,4 8,168,212,12		qoooooooooooo	SC 186 PRINT"[BLK][DOWN]":PRIN TSPC(6)::FORI=1T022:POK
M 2638	DATA 181,8,8,8,8,18,32 ,255,98,128	M 3866	IF PRO THEN POSITION	
N 2646	DATA 102, 0, 0, 0, 128, 3		IF PRO THEN POSITION 15,5:? "mm":POSITIO N 15,6:? "mm":POKE 7 67,152	";:FORJ=1T056 QJ 116 NEXT:NEXT:POKE55,6:POKE
@ 265g		U 3010	67,152 POSITION 1,7:7 "00"	56,48 CLR CR 128 POKE54276,8 POKE54296,1
	,255,95,192 DATA 184,8,8,8,192,4	# 3828 # 3828		5:POKE54298,128:POKE542
	8,252,212,12	0 3838 0 3848	POSITION 1,9:7 "00" POSITION 1,18:7 "000	87,255:GOSUB1378 JK 138 POKE54276,16
	DATA 185, 8, 8, 8, 15, 48 , 178, 98, 128		)\\ab=ef\\\\\"	GA 148 POKE54277,8:POKE54278,2 48:POKEV1,8:POKEV2,58
N 268ø	OATA 186, 8, 8, 8, 192, 4	W 3656	POSITION 13.12:7 "SP	GK 15# FORI=1703:POKE214.13:PR
₩ 2698	0,168,148,8 DATA 187,8,8,8,18,32	# 3696	POSITION 1,13:7 "CAR	INT:PRINTTAB(15)*(BLU)G ET READY(WHT)*;
N 2786	,255,95,192 DATA 188,8,8,8,128,3		S JUMPED: Ø (9 SPACES) BIKES LEFT	BF 168 POKE54276,17:FORJ=1TO25 5:NEXT
H 2716			: 5"	XB 176 PRINT"[16 LEPT]
	55,255,255,63,13		POSITION 14,14:? "SC ORE: #"	[18 SPACES]":POKE54276, 64:FORJ=170255:NEXT:NEX
10 2720	DATA 118,85,85,213,2 13,213,213,85,85	16 2 a 8 a	POKE 77,8:POKE 784,2 48:POKE 785,72:POKE 786,72:POKE 53277,2:	GK 188 FORI=1TO158:NEXT
ม 2736	DATA 111, 178,178,17 8,178,178,178,178,17		786, 721 POKE 53277, 21	HX 198 POKE54276.8:POKE54278.2
	0	n 3696	POKE 559,62 RETURN	48:POKE54277,9 SD 288 POKEV1,8:POKEV2,8:POKE5
₽ 2740	DATA 112, 178,178,17 1,171,171,171,178,17	# 3699 # 3164	REM SET SKILL LEVEL POXE 53277, #: BRAPHIC	4274,100:POKE54275,0:PO KE54276,65
	0		8 8: POKE 752, 1: POKE 718, 72: POKE 712, 72: P	KM 216 X=X+INT(SP*,64)+1:POKEV
11.2/50	OATA 113,176,252,255 ,255,255,255,252,176 OATA 114,85,85,85,85		OKE 789, 2: PRO=8: POKE	1,SP*TWANDF:POKEV2,SP*. 8878+TW
		0 3116	77,8 POSITION 8,5:? "Chop	CS 220 IFX>FTHENPOKE53264,1B:X =X-256:L-1
10 2776	DATA 115,1,15,63,63,		se your skill level:	JK 236 IFL=1THENIFX>55THENGOTO
19 2766	63, 63, 63, 63 OATA 116, 88, 168, 234,	F 3126	POSITION 6.1#:? "ROO	AP 248 POKEVX, X: IF (PEEK (JS) AND
	42,42,42,42,42 DATA 117,63,63,15,1,		KIE! Press your sti ck up"	16)=@THENSP=SP+5 MC 25@ POKE214,2@:PRINT:PRINTT
	0,0,0,05	17 31 30	POSITION 6,15:7 "PRO	AB(19)SP:FORI=OFOF-SP*S P:NEXT
	DATA 118,42,234,168, 80,64,64,64,85		! Press your stick down*	GT 268 TEGDAGITHEREDOXE2841 254
	DATA -1	10 3146	IF STICK(#)=13 THEN PRO=1:80T0 317#	AB 278 IFSP>S2THENDX=4:GOTO648 FG 288 GOTO218
01 2820	REM MAIN SCREEN GRAPHICS #:POKE 559,	10 3150	IF STICK(@)=14 THEN	HC 298 C1=153+C*8:Y=131:POKE53 251,Y:POKEVX,57:POKE284
	#: OL=PEEK (56#) +256#P EEK (561) : POKE OL+3,6	4.3160	3178 80TO 3148	1.253   PORI=ITOF   NEXT
	8: POKE 756, CHSET/256	IF 3176	IF PRO THEN POSITION 6,15:7 "PRO":80TO 3	SF 388 X=X-INT(SP*.84)-1:POKEV 1,SP*TWANGF:POKEV2,SP*.
	P##(1,255)=BL#(1,255 ):POKE 53248,5#:POKE		198	0878+TW CE 310 IFL=0THENIFX <c1then360< td=""></c1then360<>
	53249,139:POKE 787, 8:POKE 53251,128 VV=8.8+RND(8)*8.1:TR		POSITION 6,18:7 "ROD KIE"	EF 32# IFX<@THENPOKE53264,16:X
A 284#	VV=8.8+RND(8) #8.1:TR	N 3198	FOR I=1 TO 188; NEXT I: RETURN	=F+X:L=Ø KF 33Ø POKEVX,X:IF(PEEK(JS)AND
	IES=1: CARS=3: TCARS=3		TIREIDAN	
				November 1986 COMPUTE

141 - 00000000	-one I	GOTO848	VY 1160	J=INT(RND(1)*8):POKE21
16 )=@THENSP HH 348 POKE214, 28:	PRINT:PRINT?   MB 818	POKEVX, X	W 1100	4.17:PRINT:PRINTTAB(32
AB(19)SP	QM 826	FORJ=1TOF-SP*SP:NEXT		-C*2); C\$(J); "
PQ 350 PORJ=1TOF-S	P*SP:NEXT:GO RR 836	GOTO798 POKE214,21:PRINT:PRINTT	1	{2 SPACES}{2 LEFT} {DOWN}†+{WHT}*:RETURN
T0388 HM 368 POKE2841,F:	DV=-3 - DV=T87	AB(14)TC	PE 1176	X=42:Y=67:POKE53250,X:
(DX*,35):K=	g XP 656	C=C+1:TC=TC+C:S=2*(C*18		POKE53251,Y:POKE53275,
AA 378 MP-INT(((SP	-JP)*.5+JP)*	-TR*5):TR=2:IFC>9THEND= 1:GOTO1278		2:POKE53276,66
.185) 88 388 X-X+DX:Y=Y+	DV - V - V - 1 BG 868	81 #RND(1)*18+36+8*C+82#	SA 1188	POKE53254,286:POKE5325 5,195:POKE53256,26:POK
EE 398 POKEVX,X:PO	KE53251,Y	RND(1)*15+81+8*C:JP=RND	1	E53257.195
		(1)*28+98 POKE54277,8:POKE54278,1	RS 1198	POKE53258,158:POKE5325 9,131:POKE53248,128:PO
DQ 418 IFY>131THEN OKE2841,253	Y=131:DY=0:P JF 878	68:POKEV1,47:POKEV2,65: POKE54274,8:POKE54275,8		KE53249,189
GF 428 IFK=MPTHEND	Y=-DY*.3	POKE54274, 8:POKE54275,8	XC 1286	
	IFX>117THENI AK 808 20THENPOKE53 AK 898	PORI=TTOT+SSTEP5 POKE54276,65:POKE54276,		3,109;POKE53260,120:PO KE53261,94
251 . 131 + 007	0656	64	PF 1218	POKE53264,16:8P=5:L=6
GB 448 IFX<37THEN4	68 CD 988	AB(19)I:FORJ=1T050:NEXT	MG 1228	FORI=STO4:POKE2S4S+I,2
HC 456 GOTO386 CJ 468 C1=242-C*16	Y=195 POKE5 XP 918	NEXT: T=T+S		48+I:NEXT:POKE2845,252 :POKE2846,246
3251.Y:POKE	VX.35:POKE28 GH 928	FORI=1TOG:POKE53254,PEE	BM 1236	POKE53271,69
41,249:FORI	=1TOF:NEXT	K(53254)-2:POKE53258,PE EK(53258)+1:NEXT	IM 1248	POKE53269.127:POKE5327
DJ 478 X=X+INT(SP*	*POKEV2.8P*. EB 936	G0SU81168		7,16:POKE53290,8:POKE5 3291,8:POKE53292,8
8878+2	RC 946	G0T0978	RG 1258	POKE53287,8:POKE53289,
RP 488 IFX>ClTHEN5		8I=8I-1:IFBI>@THENTR-TR +1:POKE214,21:PRINT:PRI		Ø:POKE53293.10
BQ 498 IFX>PTHENPO =X-256:L=1	KE53264,18:X	NTTAB(35)BI:GOTO978	KS 1268 SG 1278	POKE54276,64:POKE53281
CP 500 POKEVX,X:IF		D=0:GOTO1270	00 1270	
16)=8THENSP QA 518 POKE214,28:			CS 1286	(CLR) (5 DOWN)"
		POKE53251, Y:POKEVX, X:PO	CS 1288	[NET] [DOWN   CONSIDER ' YO
XF 520 FORJ-1TOF-8	P*SP:NEXT:GO	KE53264,16:L=0:SP=5 POKE214,20:PRINT:PRINTT		URSELF KING SIKERII"1G
TO476 DR 536 POKE2841,25		A8(19)" 8(2 SPACES)"	200 1000	OTO1388 PRINT*(DOWN)(4 RIGHT)
NT(DX*.5):B	ag CJ 188	8 GOTO138	Po 1290	(YEL)YOU HAVE WRECKED
RH 540 MP=INT(((SP	-JP)*.5+JP)* PR 101	Ø POKE53200,12:POKE53201		(SPACE) YOUR LAST SIKE!
.185) PP 556 X=X+DX+Y=Y+	TW - K-9K+1 MS 161	,12 5 PRINT*(CLR)(RIGHT)	BC 1388	PRINT (DOMN) (5 RIGHT)
	KE53264,18:X	(SLU)(RVS)BIKER*:PRINT *(RIGHT)(RVS) DAVE*:PR		
=X-256:L=1		INT*{RIGHT){BLK}\$G\$		(SPACE)JUMPED", TC-C; "C
CX 576 POKEVX,X:PC	KE53251,Y	13 SPACES   KMR*: TAB (36)	AX 1318	
FE 500 FORJ=170F-8 AP 590 IFY<195THEN	P*SP:NEXT	(RVS)863(2 SPACES)	BO 1328	(YEL)FINAL SCORE IS";T PRINTTAB(8)" (2 DOMN)
XP 688 Y=195:POKES	3251,Y:POKE2 HP 182	8 PRINT*(BLK) LE3 P38 E38 P3(RVS)E63	BQ 1320	(CYN)PRESS FIRE TO PLA
841,249:IF3 N648	<5408X>66THE	[36 P3(RVS)863 [3 SPACES]"		Y AGAIN"
ES 618 GOTO798	OP 163	8 PRINTTAB(37); :GOSUB115	FE 1338	IF (PEEK (JS) AND 16 )= 0THE NGOSUB1380 :GOTO130
FX 626 IFK-MPTHENE	Y=-INT(DY*.3	8	XE 1348	GOTO1338
AD 638 GOTO558	EQ 184	## PRINT" (RVS)#	QK 1358	FORJ=248T0255:SA=J*64:
QF 648 C1=-5:POKE2	841,249;GOTO	(2 SPACES)"; TAB(36);" (3 SPACES)"	AC 1366	GOGUBI368:NEXT:RETURN FORI=6TO39:READA:POKES
668		88 PRINT" (RVS) (3 SPACES) (BLK) (OFF) [32 P] (RVS)	No 1500	A+I,A:NEXT:FORI=40T063
CJ 658 Cl=-2:POKE2 BX 668 X=X+DX:Cl=-	041,253 Cl:POKE2041,	R6312 SPACES LOFF LE*		POKESA+I, #  NEXT   RETUR
PEEK(2841)+	Cl PS 184	863[2 SPACES][OFF]£" SO PRINT" ";:GOSUB1158	XX 1378	GOSUBI 356 (GOSUBI 826 (GO
AP 676 IFX>FTHENPO =X-256:L=1	KE53264,18:X 18:	## PRINT" (RVS)(3 SPACES)		SUB1988:GOSUB2878
AN 688 IFL-ITHENIE	X>53THENIFY= BJ 186	00 PRINT" [*3(RVS)	EH 1388	X=42:SP=5:Y=67:DX=DY:L =0:K=MP:VX=53250:V1=54
67'THEN738		(2 SPACES ( OFF ( SLK)		272:V2=54273:TW=2:F=25
QP 698 IFX<48THENI HF 788 IFX>188THEN	FL=0THEN738	822 P816 SPACES   87 P3* 98 FORC=1T03:GOSUB1168:NE		5 JS=56328:JP=RND(1)*28+
SB 710 POKEVX.X:PC	B.T=170F=SD*S	XT:PRINT	8A 1398	98:C=3:S1=65:S2=185:BI
PINEXT	MK 114	98 POKE56895,8:POKE1823,1		-5:7-6:TR-2:8-6:TC-3
EM 728 POKEV2,RND: F*RND(1):G0	(1)*4:POKEV1, ED 111	S PRINTTAB(13)" (WHT) SPEE	GB 1488	GOSUB1818:C=3:GOSUB117
AE 738 POKE54276.6	4 POKKVX . 8 P	D: 8(3 SPACES   MPH"	RK 1418	RETURN
OKE53264,16		12 SPACES 1818 SPACES 18	HB 1428	DATAS,12,8,8,6,8,8,3 DATAS,8,1,128,8,1,128,
AM 748 POKE54279,8	37+POKE54280,4	IKES LEPT: 5"	JK 1438	8
, 250 : POKE5		88 PRINTTAB(13)*SCORE: 8*	EA 1448	DATAS,192,8,8,192,8,8,
RJ 758 FORI=1T015; DA 768 POKE53265,			SE 1458	DATAS,1,128,8,1,128,8,
ND248)ORJ (2	POKE53270, (PE	(B PRINT"[RVS][2 SPACES] (DOWN)[2 LEFT]	1	3
FK 778 NEXT:POKE54	(D248)ORJ	[2 SPACES][DOWN] [2 LEPT][2 SPACES]	BC 1468	DATAS, 8, 6, 8, 8, 12, 8, 8
			CF 1488	DATAS,8,8,8,8,8,8,8,15 DATAS,8,15,8,8,68,8,8
HH 780 POKE53265,	7:POKE53278,	12 SPACES ( DOWN)	88 1498	DATA252,0,3,287,0,23,1 95,64
286:GOTO956	,	(2 LEPT)(2 SPACES) (DOWN)(2 LEFT)	FX 1508	
PE 888 IFX>158THEN	POKE54276,8:	(2 SPACES) RETURN		144,138,128
			-	

## 55 NEW Titles for Christmas!

All under \$8.00

Shop early and guarantee arrival for Christmas. See below for great stocking stuffers!

### Load 'n' Go!™ Softwa For the Commodore 64/128

QC-1 Memory Quest QC-2 Sky Fighters QC-3 Atomic Challengers C-4 Professional Gambler C-5 The Survival Instinct -6 Arcade Action Adminture Moster

-9 Bits, Pieces and Clues OC-11 Board Game Challengers -13 Craxy Corners 14 Galactic Empire Builder -15 Just Games (With a Twist) -16 Land. Sea & Air Adventures

17 Mage Madness 18 Peg Out (The Cribbage Game) 19 Space, the Ultimate Frontier 20 Trivia Guest QC-21 Open

Golfing Royal St. George's -22 Alien QC-23 Bulge—Battle for Antwern QC 25 Ulysses & the Golden Fleece -26 Mission Asteroid QC-27 Passport to London

78 Champsonship Gambier -80 Dream House QC-81 Child's Play QC-83 Spider Man 84 Human Torch & The Thing

### QC-85 Warp Rangers Load 'n' Go!™ Software For the IBM

**Entertainment Series** RI-1 Backgammon RI-2 Blackgack R1-3 Armchair Quarterback R1-4 Poker

The Hulfe Stredge Man Q1-7 Human Torch & the Thing Home Management Series B1-8 Greeting Card Makes B1-9 Sign & Bapper Makes

RI-10 Calendar & Stationery Maker RI-11 Budgeter RI-13 Becipe flox RI-14 PC Crayon, PC Graphics Artist

R1-15 Create-A Base, a Database Manager Simulation Series RI-16 Speculator The Futures Market Simulato

RI-17 Wall Street The Stock Market Simulator CALL TOLL FREE

Firstline Software, Inc. P.O. Box 5297 Hopkins, MN 55343-2297 Home Management Series QC-30 Vital Data Keeper 31 Wordmaster Senior 33 Personal Spreadahee

QC-35 My C-64, A Computer Tutor QC-36 Commodore 64 Unitries QC 39 Home Expense Manager -40 Home Pinance Organizes -48 Family Tree QC-49 Electronic Scheduler QC-50 Pro Financial Organizer QC-51 Recipe Box QC 52 Tax Record Organizer

RC-73 Sign & Binner Maker BC-74 Greeting Card Maker RC-75 Calcudar & Stationery Maker OC-76 Photo: Pal QC-77 Magac Mover Education Series

QC 53 Number Builder QC-58 Time Trucker QC-60 Math Magor

Electric Book Company Education Series QC-63 Way?

QC-65 The Three Bears QC-66 Gengerbroad Man QC-67 Baby Animals QC-68 Hoppy, the Curious Kang

For the Atari Entertainment Series OR-1 The Hull QR-2 Spuder Man OR 3 Human Torch & the Thine

QE-4 Waard & the Princes SE-5 Ulysses & the Golden Fle QR-6 Misson Asteroid QR-7 Fort Apocalypse QR-8 Tube Trooper

Load 'n' Go!" Software For the Apple II+, IIc, IIe Entertainment Series QA-1 Beganner's Cave

QA-2 Case of the Mmd QA-3 Rever Adventure QA-4 Forel A Golfing Semulator QA-5 Lady Luck QA-6 Space Adventure QA-7 Classe Games QA-8 Android Invasion QA-9 Championship Gambler

QA-11 Memory Quest QA-12 Winard & the Princes QA-14 Mission Automed QA-15 Passport to London QA-16 Passport to Paris QA-65 Galactic Encounters QA-67 Raven RA-68 Devan House

QA-69 The Hulk QA-70 Sorder-Man

Home Management Series

QA-17 The Addresser - Mading List QA-59 Baby Animals QA-18 Financial Planner QA-60 Hoppy, the Curious Kangaroo

QA-71 Human Torch & The Thing

PRICE KEY Q = \$6.99 S = \$8.99

QA-19 General Ledge QA-20 Monthly Budgeter QA-23 Recipe Box QA-26 Electronic Calcudar QA-29 Personal Spreadsheet

QA-30 J Writer, Word Processor GA-31 Drifty Moster QA-32 Vital Data Keeper QA-33 Typing Tutor QA-34 Tax Record Organizes QA-35 Checkbook Balancer QA-36 J Base, A Database Manager RA-73 Sagn & Banner Maker RA-74 Greet mg Card Make RA-75 Calendar & Stationery Makes

Education Series QA-38 Speed Reader Electric Book Company QA-55 Why? QA 57 The Three Bears

1-800-257-9411

For inquiries or Minnesota orders: (612) 829-1911 ShareData Accessories

 Universal Blank Diskettes (for Comm, Appir, Atari) compatible with any 5% dask draw. Double-notched, DS/DD dasks gave single-sided users twice the storage at the same great price! Box of 5:36 99. Blank Diskettes: (For Comm, Apple, IBM, Atari) 100% certified, Single-motched, DS/DD, Box of 10: 8850 With any merchandise order over \$25.00. Box of 10: 8850. a ShareData 3000™ Modem: Autodral, autoanswer, includes terminal software Street

a Utility Cartridge: 30 functions \$19.95 Warp Drive Cartridge: Faster loading plus more functions for more efficient use of your computer 51985 \* Crossword Puzzles: on disk with mot for Comm 64/128 New York (originally \$18.95) SPECIAL \$7.95 with any purchase of \$25.00 or more.

ENHANCER 2000\*\* Date Desir \$100 96 piec \$100 piecksps/hazalite ORDERING INFORMATION: For fast delivery send cashwer's check or money order

Commodore compatible floppy disk drive

Broad checks allow 21 days to clear COD is accepted for over \$50.00 School PO.s wiscome. Continental U.S.A. include \$2.50 for software and accessones, \$8 00 for disk drive MN residents please include 6% sales tax MasterCard and Visa orders please include card 4, expiration date, and signature H. AK, FPO, APO, Fuerto Rico, Canada and other orders outside the minental U.S.A., please include SS 00 for software and \$15,00 for disk drive All goods are new and include factory warranty. Bue to our low prices all sales are final. All defective returns must have a return authoriza Please call (612) 829-911 to obtain an R.A. f or your return wall not be accepted

These are availabled applicate and all a minus mode.	
Check or money order enclosed  U.S. FUNDS ONLY  VISA MasterCard  Name	Card # Expiration Date Phone ( )
Sig	
City	



The Commodore 64 version of "Biker Dave" features a flaming hoop.



Press the space bar to accelerate the motorcycle in the IBM PC/PCjr version of "Biker Dave."



### DO 1510 DATA32,130,200,32,40,2 129.6 EH 1520 DATA8,48,8,8,96,8,8,19 CA 1538 DATAS,1,128,8,1,128,8, DX 1548 DATAS, 8,3,8,8,3,8,8 RJ 1550 DATA1, 128, 0, 1, 128, 0, 0,

RB 1560 DATAS,8,96,8,8,48,8,8 HM 1570 DATAS,8,8,8,8,8,8,8 GS 1580 DATAS,8,8,8,8,8,8,3,8 CI 1598 DAVAS.15.8.8.63.8.8.25

PR 1688 DATAS, 3, 255, 8, 15, 255, 8 JS 1618 DATA255,8,255,255,3,25 5,255,8 1628 DATAS, S. S. S. S. S. S. S. 1638 DATAS.S.S.S.S.192.S.S.24

XA 1648 DATAB, 8,252,8,8,255,8, HF 1658 DATA255,192,8,255,248, 8.255.252 CM 1660 DATAS, 255, 255, 8, 255, 25 5.192.8

NO 1678 DATAS, S.S.S.S.S.S.15,S 1688 DATAS, 15.0, 0, 3, 192, 0, 3 1698 DATA248,8,15,68,8,28,6 1,64 1700 DATAS5,125,88,185,246, 144,130,216 1710 DATA32,130,56,32,40,2,

128,8 1728 DATA3,192,8,3,192,8,3, XS 1736 DATAS,3,245,8,3,5,64,3 JB 1746 DATA22,128,3,216,32,3, 248,32

SD 1750 DATA21,114,128,98,112, 8,96,176 DF 1760 DATAS, 32, 128, 8, 18, 8, 8,

KA 1778 DATAS,68,8,8,68,8,8,12 R8 1780 DATAS, 5, 252, 6, 21, 12, 6, QJ 1798 DATA76,8,138,124,8,138 252.6 FK 1888 DATA48,213,64,8,218,88

,8,224 AD 1816 DATA144.6.32.129.6.16. QS 1828 MLS="RIB"+CHRS(8)+"RXB

<"+CHR\$(3)+"&23XJ"+CHR \$(16)+CHR\$(248)+"L883 \$73":POKE835,Ø CD 1830 POKE836,208:POKE830,Ø:

POKE831,216:POKE828,0: POKE829,56:POKE56334,8 GC 1848 POKEL.51:MLS-MLS:SYS(P EEK(51)+256\*PEEK(52)): POKE1.55:POKE56334.1

KF 1858 FORI-12528T012541:REAL J.POKEL.JINEXT:POKES32 72, PEEK (53272) AND 24808

EP 1868 FORI-STO7:READA:C\$(I)-CHRS(A) INEXT | RETURN BG 1878 DATA 15,16,32,127,103, 127,48,48 DATA 224,16,8,252,284,

XK 1880 252,24,24 JF 1898 DATA5,28,31,144,153,15 5,158,159 PE 1900 J=15744:FORI=@T0127:RF ADA:POKEJ+I, A:NEXT:RET

HH 1918 DATAS1,64,8,182,69,8,1 82,78 DATA69,26,78,89,22,69, BM 1928 169,10

GQ 1938 DATA145,164,22,161,164 ,1,65,144 KM 1948 DATA64,0,148,88,8,73,1 88.8 AE 1950 DATA25,100.0,36,24.0,1 QP 1968 DATAS, 28, 64, 8, 41, 88, 8,

og 1978 DATA188,8,36,25,8,164, 25.8 7A 1988 DATA88,6,128,8,1,64,8, HC 1998 DATAS, 8,8,16,8,8,181,6 DATAS,182,78,89,186,65 **937 2000**0 .164.21

DATA145,164,6,161,144, GP 2616 .65,144 DATA88.8.64.188.8.5.24 ,0 PP 2030 DATA25,24,0,41,24,0,28 .68 89 2646 DATAS, 8,88,8,5,168,8,2

DATA188,8,36,25,8,164, QR 2868 DATASS,6,128,8,1,64,8, PB 2878 FORI=8TO57:READA:POKES 28+1, A:NEXT:SYS828:RET

URN CP 2888 DATA 128,169,65,141,28 ,3,169,3,141,21 DATA 3,88,96,173,27,21 ВЈ 2090 2,41,1,77,254 AX 2100 SJ 2118

DATA 7,141,254,7,165,2 83,281,68,288,15 DATA 32,188,3,32,159,2 55,165,283,281,68 DATA 288,247,32,183,3, 76,49,234,32,159 JA 2120 AF 2138 DATA 255,165,283,281,6 8,248,247,96 Program 3: IBM PC/PCir Biker Dave

Version by Tim Midkiff, Editorial Programmer

@ 1# GOSUB 12##:GET(288,1)-(312 ,17),T

FF 26 FOR I=1 TO 2566: NEXT: X=8: Y -5: PUT (X, Y), 08 # 30 FOR I=1 TO 3:LOCATE 6,15:P RINT\*SET READY\*: SDUNO 1760

# 40 FOR J=1 TO 255: NEXT: LDCATE 6.15: PRINT # 50 FOR J=1 TO 255 NEXT NEXT F DR I=1 TD 150:NEXT

F 60 MHILE X<285 AND SP<82 LK 78 X=X+INT (SP#, 84)+1: K9=INKEY S: IF KS-RS THEN SP-SP+5 TO BE KS-INKEYS: IF KS-RS THEN SE =0045 98 LDCATE 21, 19: PRINT SP:FOR I=1 TO 28-(SP MOD 25): NEXT

F 188 SOUND SP#90+37, .5 # 110 IF SP>S1 THEN PUT(X, Y) ,PSET ELSE PUT(X,Y),D0,PS ET:IF X>265 THEN PUT(288.

1).T.PSET UF 128 PUT (288,1), T, PSET BY 138 WEND

166 IF SP>=82 THEN 556 II 158 Y-67: C1-119+C08 # 168 WHILE X>C1 1 176 X=X-INT(SP\$.64)-1:K\$=INKE Y\$:IF K\$=80 THEN SP=SP+5 N 188 LOCATE 21, 19: PRINT SP: FOR

I=1 TO 28-(SP MOD 25):NE # 19# SOUND SP#SD+37..5 0 286 PUT (X, Y) , D2 , PSET: PUT (288, 65), T, PSET DK 216 WEND

# 228 DX-3: DY-INT (DX8.35): K-8: MP=INT(((SP-JP)#.5+JP)#.1 IX 238 PUT (X, Y), D2: GDSU8 1818: PU T (X, Y), D3: C1=C1-9 246 X1=X; X=X+DX; Y1=Y; Y=Y+DY; K

=K+1:FDR I=1 TO 26-(SP MC 0 25): NEXT #4 25# SOUND SP#SD+37,.5 IF Y<49 OR Y>57 THEN 480 # 278 IF X<93 THEN IF YXA9 THEN

PUT (X1, Y1), 03: Y=69: 0Y=8 12 288 IF K=MP THEN DY=-DY\$. 3 E 298 IF DY-8 THEN PUT (X, Y), 02, PSET ELSE PUT(X1, Y1), 031F UT (X,Y), 03 386 PUT (8,65), T. PSET: IF X<16

50 COMPUTEI November 1966

THEN 328	# 798 NEXT: T=T+S	W 4444 PROP N
DE 318 GDTD 248	H 888 C1=184+(C-1) #8:PUT(C1,71)	0 1168 READ X,Y:E=(4+INT((X+7)/ 8)*Y)/2:DIH HI(E):HI(d)=
#6 32# C1=214-C#16:Y=I33		X:H1(I)=Y:FDR I=2 TD E:R
# 338 WHILE X <c1< th=""><th>W 816 C1=236-(C-1) #16:PUT (C1.13</th><th>EAD As: H1 (1) = VAL ("&amp;H"+As</th></c1<>	W 816 C1=236-(C-1) #16:PUT (C1.13	EAD As: H1 (1) = VAL ("&H"+As
E 348 X=X+INT(SPE.84)+1:K8=INKE Y8:IF K8=88 THEN SP=SP+5	5),R2:dDSUB 1#2#:GDSUB 1#	) : NEXT
13 350 LUCATE 21,19:PRINT SP:FDR	If size obito size	# 1176 READ X,Y:E=(4+INT((X+7)/
I=1 TD 26-(SP MDD 5):NEX	10 83# 81=81-1:SDUND 44#.8	8) #Y) /2: DIM H2(E)   H2(Ø) = X: H2(1) =Y: FDR I=2 TD F: R
T	BI 848 IF SINS THEN TRETRHILLOCA	EAD AS:HZ(I)=VAL("&H"+AS
13 368 SOUND SP#SD+37,.5	TE 22,351 PRINT BI ELBE 16	DINEXT
91 37# PUT(X,Y),D#,PSET:PUT(8,12	48	H 1188 READ X, Y:E=(4+INT((X+7)/
E6 308 MEND	# 858 SP=5:PDKE 1858,PEEK(1852) # 868 LDCATE 21,19:PRINT* 8 ":	8) 8Y) /2: DIM CA(E): CA(8) = X: CA(1) = Y: FOR I=2 TD E:R
G 398 DX=4:DY=-INT(DX*.5):K=8	BOTD 28	EAD ASICA(I)=VAL("SH"+AS
II 400 PUT(X,Y),D0:0DSU8 1020:PU T(X,Y),D1	# 878 LINE(8,17)-(288,17),3	) (NEXT
## 41# MP=INT(((SP-JP+C)*, 5+JP+C	## BB# DRAW*C1U16R24D8#L24U16R8U 48L89E8P1.I*	KI 1198 RETURN
) 8, 185)	#8L88E8P1,1" # 89# LINE(288,81)-(32,81),3	# 1200 KEY DFF: DEF SEG=0: DEFINT A-Z: DIM T(100), R1(49), R
0. 428 X1=X:X=X+DX:Y1=Y:Y=Y+DY:K	4 988 DRAW*CIUI6L24D88R24U16L8U	2(49)
=K+1:FDR I=1 TD 28-(SP MD D 25):NEXT	48R88H8PI,1"	@ 1216 SCREEN 1,#: COLDR #,1:CLS
70 43Ø SDUND SP#SD+37,.5	# 718 LINE(32,145)-(328,145),3	
KC 448 IF X>296 THEN PUT(X1, Y1),	# 928 DRAW*C38H292,144H-34,-9D9 8E1P3,3*	## 122# GDSUB 112#:GDSUB 87# ## 123# SP-5:8s=* ":S1=7#:S2=11#
D1:GDTD 83Ø	R 936 PUT (161, 46) .H2:PUT (166, 46	: JP=166:81=5:T=6:TR=I:S=
70 458 IF Y>133 THEN Y=133:DY=8: IF X<286 DR X>294 THEN 62	) H1	Ø:TC=3:SD=.5
# ELSE 69#	If 948 LDCATE 21,13:PRINT"SPEED:	A 1240 RETURN
ER 466 IF K-MP THEN DYINTODYS.	N 958 PRINT" CARS JUMPED: 6	FC 1250 DATA 48,12,0,0,0,0,300,C
3)	SIKES LEFT: 5°	K 1260 DATA 8,300,C0,8,300,8,6,
# 47# PUT(X1,Y1),D1:PUT(X,Y),D1 :BDTD 42#	□ 968 LOCATE 23,13:PRINT*SCORE:	FØØ
H 486 PUT (X1, Y1), D3:Y=69:K=6	8" IP 978 DRAM*C38M145,88M-17,-9D98	# 1278 DATA 48C1,8,3C88,58FF,8, FC88,1488,8
## 498 WHILE X>16	E1P3,3":GET (128,71)-(145	4 1288 DATA FF85,5545,8,AF1A,A9
© 588 X=X+DX:FDR I=1 TD 58-(SP	,80),R1	DA, Ø, 828, AE8
MDD 25) : NEXT : SOUND SP#RND	₩ 98# DRAH"C38M188,144M+17,-9D9	# 1298 DATA 8,F28,A28,8,A88A,A8
(1)+37,.1 U 518 IF K-8 THEN PUT (X,Y),D3,P	8H1P3,3":8ET(188,135)-(2# 5,144),R2	#A,# # 13## DATA 48,12,#,3C,#,#,53C,
SETIK=1 ELSE PUT(X,Y),D2,	K 998 FOR C=1 TD 3:808UB 1838:N	54
PSET: K=Ø	EXT:C=3	10 1318 DATA 8,3CSC,4815,8,FEST,
P 52# PUT(8,45),T,PBET	IL 1000 RETURN	A85A, Ø, F
# 546 GDTD 836	# 1818 C1=184+C#8:PUT(CI,71),R1 ,PBET:RETURN	W 1328 DATA A68,8,58F,A68,8,FD8 F,AB8A,8
it 550 K=0:DX=3	II 1828 CI=236-C\$16:PUT(CI, 135).	# 1336 DATA FF67.C6.6.A816.C6.6
# 56# WHILE X<285 # 57# X=X+DX:FDR I=1 TD 5#- <sp< th=""><th>R2, PSET: RETURN</th><th>,31A,8Ø</th></sp<>	R2, PSET: RETURN	,31A,8Ø
MDD 25):NEXT:SOUND SP#RND	F 1030 C1=258-C+16:PUT(CI,137), CA,PSET:RETURN	1348 DATA 8,28A,88,8,AA82,8,8
(I)+37, , 1	N 1646 CLS: IF D THEN LOCATE 5.5	■ 1350 DATA 48,12,0,0,0,300,C0,
OH 588 IF K=8 THEN PUT (X,Y),D8,P	: PRINT"CONSIDER YDURSELF	0º 1366 DATA 366,C6,6,6,6,C6,6,436
SET:K=1 ELSE PUT(X,Y),D1, PSET:K=0	KING BIKER!!": GDTD 1868	1,F0
N 598 PUT (288,1),T,PSET	U. 1858 LDCATE 7,41PRINT"YDU HAV E WRECKED YDUR LAST SIKE	E 1370 DATA #,FF05,3C,#,14,3F,#
E2 688 WEND	1.	KI 1388 DATA SEFF, 8, A74A, A4FA, 8,
# 616 GDID 836	JE 1868 LDCATE 9,51PRINT"YDU SUC CESSFULLY JUMPED"; TC-C; "	28A0, 28E0, 0
H 628 K-8:DX-3	CESSFULLY JUMPED"; TC-C; "	IN 1398 DATA 28A8,28F8,8,A82A,A8 8A,8,8
# 638 WHILE X<276 # 648 IF K=8 THEN PUT(X1,Y).Di:	D. 1878 LOCATE 11,11:PRINT"FINAL	8 1488 DATA 48,12,8,3088,8,1588
PUT(X,Y), D#:K=1 ELSE PUT(	SCDRE IS";T	.3056.6
X1.Y).D8:PUT(X.Y).D1:K=8	P 1888 LDCATE 14,8:PRINT*PRESS SPACE TO PLAY AGAIN*	0 1418 DAYA 5481, 383C, 8, A52A, F8
0. 658 X1=X:X=X+DX:FDR I=1 TD 58 -(SP HDD 25):NEXT:SDUND 8	SPACE TO PLAY AGAIN* SO 1696 WHILE KS<>BS:KS=INKEYS:W	8F, 8, 29A8, F888 N 1428 DATA 8, 29A8, F858, 8, A82A,
-(SP MDD 25):NEXT:SDUND 8 P#RND(1)+37,.1	END END	F67F, 8, 388
	IC 1188 RUN	FI 1438 DATA DEFF. 8.388.94EA.8.3
M 678 IF K=8 THEN PUT(X1,Y),D1	A 1110 RETURN	88, 8488, 8
ELSE PUT (X1,Y),DØ	7) 1126 READ X,Y:E=(4+INT((X+7)/ 8)*Y)/2:DIM D8(E):D8(8)=	# 1448 DATA 288, A888, 8,8,88AA,8
0 698 PUT(X1,Y1),D1:PUT(X1,Y),D	X:D8(I)=Y:FDR I=2 TD E:R	IC 1456 DATA 12,23,86,28,A,A,866
0	EAD As: D8(I)=VAL("&H"+As	
14 788 WHILE X<296	):NEXT P 1138 READ X, Y:E=(4+INT((X+7)/	CI 1468 DATA 8882, A888, A888, A888 , A888, A888, A888, A888
G 728 X1=X:X=X+DX:FOR I=1 TD 28	8) #Y) /2: DIM D1(E) : D1(6) =	N 1476 DATA A666, A666, 8662, 8662
-(SP MDD 5):NEXT	X:D1(1)=Y:FDR I=2 TD E:R	,8002,A,A,20
ER 738 WEND	EAD As:D1(I)=VAL(*\$H"+As ):NEXT	14 1488 DATA 88,8 R 1498 DATA 14,23,2888,8882,A,A
FE 748 PUT(X1,Y),D8	N 1148 READ X,Y:E=(4+INT((X+7)/	1498 DATA 14,23,2000,0002,A,A
# 758 LDCATE 22,14:PRINT TC:C=C +1:TC=TC+C:S=28(C818-TR85		LC 1588 DATA 28,A8,A8,A8,A8,A8,A
):TR=2	X:D2(1)=Y:FOR I=2 TD E:R EAD A9:D2(1)=VAL("\$H"+As	Ø, AØ
EL 768 S1=RND(1) #18+36+B#C: S2=RN	EAD A0:D2(I)=VAL("SH"+AS	IL 1518 DATA A8, A8, 28, 28, 28, A, A,
D(1)\$15+81+8\$CiJP#RND(1)\$ 28+98	C. 1158 READ X.Y:E=(4+INT((X+7)/	U 1526 DATA 2866,8
IN 778 END THE TO THE OTED 5	R) #Y)/2:DIM D3(E):D3(6)=	II 1536 DATA 24.8.8662.886.2666.
U 788 LOCATE 23,19:PRINT I:SDUN D 228,.1:FOR J=1 TD 58:NE	X:D3(1)=Y:FOR 1=2 TO E:R EAD As:D3(1)=VAL("SH"+As	29, AASS, AARA 10 1540 DATA BC, AASE, AAAA, 14, 141
NY XT TO SEINE	) I NEXT	4,1400,0

### Program 4: Amiga Biker

Dava Version by Tim Midkiff, Editorial Programmer

GOSUB Initialize4

Setup 14 COLOR 3,8:CLS:RANDOMIZE TIMER+ GOSUB IntScreen+ sp=5:b\$=" ":s1=70:s2=110:ip=100: bi=5:t=8:tr=1:s=6:tc=3:so=16:f=1 6864

FOR 1=8 TO 255: IF 1<128 THEN PW( i)=127 ELSE pw(1)=-128:NEXT:WAVE 3,pw 4 GET(283,1)-(387,17),t4

Start Ron . 4 FOR i=1 TO 588:NEXT:x=7:y=4:PUT (x,y), de4 i=1 TO 3:LOCATE 6,15:PRINT"G ET READY": SOUND 1768, 24 FOR j=1 TO 250:NEXT:LOCATE 6,15: FOR 1=1 TO 250:NEXT:NEXT:POR 1=1 TO 150 NEXT4

WHILE x<288 AND sp<s24 x=x+INT(sp\*.84)+1:IF MOUSE(8) <>8 THEN ap-ap+54 OCATE 21,19:PRINT sp:FOR i=1 TO 28-(ap NOD 25) | NEXT4 SOUND sp\*so+f, .84, ,34 IF sp'sl THEN PUT(x,y),dl,PSET E LSE PUT(x,v),d8,PSE74 PUT(283,1),t,PSET+

IF sp>=s2 THEN CrashRight14

JumpLeft:4 v=68:c1=114+c\*B4

WHILE X>Cl4 x=x-INT(sp\*.84)-1:IF MOUSE(8) <>8 spmsp+5 LOCATE 21,19:PRINT sp:FOR i=1 TO 28-(sp MOD 25):NEXT+ SOUND sp\*so+f, .82,,34 PUT(x,y),d2,PSET:PUT(283,65),t,P

WEND4 dx=-3:dy=INT(dx\*.35);k=8:mp=INT( ((sp-jp)\*.5+jp)\*.185)4 PUT(x,y),d2:GOSUB Rampl:PUT(x,y),d3:c1-c1-94

18 x1=x:x=x+dx:y1=y:y=y+dy:k=k+1:FOR i=1 TO 28-(sp MOD 25):NEXT4 SOUND sp\*so+f,.82,,34 IF x<93 THEN IF x>88 THEN IF y<4 8 OR v>56 THEN CrashLeft+

8 OR y>56 THEN CrashLeft\* IP x<88 THEN IF y>60 THEN PUT(x1 ,y1),d31y=60 ddy=8\* IF k=mp THEN dy=-dy\*.3\* IF dy=8 THEN DY=-dy\*.3\* IF dy=8 THEN PUT(x,y),d2,PSET EL SE PUT(x1,y1),d3:PUT(x,y),d3\* PUT(3,65),c,PSET:IF x<11 THEN PU T(92,58), hp, PSET: GOTO JumpRight 4

JumpRight . + c1=289-c\*16:y=1324 WHITE WOOLA

x=x+INT(ap\*.84)+1:IF MOUSE(8)<>8 THEN spesp+54 LOCATE 21,19:PRINT sp:FOR i=1 TO 28-(sp MOD 5):NEXT+ SOUND sp\*so\*f,.82,,34 PUT(x,y),d8,PSET:PUT(3,129),t,PS

E7dx=4:dv=-INT(dx\*.5):k=8\*

PUT(x,y), de: GOSUB Ramp2: PUT(x,y)

mp=INT(((sp-ip+c)\*.5+jp+c)\*.185)

28 xl=x:x=x+dx:yl=y:ymy+dy:k=k+l :FOR 1=1 TO 28-(sp NOD 25):NEXT4 SOUND sp\*so+f,.82,,34 IF x>291 THEN PUT(x1,y1),dl:GOTO

ResetCane+ IF y>132 THEN y=132:dy=0:IF x<2B 8 OR x>289 THEN CrashRight2 ELSE Good Junp IF k=mp THEN dy=-INT(dy\*.3)4 PUT(x1,y1),d1:PUT(x,y),d1:GOTO 2

CrashLeft:4

PUT(x1,y1),d3:y=68:k=84 WHILE X>114 ver+dv : FOR i=1 TO 56-(sp MOD 25) :NEXT:SOUND RND\*256\*so+f,.82,,34 IF k=8 THEN PUT(x,y),d3,PSET:k=1 ELSE PUT(x,y),d2,PSET:k=64

PUT(3,65),t,PSET:PUT(92,58),hp,P SETA WEND+

GOTO ResetGame CrashRightl: 4 bad-dyn34

WHILE x < 2B8 4 x=x+dx:FOR i=1 TO 58-(sp MOD 25) :NEXT:SOUND RND\*258\*so+f,:82,,34
IF k=8 THEN PUT(x,y),d8,PSET:k=1
ELSE PUT(x,y),d1,PSET:k=84 PUT(283,1),t,PSET4

WEND COTO PanatGames

2..34

B Rample

CrashRight2:4 km@.dv=14

WHILE x<2914 IF k=8 THEM PUT(x1,y),d1:PUT(x,y),d8:k=1 ELSE PUT(x1,y),d8:PUT(x ,y),d1:k=84 xl=x+x=x+dx:POR i=1 TO 58-(ap MO D 251:NEXT:SOUND RND\*256\*s6+f,.6

WEND4 IF k=0 THEN PUT(x1,y),d1 ELSE PU T(x1,y),d84 GOTO ResetGame4

GoodJunp:4 PUT(x1,y1),d1:PUT(x1,y),d84 WHILE x<2914 PUT(x1,y),d8:PUT(x,y),d84 x1=x:x=x+dx:FOR i=1 TO 28-(sp NO

D 5) INEXT MENDA PUT(x1,y),d84 LOCATE 22.14:PRINT to:c=c+1:tc=t c+c:a=2\*(c\*18-tr\*5):tr=24 al=RND\*18+36+8\*c:s2=RND\*15+81+8\* C: 1p=RND\*28+984

FOR i=t TO t+s STEP 5+ LOCATE 23,19:PRINT 1:SOUND 15888 ,.881,,3:FOR j=1 TO 58:NEXT4 NEXT:t=tes:IF c>9 THEN d=1:EndGa cl=99+(c-1)\*8:PUT(cl.71).rl:GOSU

c1=231-(c-1)\*16:PUT(c1,135),r2:G OSUB Ramp2:GOSUB AddCar+ GOTO 384 ResetGame:4

bi=bi=1:j=34 FOR i=1 TO 16:FOR k=1 TO 255:NEX SOUND 200, .5, RND\*2554 SCROLL (8,8)-(311,153),j,j:j=-j:

30 IP bi>8 THEN tr=tr+1:LOCATE 2 2.35 PRINT bi ELSE EndGameap#54 LOCATE 21,19:PRINT" 8 ":GOTO St

IntScreen:4 LINE(3,17)-(282,17),24 LINE(282,81)-(28,81),24

LINE(28, 145)-(319, 145), 24 COLOR 24 AREA(287,144): AREA(253,135): AREA (253,144);AREAFILL4 PUT(92,50),hp 4

AREA(148,80);AREA(123,71);AREA(1 23,BØ):AREAFILL GET(123,71)-(148,88),r14 AREA(183,144):AREA(200,135):AREA (200,144):AREAFILL4

GET(183,135)-(286,144),r24 POR CHI TO 3 GOSTIR AddCar NEXT C COLOR 14

AREA(283,17):AREA(283,1):AREA(38 8,1);AREA(388,81);AREA(283,81)4 AREA(283,65):AREA(291,65):AREA(2 91,17):AREA(283,17):AREAFILL4 AREA(27,81):AREA(27,65):AREA(3,6 5):AREA(3,145):AREA(27,145)4 AREA(27,129); AREA(19,129); AREA(1 9, B1):AREA(27, B1):AREAFILL LOCATE 21,13:PRINT"SPEED: 8 PRINT" CARS JUMPED: 8

ES LEFT: 5"4 LOCATE 23,13:PRINT"SCORE: 8"4 RETURN4

Rampl:c1=99+c\*8:PUT(c1,71),r1,PS ET: RETURN Ramp2:cl=231-c\*16:PUT(c1.135).r2 . PART: RETURNS AddCar; c1=253-c\*16; PUT(c1, 137), a

EndGane : 4 CLS:COLOR 34 IF d THEN+ LOCATE 5,5:PRINT"CONSIDER YOURSE

LP KING BIKERII\*4 ELSE4 LOCATE 7.4: PRINT"YOU HAVE WRECKE D YOUR LAST BIKE! "4 END IF4

COLOR 1:LOCATE 9,5:PRINT"YOU SUC CESSFULLY JUMPED"; to-c; "CARS"4 LOCATE 11,11:PRINT"PINAL SCORE I S":t:COLOR 34 LOCATE 14,8:PRINT PRESS BUTTON T O PLAY AGAIN": 1=MOUSE(8) 4 WHILE MOUSE(#) =#:WEND4 GOTO Setups

Initialize:4 DEFINT a-z:DEFSNG r,g,b:DIM t(18 8),r1(49),r2(49),pw(255),nw(255)

SCREEN 1,328,288,2,14 WINDOW 3, \*\*, (8,8)-(311,185),16,1

WINDOW OUTPUT 34 WIDTH 48:RESTORE PaletteData:FOR i=8 TO 3:READ r,g,b:PALETTE i,r, g,b:NEXT4 PaletteData:4 DATA .13,8,.73,.9,.9,.9,8,8,8,8,8

, . 2,84 DaveRight: 4 DIM dØ (55): RESTORE DaveRight 4 POR 1=8 TO 55:READ a\$:d8(1)=VAL(



**GET THE MOST** From Your Computer!

Two new books from COMPUTE! bring you innovative ideas to exploit the capabilities of your computer to the fullest and to make use of it in ways you didn't know were possible. There's an in-depth look at desktop publishing-how to get started and how to set up your publication, A compendium of special software tells you where to purchase inexpensive software that will open up a new world of applications. The information is non-machine-specific and is designed for beginning to advanced computer users.

The Complete Desktop Publisher Daniel I, Makuta and William F, Lawrence A comprehensive reference and guide to what is fast becoming one of the most popular uses of computers, this book guides the novice through the intricacles of desktop publishing. Clearly written and understandable, this guide covers all the basics of typography, layout, and design. Sample formats and layout grids make it easy to get started. Details on using graphics to enhance publications, discussions of the desktop publishing software currently available, and comparisons of laser printers, typesetters, and other printing devices give you everything you need to make intelligent decisions. Chapters outline the elements of fitting copy, proofreading, binding and folding, and media conversion. You'll also find a wealth of information on telecommunications-how to transmit your publication for typesetting or printing-as well as tips on dealing with outside design agencies, typographers, and printers. The definitive guide.

I Didn't Know You Could Do That

with a Computer!

Dan Gutman There's more to computers than processing words, juggling numbers in a spreadsheet, or filing records in a database, A world of unusual, practical, and amazing computer programs is available which can belo you do anything from planting a garden to writing a will. These programs range from the simply fascinating to the outright esoteric, More than 100 little-known, vet intriguing commercial software packages are evaluated and reviewed: programs which can plot your astrological future, show you the night skies, plan your next road trip, help you raise your child, and give you the edge at the racetrack. Entertaining-certainly unique-this book puts an end once and for all to the question "Now that I have a computer, what do I do with it?"

\$14.95 ISBN 0-87455-066-1

\$19.95 ISBN 0-87455-065-3

Look for these books at your local computer or book store.

Or, to order directly from COMPUTE!, call toll-free 800-346-6767 (in NY 212-887-8525), or write COMPUTE! Books, P.O. Box 5038, F.D.R. Station, New York, NY 10150, Please include \$2.00 shipping per book for U.S. and surface mail: \$5.00 airmail. North Carolina residents add 4.5 percent sales tax. New York residents add 8.25 percent sales tax. Please allow 4-6 weeks for delivery

COMPUTE! Publications,Inc.

COMPUTE books are available in the U.K., Europe, the Middle East, and Africa from Holt Saunders, Ltd., 1 St. Anne's Road, Eastbourne, East Sussex BN21 3UN, England, and in Canada from McGraw-Hill. Rverson Ltd., 330 Progress Ave., Scarborough, Ontario, Canada M1P 2Z5.



## SUPER VALUES



### DISKS .44 ea.

100% Certified 5¼" floppy disks. Lifetime Warranty, automatic lint cleaning liner included, 1 Box of 10 54.90 List \$1,99 ea.

VOICE SYNTHESIZER
\$39.95 List \$89

Just plug it in and you can program words and sentences, adjust volume and pitch, make talking adventure games, sound action games and customized talkies! PLUS (819-95 value) TEXT TO SPEECH program included FREE. (Disk or Tape) List \$89.00 SALE \$39.95

> VOICE COMMAND MODULE \$39.95 List 880

The VCM is a speech recognition device that lets you give commands to your C-64 with your voice. List \$79.95 SALE \$39.95

SUPER AUTO DIAL MODEM

\$29.95 List \$99 Easier to use than dialing your telephone

Features on-line clock, dialing from keyboard, capture and display high resolution characters, and much more. Includes exclusive easy to use program for up and down loading to printer and disk drives. Best in U.S.A. List \$99.00 SALE 529.05

1200 BAUD MODEM \$79.95 List \$199

Same features as the above modern along with C-128 mode and 1200 Baud speed. List \$199.00 SALE \$79.95

SOFTWARE

CTION PACK (P).

CHASES SOARD (D).

13.95
CLASSES (SOARD (D).

13.95
CLASSES (SOARD (D).

13.95
CLASSES (SOARD (D).

13.95
CLASSES (SOARD (D).

13.95
CLASSES (D).

13

Add 3.0 for hipping, honding, and hourses, tillwar seathers pieces add 4.1% seeks now. Add 5.00 for CAMAGA, PURTOR RECO ANAIL ALASKA, AND-PO-coders, All orders must be in U.S. Oulier, VE DO NOT BOTOR TO OTHER COMMISSION OF THE C

MM. TISTUS (B)

PONTESS LIE 1 (D)

DATABASE MGS. /PLIS FOR C128 (D)

TASK FORCE (D)

BECOMMUNE

PONTES LIS (L) OF (D)

CRAPITICS LIS (L) OF (D)

4.95

\$27,95 .15.95 .22.95 .39.95 .21.95 .15.96

WHERE IS CASSAIN SAN DEDOO (D)
GRAPHICS LIB. HOLIDAY ED. (D)
DATA SAS!
COMMANDO (IS
KARATE CHAMP (D)
KING FU MASTER (D)
DATA SOP!
BASPE STREET (ID.

BAKER STREET (D).
MERCENARY (D).
MERCENARY (D).
MEND FURSUIT (D).
MIND FURSUIT (D).
VIDEO TITLE SIGP (D).
THEATRE EUROPE (D).
DISHOWMER

BELLOWARE
SOLY TRANSPARENT (D).
SULOPEAN NATIONS & LOCATIONS (D)
STATES AND TRAITS (D).
SULOPEAN NATIONS & LOCATIONS (D)
STATES AND TRAITS (D).
ONE ON ONE UD
PINBALL CONTEUCTION (D).

MUSIC CONSTRUCTION (D)
RACINO DESTRUCTION (D)
MARBLE MADNESS (D)
CHESSMASTER (B)
BATTLETRONT (D)
LORISS DE CONQUEST (D)

RARON (D)
MILLIDNAIRE (D)
TYCOON (D)
IPTX
CHAMPIONSHIP WEEST

CHAMPIDNSHIP WRESTLING (D)
FAST LOAD (C).
MOVIE MONSTER (D).
WINTER OAMES (D).
WORLD GRAMPS (D).

ORLD & ARATE (D)
ORLD'S GREATEST FOOTBALL (D)
SERVING

BATTE OF SETANOVETTE DE MIDWAY (D.
TALKINO TRACISE (D.)
TALKINO TRACISE (D.)

BUBLIONC
FLIGHT SIMULATOR II (D)
JET (D)
POOTBALL (D)
BASEBALL (D)
BASE
BALL
BOADWAR 2000 (D)
BATTLE OF ANTIETAM (D)
GETTYSEIBE (D)

GETTYSBURG (D)
MECH BRIGADE (D)
NAM (D)
US.A.F. (D)
EAMPTORLEPE (D)
WAR SHIP (D)
HAYDEN

AT YERBAL (D).
AT MATH (D).
AT PAATICE TEST (D).
OFFSHIC.
ACCOUNTANT, DIC. C128 (D).
EDSK MANAGER (D).
ED PRO QUID (D).
ACOBL DIET (D).
FEID C16 (D).
FEID C16 (D).
FINIT (D).

D PAO QLD (D)
DOEL DIEST (D)
ID CAF (D)
ID C

BEST SERVICE IN THE
U.S.A. > 90 DAY
REPLACEMENT
WARRANTY • ONE DAY
EXPRESS MAIL • 15 DAY
FREE TRIAL • OVER 500
PROGRAMS • A CUSTOMER
LIST OF OVER 3,000,000
LARGEST IN THE U.S.A.

CALL FOR FREE CATALOG WITH \$2.00 OFF COUPON!

### SPECIAL BONUS COUPON

We pack a special software discount coupon with every Commodore 64 Computer, Disk Drive, Printer, or Monitor we sell! This coupon allows you to SAVE OVER \$250 off sale prices!

(EXAMPLES)
PROFESSIONAL SOFTWARE
COMMODORE 64

| State | Color | Colo

(See over 100 coupon items in our catalog.)
Write or Call for sample
Special Software
Coupon!

PHONE ORDERS 8 a.m. - 8 p.m. C.S.T. Weekdays 9 a.m. - 12 noon C.S.T. Saturdays

THE PROTECTO WARRANTY

All Protects products corry o minimum 90 day warrenty. If onythin folls within 90 days from the date of purchase, almply send your product our vio United Percel Service prepoid. We will IMMEDIATELY send you a replacement of no charge vio United Forcel Service prepoid. The warrenty proves once agoin that We Leve Over Customers.

### SUPER DEALS (312) 382-5244 TO ORDER





### COMMODORE 64 COMPUTER

\$99.00\*1.50 You pay only \$99,00 for the Commodore 4 when you purchase a Pocket Writer 64 word processor for only \$39.95. List 299.00 SALE \$99.00

### 1541 DISK DRIVE \$179.00 164 536

o run all that software and add to the restige of your system, you'll want the 541 disk drive. Runs all of the 3,000 plus ieces of software for the Commodore 64. ist \$249.00 SALE \$179.00



COMPUTER

This powerful 128K computer has three modes. One for C-64 software, one for C-128 software, and one for CP/M business software. List \$399.00 SALE \$289.00

### 340K 1571 COMMODORE DISK DRIVE

\$259.00 List \$349

Double sided, single disk drive for the C-128 allows you to use the C-128 mode plus CPM mode. 17 times faster than the 1541, and runs all the 1541 formats. List \$349.00 SALE \$259.00 CALL BEFORE YOU ORDER: • OUR PRICES MAY BE LOWER

& AND WE OFFER SPECIAL SYSTEM DEALS •

## PRINTER/TYPEWRITER COMBINATION

rinter/typewriter combination, just a flick of the switch to interchange, Extra large carriage, typewriter keyboard, automatic margin control, compact, lightweight, drop in cassette ribbon! (90 day warranty) Centronics Parrallel Interface is built in List 299.00 SALE \$199.95

### 10" COMSTAR 1000 PRINTER 179.95 List \$349

This is one of the best values in the United States today, Print letters, documents, programs, and more at 100 characters per second or 20 cps in Near Letter quality mode.Some features are dot addressable graphics, adjustable tractor and friction feed, margin settings, pica, elite, condensed, italics, super & subscript, underline, bold and double strike. List \$349.00 SALE



### 12" 80 COLUMN MONITOR

Super High Resolution super High Resolution green screen nonitor. 80 columns x 24 lines, easy to read, plus speaker for audio sound Fantastic value, List \$129,00 SALE \$79.95



### 14" RGB & COMPOSITE COLOR MONITOR

Must be used to get 80 columns in color with (RGB cable \$19.95) Add \$14.50 shipping List \$399.00 SALE \$239.95

BIG BLUE PRINTER \$39.95

List \$199.00 This is the affordable printer you have been waiting for! This 81/4" letter size, 80 column hermal printer features upper and lower case, underline, graphics, word processing, and nuch more. List \$199.00 SALE \$39.95

120x144 dot matrix), underline, back spacing, left and right margin setting, true lower descenders with super and subscripts, prints standard, block graphics and special

PREMIUM QUALITY 150-170 CPS COMSTAR AERO 160 PRINTER

The Comstar Aero 160 gives you a 10" carriage, 150-170 CPS, 9x9 dot matrix with double trike capability for 18x18 dot matrix (near letter quality), high resolution bit image

heraciters. It gives you print quality and features found on printers costing twice as much! Centronics Parrallel Interface) List \$499.00 SALE \$199.00 13" COLOR MONITOR

139,95 Les 5170 audio hook up, High neaker and nes, front panel controls and much more. Can also be used with VCR. One year arranty, List \$329.00 SALE \$139.95

TV TUNER 49.95 List \$130

List \$129.95 SALE \$49.95

This tuner has dual UHF/VHF selector switches, mute, automatic fine tuning and computer/TV selector switches. Hook it up between your computer and monitor! Inputs included for 300 ohm, 75 ohm, and UHF.

ATTENTION

COMPUTER CLUBS • DEALERS We offer big volume discountsi CALL TODAY

PROTECTO

We Love Our Customers 22292 N. Pepper Rd., Barrington, Illinois 60010 (312) 382-5244 to order

Famous Comstar National Brand

# **Printer Sale**

**Includes Commodore** 

Interface Near Letter Quality Near Letter Quality

Best Value in the USA

• 100 CPS draft/20CPS near-letter quality • Dot Addressable Graphics • Adjustable Tractor and Friction Feed . Automatic Paper Loading . Right and Left Margin settings • Pica, Elite, Condensed, Italics • Superscript • Subscript • Underline, Bold print, Double Strike • Superb NEAR LETTER QUALITY



The Comstar 1000 is one of the best values in the United States today. Print your letters, documents, programs pictures, and more at a blazing 100 Characters Per Second or 20 cps in the Near Letter quality mode. (Looks just like it came from a typewriter.) Plus, choose your printing mode (NLQ, Draft) from your wordprocessor or by simply pushing the controls on the front panel. Fantastic Quality at a Fantastic Price List \$349.00 SALES179.95.

Ribbon (Life exp.)

Print Method Serial Impact dat matrix (9 pin) Print Speed Droft, 100 CBS NLO, 20 CBS

Character Sets 96 ASCII Characters, Marker, Symbols (Includes Italic fant)

Black: cassette (2.5 million characters) Dimensions 15.4 (W) x 10.9 (D) x 4.7 (H) Inch Weight Approx. 10 lbs

Line Spacing 1/6, 1/8, 7/72, and 1/216 Inch Paper Food Adjustable tractor and friction feed Paper feeding Direction 81-directional

Character Spacing Supply is Limited so Buy Today

Add \$10.00 for shipping, hondring ond insurance. Illinois residents pieces add 6% fox. Add \$20.00 for CANADA, PUERTO RICO, HAWAII, ALASKA, APO FPO orders, Corodion orders must be in U.S. dollars WEDD NOT EXPORT TO OTHER COUNTRIES, EXCEPT CANADA. Enclose Coshiers Check, Money Order or Personal Check, Allow 14 days for delivery, 2 to 7 days for phone orders, 1 day express modil VISA - MASTER CARD - C.O.D. No C Q.D to Conado, APQ-FPQ

PROTECTO

We Love Our Customers 22292 N. Pepper Rd., Barrington, Illinois 60010

312/382-5244 to order

Caples

2 plus original



Operation • Upper and Lower case • All points addressable Graphics • Underline • Enlarged • Much much More Complete your set up with a Printer Stand SALE \$14.95 and Complete Printer Care Kit SALE \$19.95

(Care Kit will add time to your printers life span,)



**Super Print Quality** 

This printer was made by Canon® for the IBM PC and PCjr. The Big Blue printer comes ready to hook up to the serial port of the IBM®PC jr. Plus with low cost adapter cables you can connect the Big Blue printer to the Commodore® 64,128, IBM®PC, IBM®XT, IBM®AT, IBM Compatibles , Apple®II,IIe,IIc,

Apple Compatibles, Atari®, plus many more.

15 Day Free Trigi-Satisfaction or Money Back

Now you can have a full fledged 81/2" letter size 80 column printer for less than the cost of a large box of paper. This printer uses advanced dot matrix, heat transfer technology to print upper and lower case (with true lower descenders), underline, enhanced, all points addressable graphics (works with Printshop) plus More. Print out pictures, program listings, wordprocessing pages, graphics and more. Perfect for the homeowner or student and definitely affordable. Fantastic Printer at an unbeatable price. List \$199.00 Sale \$39.95 Paper (2 Rolls) List \$19.95 Sale \$5.95

Intelligent Commodore Interface— Allows you to connect the 8ig Blue printer to the printer port of the Commodore 64 and 128 computer, Print Commodore ophics, use Printshop, Word processors and more... List \$49.95 Sale \$19.93

Intelligent Ateri Interface - Allows you to connect the Big Blue printer to Atari computers (except 1200) Print Atori grophics, Printshop ,word processors, and more... List \$49.95 Sale \$19.95

RS-232 Adapter -- Adapts the Big Blue printer to be used with any IBM® PC, AT, XT, PCir, Apple® II series RS-232 port, List \$19.95 Sale \$9.95 Laser128, Apple IIc interface—List \$24.95 Sale \$12.95 Printer Stand List \$24.95 Sale \$14.95 - Complete Printer Care Kit List \$29.95 Sale \$19.95

Add \$7.50 for shipping, hondling and insurance, Illinois residents please add 65% tox. Add \$15,00 for CANADA, FUERTO 80CO, HAWAII, ALASKA and APO-FPO orders, All orders must be in U.S. dollars, WE DO NOT EXPORT TO OTHER COUNTRIES, EXCEPT CANADA, Enclose Coshier Check, Money Order or Personal Check. Allow 14 days for delivery, 2 to 7 days for phone orders, 1 day express VISA - MASTER CARD - C.O.D.

We Love Our Customers 22292 N. Pepper Rd., Barrington, Illinois 60010 312/382-5244 to order

## 152K Lowest Price In The USA! 152K Computer System Sale

• Students • Word Processing • Home • Business



LOOK AT ALL YOU GET FOR ONLY

LIMITED QUANTITIES (h) Atari 130XE 152K Computer ② Atari 1050 127K Disk Drive

3 Atori 1027 Letter Quolity 20 CPS Printer Super Atori Word Processer

Atari BASIC Tutoriol Monuol All connecting cobles & T.V. interface included Manitors sold separetly. TOTALS LIST PRICE SALE PRICE \$249.00 299.00 299.00 59 95 16.95

**OVER \$100** \$13495 All 5 ONLY 15995 159° 4915 705 SYSTEM SALE PRICE \$512.75

INDIVIDUAL

\$923.90 CALL FOR 1027 PRINTER REPLACEMENT OPTIONS \* Free software subject to substitution for other ht

Other Accessories 

List \$199.00 \$399 nn \$139.95

We Love Our Customers

Add \$9.95 for Connection Coble Add \$10 for UPS

SAVE

15 DAY FREE TRIAL. We give you 15 days to try out this ATARI COMPUTER SYSTEM! If it doesn't meet your expectations, just send it back to us prepaid and we will refund your purchase price! I 40 DAY IMMEDIATE REPLACEMENT WARRANTY. If any of the ATARI COMPUTER SYSTEM equipment of programs fail due to faulty workmanship or material within 90 days of purchase we will replace it IMMEDIATELY with no service charge

Best Prices • Over 1000 Programs and 500 Accessories Available • Best Service One Day Express Mail
 Programming Knowledge
 Technical Support

Add \$23.00 for shipping and hendlingil Enclose Coshiers Check, Manny Order or Personal Check, Allow Is days for We accept Visio and MosterCord. Add \$25 if Air Most We accept Visio and MosterCord. Add \$25 if Air MADA, PUER

### COMPUTER DIRECT

22292 N. Pepper Rd., Barrington, III, 60010 312/382-5050 to order

Sale

\$79.95

### Complete Apple® Compatible **Word Processing System** Home **Business** • Word Processing



Look At All You Get For Only \$499.00 List Price

\$499.00

199,00

129.95

150.00

150.00

60.00

19.95

19.95

1227.85

Laser 128 Apple Compatible Computer Big Blue 81/2" Letter Size 80 Column Printer

9" Samsung Green Screen Monitor Magic Window He Word Processor

Magicalc Spreadsheet Magic Memory Data Base

Laser 128 Printer Interface 2 Rolls of Paper Magic Window He Word processing is gasy and more efficient because of a

simple-ta-read menu system and editing

cammands. Many powerful features of

prafessianal quality programs and mare.

Supports virtually all major printer

functions. Operates with most 80-column

videa cards or 40/70 calumn na-hardware

mades

Camparable Apple System (\$2495.00)

Magicalc Rated as the best electronic Magic Memory File onything, any way spreadsheet on the market for you want to: names, addresses, The speed with which Magicalc salves number problems allaws you to accurately analyze decisions beforehond. Supports cards af manufacturers in any combinations up

to a full 512 K.

All 8 Pieces only '49900

impartant numbers, dates and nates Your information is arganized simply easy to maintain, and ovoilable instantly. Supports all popular printers and video cards.

\$30 CU for shipping handling and insurance illenois residents please soles tox: Add \$60 00 for CANADA, PURRTO RICO, HAWAII, ALASKA APO FPO orders. All orders must be in U.S. Bottors. WE DO NOT EXPORT TO OTHER COUNTRIES EXCEPT CANADA. Enclose Cashee Check. Money Order or Personal Other, Allow 14 days for delivery 210.7 days for phone orders. 1 day press mail Prices & Availability subject to change without notice VISA - MASTER CARD - C.O.D. C.O.D. on phone orders

### **Computer Direct** We Love Our Customers

22292 N. Pepper Rd., Barrington, Illinois 60010 312/382-5050 to order

# SUPER Fall Releases





From COMPUTEI Books

Get your fall computing off to a great start with these extraordinary new titles from COMPUTE! Books.

You can depend on COMPUTEI to provide you with top-quality, easy-to-use, and enjoyable applications, games, tutorials, and utilities for your favorite home computer.

COMPUTEI's Second Book of IBM Edited \$14.95

\$1.40% and \$1.40% and

Mastering Microsoft Works Sharon Zardetta Aker

\$14.95 Microsoft Works offers a system of four integrated modules for home and business Macintosh users. This comprehensive reference guide and tutorial shows just some of the tasks which can be done efficiently and easily with Works, which includes a word processor, database, spreadsheet, telecommunications, and graphics. The book describes how to master Works-from creatna form letters with the word processor to home and business budgets and tax forms with the spreadsheet. Integrating the modules is explained and illustrated More than a tutorial, more than just a reference, Mastering Microsoft Works is the complete guide to this state-of-the-art software.

COMPUTEI'S Amiga Applications Brian Flynn

Brian Flynn \$16.95 Sen o 67455-053-X More than to for home an

53XRDSK

More than two dozen applications for home and business, games for education or fun, and problemsolving tools for science and math—all written in Microsoft BASIC and all ready to type in and use on the Amiga personal computer. Every program takes advantage of the Amiga's powerful graphics and sound, and is as simple to operate as a click of the mouse, COM-PUTEI's Amigo Applications in BASIC—an instant library of highquality Amiga software—offers everything from children's games to card flers, from a spreadsheet to a simple database. There is olso o disk available for \$15.95 which includes the programs in the book.

Order these new books today. Call toll-free 800-346-6767 (in NY 212-887-8525) or write COMPUTEI Books, P.O. Box 5038, F.D.R. Statton, New York, NY 10150. NC residents please add 4.5 percent sales tox and NY residents add 8.25% sales tax.

Add \$2.00 shipping and handling per book or \$5.00 per book airmali.

Please alaw 4-6 weeks for delivery after receipt of your order.



CCMPUTEI books are available in the U.K., Europe, the Middle East, and Africa from Holl Sounders, Ltd., 1 St., Anne's Road, Eastbourne, East Sussax BN21 SUA, England, and in Canada from McGever-ME, Ryenon Ltd., 330 Progress Ave., Scarborough, Ontario, Canada M1P 228.

DATA 19, D, 2, 8, 48, 8, 6888, 84 DATA 6874,1,807F,3,8888,6,4488,C DATA 3A88, 1F, 188, 3F, 8F94, 48, ESFE ,84 DATA 0863,8,083E,8,8,8,8,8,8 DATA 6,6,6,6,6,6,6,6,6 DATA 466,6,A66,10,188,3E,3F66,7F DATA 7F00,63,7100,63,3100,3E,1F0 8,84 DaveRightWheel: +

DIM d1(55): RESTORE DaveRightWhee FOR i=8 TO 55: READ a\$:d1(i)=VAL( "4H"+a\$):NEXT+ DATA 18,D,2,10,0,18,E8,184 DATA 86,31, P881,3F,3868,38,4868, 384 DATA C000.3F.0000.3F.0070.41.00C 6,14

DATA 887D, 8,8,8,8,8,8,8,84 DATA 8,8,8,1,E888,1,3888,84 DATA 7886,8,8388,1,8388,3C,8888, DATA 6868,62,8,63,8,3E,8,84

DaveLeft: 4 DIM d2(55):RESTORE DaveLeft4 FOR 1=0 TO 55:READ a8:d2(1)=VAL( "AH"+a\$) | NEXT+ DATA 19, D, 2, 8, 8, 388, 68, 3884 DATA 18,C8,7E,E8,8,1138,8,2E184 DATA 8,487C,8,FEFE,8,83C1,3E,188

DATA 63,188,3E,8,8,8,8,8,84 DATA 8,8,8,8,8,8,8,10084 DATA 6,2886,6,486C,6,783E,8,FF3F

DATA 8,0763,8,0663,8,703E,8,84 DaveLeftWheel: 4 DIM d3(55): RESTORE DaveLeftWheel

FOR 1=8 TO 55:READ a\$:d3(1)=VAL( "4H"+a\$):NEXT4 DATA 18, D, 2, 18, 18, 18, 8C, 84 DATA C.FSC.FD.1CFC.82.28C.8.38C4 DATA 8,1FC,8,1FC,86,182,8,1884 DATA 3D,8,46,8,7C,8,8,8,4 DATA 8,8,8,708,8,1086,8,78884 DATA 8,0788,8,0788,8,78884

DATA 8,46.8,C6.8,7C.8.84 Auto:4 DIM ad(19):RESTORE Auto4 FOR i=8 TO 19:READ as:a8(i)=VAL( "6H"+aS):NEXT4 DATA C.8,2,1786,2848,4828,FFF8,E

DATA FFFE, 8, 8, 1F88, 2848, 4828, FFF 8,9F984 DATA FFF8,C838,C838,84

Hoopis DIM hp(45):RESTORE Hoop4 FOR 1=8 TO 45:READ a8:hp(1)=VAL( "4H"+a\$):NEXT4 DATA A, 15, 2, 1888, 3388, 6188, 6188, CBC84 DATA CECS, CECS, CECS, CECS, CECS, CECS, CE

CB, CBCB, CBCB+ DATA CROS.CRCS.CRCS.CRCS.CRCS.6188.61 80,3300,1E884 DATA 1288,3388,6188,6188,0808,08 DATA CSCS, CSES, CSES, CSES, CSES, CSES, CS ES, CSES, CSCS4 DATA CECS, 6168, 6188, 3388, 1288, AB

a

0.4884 RETURN4

## Atari Sound Commander

James Haaue

How would you like to have the ability to create sound effects and music in Atari BASIC without slowing down the rest of your program? "Sound Commander" offers the ability to program sounds that run in the background while other BASIC events are in progress.

One of the strongest features of the Atari eight-bit computer family is its outstanding sound capability. Programmers have done an excellent job of exploiting Atari sound. creating everything from simulated frog croaks to music in four-part harmony, Unfortunately, many of the programs used to create these sounds are written in machine language, which is less widely understood and more difficult to program

than BASIC Instead of delving into the mysterious world of binary code, many Atari programmers work in Atari BASIC, the language supplied with the computer. Anyone who has created sounds in this language has probably realized that there are three major problems: Complex name SND.LST, type LIST "D:SND

sounds are difficult to achieve, the timing of a sound loop varies depending on its location in a program, and sound routines occupy a major portion of BASIC's processing time, thus slowing down the entire program.

"Atari Sound Commander" is a set of machine language subroutines for use with BASIC that solves all three problems. It allows quick and easy manipulation of sound without slowing down BASIC, All you have to do is set up a sound. turn it on, and let it run at the same time as your BASIC program. Best of all, you can use these routines without understanding machine language. Only one BASIC statement is required to activate each sound.

### Setting Up

Program 1 is a BASIC loader that installs Sound Commander in memory. When you're finished typing the program, store it on disk or tape with a LIST command (not SAVE) so that you can merge the code with other programs. For example, to list the program to disk with the fileLST" and press RETURN.

Here's a short example that illustrates the basic mechanics of using Sound Commander. Type in and save this program:

E 10 DIH Se(B)

# 15 GOSUB 38888 # 25 FOR A=1 TO B E 36 READ B:S\$ (A.A) =CHR\$ (B)

II 35 NEXT A M 48 AMUSR (SETSND, 8, ADR (SE) ,LEN(S\$),88)

8.50 STOP 8.55 DATA 170.25.170.50.170 .75.170.100

After you've saved the program, load it back into memory: then use ENTER to merge the lines from Program 1 with the program in memory. This brings Sound Commander into memory without disturbing the existing program lines. Turn up the volume on your TV or monitor; then run the program and notice that the sounds continue in the background while the program lists itself and returns to immediate mode. Before Sound Commander can

be used by a program, it must be initialized. This is accomplished with the statement GOSUB 30000. which installs Sound Commander in the proper memory location. The setup routine is intelligent, meaning that if you have already installed Sound Commander once, it bypasses most of the initialization.

Program 2 is a more complete demonstration, which also includes examples of complex sound effects. Type in and save the program; then reload it into memory. With Program 2 in memory, use ENTER to merge Program 1. When that operation is done, plug a joystick into port 1 and run the program. It displays six numbers and a movable crosshairs shape on the screen. Use the joystick to move the crosshairs onto each of the numbers in turn. Each number generates a different sound. Notice that you can continue moving the crosshairs even while a sound is in progress.

## Designing Sounds

Like any sound utility, Sound Commander can't make a sound until you tell it what sort of sound to create. Don't worry: that's not as difficult as it sounds. For this program, a sound is defined as a list of notes, each having its own unique frequency, distortion, and volume, which are represented as numbers. The Atan BASIC manual explains the significance of the frequency, distortion, and volume numbers, which have the same effect here as in the BASIC SOUND

It takes only two numbers to define a note. The first number in a note definition represents the note's distortion and volume. This value is computed by multiplying the distortion value by 16 and adding the volume value. For example, if you want a note with a distortion value of 10 and a volume of 8, the first number of that note's definition is 168 (10 \* 16 + 8). The second number in a note definition represents the note's frequency. Thus, the numbers 168 and 50 define a note with a distortion of 10, a volume of 8, and a frequency of 50. The numbers 168, 50, 168, 60 define two notes, each having the same distortion and volume, but

mander with USR (see below). In order for Sound Commander to process a sound definition, it must be converted into string form. This may sound strange, since strings usually contain characters, but a string is actually nothing more than an array containing numbers in the range 0-255. Storing the values in string form saves space and allows Sound Commander to pro-

with different frequencies. The du-

ration of the sound is determined

when you actually call Sound Com-

cess the data efficiently. Before you store a number in a string, of course, it must be converted into character form with the CHR\$ function. For instance, the statement A\$(1,1)=CHR\$(6) stores the number 6 in the first character position of the string A\$. For many notes, a program can READ values from DATA statements and store them in a string within a loop.

### Commanding The Commander

Once you understand how to define a sound, the rest is easy. One simple USR call causes Sound Commander to play the sound in the background while BASIC continues on its way. Here's a typical USR call for Sound Commander:

### DUMANY - USR/SETSND V ADR/SO .LEN(\$\$).L)

The variable DUMMY is required to satisfy the syntax of USR, which takes the form of a BASIC function. Here is an explanation of the other elements in the statement:

SETSND. Defines the location of the machine language routine that starts up the sound. This variable should be defined only once, at the beginning of every program that uses Sound Commander (see Program 1).

V. Defines a voice number (from 0-3) for the sound. If some other sound is already using the voice, Sound Commander turns off the previous sound before it begins the new one.

ADR(\$S). Defines the address of the string containing the definition of the sound that you wish to play. Substitute the name of your string in place of S\$.

LEN(S\$). Defines the length of the sound string to be played. Again, substitute your string name for S\$. Note that it's not necessary to play an entire string from beginning to end. Many interesting sound effects can be created by playing substrings of a larger string.

L. Defines the length of time to play each note. This value can range from 1-255. A value of one equals 1/60 second. Thus, a value of 60 creates a sound lasting one second. and so on. Low values make the sound play quickly, which is useful for sound effects. Higher values slow down the sound, which is desirable for music Once you've performed the

USR statement, the sound plays at the desired speed until it is finished. at which time Sound Commander turns it off automatically. While the sound is in progress, BASIC will continue to execute your program. whatever it may be. Now that you understand more about how Sound Commander works, you may want to experiment with the programs to modify the sound they create.

### Quiet On The Set

Sound Commander's ability to create sounds in the background is very useful, but has one side effect that's occasionally inconvenient: Once a sound begins, it can't be turned off until it finishes its entire duration. To remedy this, Sound Commander includes a second routine that immediately silences any designated voice or voices. Here is the format for the quiet command: DUMMY=USR(OUIET,V1,V2,...)

Again, the DUMMY variable is present splely for the sake of syntax. Like SETSND, the variable QUIET is predefined by the setup routine and should not be changed while the program runs. This value is followed by a list of the voices you want to turn off. For instance, DUM-MY=USR(QUIET,0,3) turns off voices zero and three.

Keep in mind that Sound Commander doesn't disable the normal SOUND command in Atari BASIC. However it has to use the same sound hardware, so don't try to perform a SOUND command while a Sound Commander sound is in progress. The END statement causes Sound Commander to skip a beat or two, but pressing the break key does not. Input/output activity such as using the disk or tape drive causes Sound Commander to pause. This shouldn't come as a surprise, since not much else can happen during disk and tape I/O, either, The machine language routines used by Sound Commander are stored in page 6 of memory; you should take care that the rest of your program does not disturb that memory area.

For instructions on entering those listings. please selecto "COMPUTErs Guide to Typing. In Programs" In this issue of COMPUTEL

### Program 1: Sound Commander

038888 IF PEEK (1564)-184 A ND PEEK (1565) = 162 T HEN 38828 STREET PERTOPE SEESE FOR A =8 TD 198:READ 8:PO KE 1564+A, BINEXT A SETSND=17#2:QUIET-1 1138626

# 38838 AHUSR (1564)

# 30040 RESTORE : RETURN # 30050 DATA 104,162,3,169, 0.157 U 38868 DATA 24,6,282,16,25 0,160 81 36676 DATA 49, 162, 6, 169, 7

# 30080 DATA 92,228,96,216, 162,3 P 38898 DATA 189, 24, 6, 248, 1 #3,189 #3,189 #3#1## DATA 16,4,222,16,6, #38118 DATA 95,189,28,6,15 7,16 # 38128 DATA 6,189,12,6,288

,18 || 38138 OATA 189,8,6,288,13 \* X8148 DATA 24,6,138,18,16 HALE 8,169 # 3815# DATA #,153,1,218,24 8,66 #38168 DATA 189,8,6,133,28 3.189 # 38178 DATA 4.6,133,284,16

0.30180 DATA 177.203.72.138 ,16,168 N 36176 DATA 164,153,1,216, 160,1 @ 30200 DATA 177, 203, 72, 138 ,10,168 #30210 DATA 104,153.0.210. 165.203

N 30220 OATA 24,105,2,157,0 # 38238 OATA 165,284,185,8, 157,4 N 38248 DATA 6,189,8,6,56,2 K 3#25# OATA 2,157,8,6,189, # 30260 OATA 6,233,8,157,12

# 38278 DATA 282,16,145,76, 98,228 H 36286 DATA 164, 164, 164, 17 8,167.8 1 38298 DATA 157, 24, 6, 184, 1 57.4 # 38388 OATA 6,184,157,8,6, 164 N 38318 DATA 157, 12, 6, 184, 1 57.8

D 38328 DATA 6,184,184,157. 20.6 H 38338 DATA 169,1,157,16.6 U 38348 DATA 24,6,96,184,17 0,104 # 38358 DATA 184,168,169,8, 153.24 # 38368 DATA 6,152,18,168,1 69,0 U 38378 DATA 153, 1, 218, 282, 268, 237, 96

Program 2: Sound Effects Demo

6 188 GOSUB 5888 HIIN STESTICK(#): IF ST=15 THEN 118 TX=X+DX (ST-4): TY=Y+D) X 128 (ST-A) WISE LECATE TX. TY. Z 8 148 IF Z=42 THEN 118

R 150 IF Z-32 THEN COLOR 32 PLOT X, YICDLDR 1711F LOT TX, TY: X=TX: Y=TY: F DR A=1 TD 25: NEXT A: G OTD 116 0 168 POKE 789, INT (RNO(8) #1 6) #16+INT (RNO(8) #3+8)

# 17# A=USR (QUIET, #, 1, 2, 3) # 18# DN Z=14 GOSUS 3##, 4## 500,600,700,800 # 198 IF STICK(#) = ST THEN I BOTO 116 06 3 9 9

A-USR (SETLND, #, ADR (S) \$),LEN(S1\$).1) W 316 RETURN M 400 A-USR (SETSND, 0, ADR (S2

\$), LEN(S2\*), 4) # 418 RETURN H 588 A-USR (SETSNO, 8, AGR (S3 \$),LEN(83\$),18)

( 666 8=ADR (849) A-USR (SETSND, #, 8, 2, 12 M 62# A-USR (SETSNO, 1,8+2,2, 126) 1281

5. 638 A-USR (SETSND, 2, 8+4, 2, WAAR RETURN M 788 AYUSR (SETSNO, 8, ADR (SS \$).LEN(85\*).5) 11 718 RETURN TI BOR A-USR (SETSNO, #, ADR (SA \$), LEN(869),4)

WRIG RETURN M Seee GRAPHICS 17: POSITION 2,111? #61"00N'T GO AWAY. U 5010 GOBUS 30000

E 5020 GIM DX(10), DY(10) E 5030 GIM S1\*(200), S2\*(30) ,83s(100) OTH 84s(A),85s(24),8 69 (14) R 5858 FOR A-1 TO 18: READ B 1 5060 DX (A) = 8: DY (A) = C: NEXT U 5070 FOR A-1 TO 199 STEP

2:81\*(A, A)=CHR\*(138) :S1 \* (A+1, A+1) = CHR \* (A INEXT A # 5686 FOR A=1 TO 29 STEP 2 : 82 (A. A) = CHRs (175-A /2):929(A+1,A+1)=CHR \$ (78) : NEXT A # 5898 FOR A=1 TO 99 STEP 2 (834 (0.0) #CHR# (178) s 83s (A+1, A+1) -CHRs (A/ 2#5) : NEXT A

# 5188 FDR A=1 TO 6: READ 8: 845 (A, A) -CHR5 (B) : NEX 815118 FOR A=1 TO 24:READ 8 : 85 \* (A. A) -CHR \* (B) : NE YT A # 512# FDR A=1 TO 14: READ 8 : 569 (A, A) - CHR\$ (8) : NE XT A

H 5500 GRAPHICS 18 # 5518 POKE 788,136:POKE 71 8,38:POKE 711,288 # S528 COLOR 42:PLOT 8,1:OR ANTO 17,1: DRAWTO 17, 11: ORAWTO #, 11: ORAWT 0 6.1 # 5538 COLOR 17:PLOT 3,4:CO LDR 18:PLDT 9,3:COLO

R 19 PLDT 16.4 #15548 COLOR 28:PLOT 3,8:CO LOR 21:PLOT 9,9:CDLD R 22:PLOT 16,8 # 555# PDSITION #,#17 #6;"E COURSE OF THE PARTY CO. Et 5568 X=9:Y=6:COLDR 171:PL U 5578 RETURN

FI 6000 DATA 1.1.1.-1.1.0.0. 0,-1,1,-1,-1,-1,0,0, 0,0,1,0,-1 FI 6818 DATA 175, 181, 175, 141 ,175,121 # 6020 DATA 42,10,42,50,40 12,48,48,38,14,38,78 ,36,16,36,80,34,18,3 4,90,32,20,32,100 M 6636 DATA 264,46,262,56,2 68,66,198,76,266,66, 202,50,204,40

## From the publishers of COMPUTE!



## November 1986 COMPUTE! Disk

All the exciting programs from the past three issues of COMPUTEI are on one timesaving, error-free, floppy disk that is ready to load on your Apple II, II+, IIe, and IIc computers. The November 1986 COMPUTE! Disk contains the entertaining and useful Apple programs from the September, October, and November 1986 issues of COMPUTE!.


The November 1986 COMPUTE! Disk costs \$12.95 plus \$2.00 shipping and handling and is available only from COMPUTE! Publications.

For added savings and convenience, you may also subscribe to the COM-PUTE! Disk. At a cost of only \$59.95 a year (a \$12.00 savings), you'll receive four disks, one every three months. Each disk will contain all the programs for your machine from the previous three issues of COMPUTE!. To order a subscription, call toll free 800-247-5470 (in 18 800-523-1272).

This is an excellent way to build your software library while you enjoy the quality programs from COMPUTE!.

Disks and subscriptions are available for Apple, Atari, Commodore 64 and 128, and IBM personal computers. Call for details.

For more information or to order the November 1986 COMPUTE! Disk, call toll free 1-800-346-6767 (in NY 212-887-8525) or write COMPUTE! Disk, P.O. Box 5038, F.D.R. Station, New York, NY 10150.



Publishes of COMPUTE, COMPUTE's Geomete: COMPUTE's Geomete Disc, COMPUTE's Sooks COMPUTE's Applications, and COMPUTE's Arts ST Disk its Magazine

OTWARE:	Software Publisher	Best Sellers	Apple	-	Commodore		l
				Mari	8	- 2	ш
			~	*	0	=	L
Silant Service Ultimo IV Ellie Hordboll Jat	MicroProse Origin Systems Firebird Licensees Accolode SubLogic	Submarine strutotion Fontasy game Action/colventure Baseball gome Jet simulation	:	:		·	
							L
Homework Helper: Moth Word Problems	Simon & Schuster Spinnoker	Typing instruction program Math futoriol, high school level	:		:	٠	
Bingo Bugglebee Presents: Home Alone	Quest Learning Systems	Typing instruction program Childhood safety program	:	•	:	•	ı
Moth Blosteri	Davidson	Introductory math program, ages 6-12	•	•	•	•	ı
gement			ш		_		Ļ
	Braderbund	Print shop enhancement package	٠	٠	•		ı
The Newsroom Three-in-One-Sundie	Springboard Timeworks	Do-it-yourself newspaper Integrated productivity pack-	•		:	•	ı
Print Shop	Brederbund	Do-it-yourself print shop	•	•	•		ı
The Newsroom: Clip Art Collection, Vol. 1	Springboard	Additional graphics	•			•	I
	Northball Jet  Typing Bulor B  Mamework Helper, Moth Mord Problems New Majorwed Mostler/type New Majorwed Mostler/type New Majorwed Mostler/type New Mostler Sement  Pmil Shop Componion The Newszoom These-in-Che-Bundle Pmil Shop The Mewszoom Cilp Art Collection, Vol. 1 Art Collection, Vol. 1 Art	Northodel Accopacy  Typing Ruler B  Typing Rul	Northbook   Accorded   Accorded	Normation   Accounted   Acco	Northeat  Accorded   Secondary   Seconda	Nondbook  Accorded   Accorded	Nontrolled Accordise Branching Grown and struction of the

### COMPUTEI Subscriber Services

Please help us serve you better. If you need to contact us for any of the reasons listed below, write to us at:

COMPUTE Mogazine

P.O. Box 10954 Des Moines, IA 50340

or call the Toll Free number listed below.

Change Of Address, Please allow us
6-8 weeks to effect the change, send
your current mailing label along with
your new address.

Renewal. Should you wish to renew your COMPUTEI subscription before we retrind you to, send your current moiling lobel with poyment or charge number or coil the Toil Free number listed below.


New Subscription. A one year (12 month) US subscription to COMPUTE is \$24.00 (2 years, \$45.00, 3 years, \$65.00. For subscription rates outside the US, see stoff page), Send us your name and oddress or call the Toll Free number

Isted below.

Delivery Problems. If you receive dupli-

cate issues of **COMPUTE**, if you experience late delivery or if you have problems with your subscription, please call the Toll Free number listed below.

> COMPUTE! 1-800-247-5470 in iA 1-800-532-1272



that will be a landmark in the history of computers."

Recently, a writer compared the revolutionary 1040ST\*\* to Henry Ford's Model T.\*\* You may be surprised to

You may be surprised to w learn that we were very complimented.

The truth is that both the ST™ and the Model T were designed to be machines of great power and usefulness at a price that was affordable

The only difference is that the 16-bit 1040ST uses the most advanced technology in the world. And the result is a computer that has 1024 Kbytes of memory for the amazingly affordable price

to everybody.

of \$999. That's actually less than \$1 per Kilobyte. We think Henry Ford would be very proud.

The ATARI 1040ST is at your computer retailer now.



ATARI O 1966, Anni Copp ATARI, 1000ST, and ST are TM's or reg. TM's of Anni Copp Model T is a TM of Food Motor Company It's difficult to mistake the IBM PC for a home computer, since it's bigger, more expensive, and more complex than the typical home computer. But a lot of changes have been going on in the PC market lately, some of which are bringing IBM and its compatibles much clos-

er to home. The first change is in price. It's come to the point where you can buy a "generic" PC system with 640K of memory, two 54-inchfloppy drives, and a monitor for \$600-\$700, and prices may go even lower for Christmas. At these prices, such machines are cheaper than some traditional home computers such as the Apple IIc. The inroads the PC compatibles have made into the home market is reflected in the recent increase in nonbusiness-type software for the PC. As prices for PC compatibles spiral downward, there has been some speculation that IBM itself will soon make a serious entry into the home market-or drop out of lower-end retail sales entirely and concentrate on the higher-end AT

Even if the price is right, firsttime users may not find the PC clones user-friendly enough. But help is on the way. Microsoft, the producer of the PC operating system, seems determined to "Macintize" the PC with its Windows software, which provides a mousedriven user interface with windows, pull-down menus, and icons. Microsoft has been lobbying strongly with the makers of graphics coprocessor chips, display adapter cards, and clones to include Windows as an integral part of the hardware design of future MS-DOS machines, and is said to have even included Windows' graphics kernel as part of version 5.0 of MS-DOS. Putting Windows into hardware would give it the power to run efficiently even on very inexpensive

computers, and would help to make such systems accessible to a much wider audience.

\* \* \* \* \* \* \*
The influence of the Macintosh

can be seen in the two new computer models that Tandy recently introduced to replace its highly successful model 1000. The first, the 1000SX, is a lot like the old model 1000, only more powerful, and more IBM compatible. But the second new model, the 1000EX, is a more radical departure from the older machine. Designed specifically for the home and educational markets, it's the first true PC compatible that looks like a home computer. It comes in a small one-piece case that includes a nondetachable keyboard and a 514-inch disk drive on the side. But this little machine packs a lot of muscle. It comes with 256K RAM, and not only does it run IBM software, but also runs it faster than the XT, since its 8088 processor works at 7.16 MHz in addition to the 4.77-MHz speed that is standard with IBM machines. It has a lot of nice standard features, such as a display adapter, printer port, and a port for additional 5%-inch or 3%inch disk drives. There's even space inside for up to three special expansion cards that add features like an additional 384K memory, a clock calendar and mouse, a serial port, or an internal modern. Though the machine can't take full-size expansion cards, no doubt someone will

Just as exciting as the hardware is the Personal Destmate software that comes bundled with the Tandy 1000EX. It includes a word processor, spreadsheet, database, appointment calendar, terminal nemulator, and paint program. For ease of use, it features windows, pull-down menus, icons, and fileselector boxes, all of which can be manipulated by a mouse, iovstick.

find a way to fit a hard disk card

into this little computer.

or keyboard. Tandy even throws in "pop-up" desk accessories such as a calendar, calculator, notepad, and telephone directory. What's more, the Personal Deskmate software has been implemented according to the user-interface guidelines that Microsoft published for its Windows environment, making it a first step towards providing a windows-like environment on a home computer.

nent on a home computer

Manufacturers of the current crop of home computers aren't about to sit back and let PC compatibles take over their turf. Instead, they are readying new computers and adding improvements to older ones. For example, elsewhere in this issue, you'll find a report on the new Apple IIGS. This machine may well uphold Apple's bread-andbutter II series against the onslaught of 16-bit technology. Commodore is taking similar steps to pep up its 8-bit machines, by adding GEOS-a new operating system-and RAM-expansion attachments. GEOS does a surprisingly good job of adding a windowing environment to the Commodore 64, and Commodore 128 users can expect a version for their computer

later this year. You can now buy a 512K RAM-expansion pack for the 128. and you may well see a version for the 64 in the near future that will substantially upgrade the speed and capabilities of GEOS. Atari is rolling along with its ST series, and by the time you read this may have announced the 2080, a 2-megabyte machine that may also include a blitter chip for faster graphics. This machine is said to be the basis for a proposed desktop-publishing station, which will use the vast memory of the computer to drive an inexpensive laser printer. The Unix operating system may also be made available for this machine.

### Hacker II: The Doomsday Papers

Neil Randall

Requirements: Apple II-series computer with a minimum of 64K, Commodore 64, IBM PC and compatibles, Amiga, Macin-tosh, and Atari ST computers.

Last year, Activision introduced Hacker, a game which proved to be immediately interesting because it had no instructions. The player was faced with a screen that said, simply, "LOGON PLEASE," with no hint of how logging on was to be done. Figuring out what to do-how the game worked and what it required—became as important and as interesting as solving the case.

Hacker II picks up where Hacker left off. Once again the cryptic "LOGON PLEASE" opens the game, and once again the transmission is interrupted as you are offered a mission. This time, the mission is to guide an MRU (Mobile Remote Unit) around an intelligence complex in Siberia, searching for a classified file that threatens the security of the United States. Not a very original plot, but Hacker II does contain some of the most exciting and harrowing scenarios you'll find in a computer game.

### **High Security**

Once you've received your instruction the main screen comes up. You see four small monitor screens, each with its own channel selector. At the bottom of the screen is a control panel with several buttons, which you control with mouse or joystick (depending on version). Apart from a bit of typing at critical moments, that's all there is to operating the game. A simple interface, but with a wealth of options.

You choose which screen you want to see, then what you want to do with that screen. You can monitor one of 38 different security cameras scattered throughout the complex, or you can follow the building's security monitoring as it cycles around the cameras. Successfully maneuvering your MRU demands that you bypass the security cameras. To do this, you must make use of the MRU's videotape system. You

select the camera, turn on the tape, and synchronize the tape's time to realtime. Once this is set, you hit the Bypass function, and you have fooled the camera by having it view a scene that is actually a few seconds in the past. Your MRU can then slip right by that camera on the way to the next destination.

### Tricky Business

Even with the ability to bypass cameras, though, the MRU is far from safe. The building has a security guard who patrols the corridors predictably, but thoroughly. If either the guard or a security camera spots the MRU, an alarm sounds and the building sends an "annihilator" to crush the MRU into scrap metal. To make matters worse, some routes will demand that you bypass four cameras at a time, even though you only have three screens to work with (you use the fourth to see where you are going). This means you'll have to stop in a corridor and switch the bypass from one camera to another, all the while hoping you haven't miscalculated the guard's patrol route. As if all this isn't enough, the MRU has a disturbing habit: Somewhere into your journeys, the thing begins to break down.

At first, the MRU's Telemetry Guidance System (TGS) shows the MRU's position on a floor plan of the complex, making navigation easy, Shortly, however, the TGS ceases to function. At that point, you must use the security cameras to watch the MRU move. This sounds easy enough, until you realize that the building has blind spots where no camera can see. This means you cannot be spotted, but it also means you cannot see where the MRU is going. With the guard on patrol, getting lost in the corridors is a sure way of bringing on the annihilator.

### Nerves Of Steel

Your goal is to find and open four filing cabinets, each of which yields part of the combination to the vault containing



the file you're after. Once you figure out the combination and shut off the vault alarms, though, the real work begins, Cracking the vault, the climax of everything you've been working for, demands a sound knowledge of all you have learned about your MRU. Here you must use all four of your screens to bypass the vault's cameras, which means you have none left to watch the MRU move. You aren't even able to bypass a fifth camera, which you must slip by on your way. After setting three cameras on bypass, you use the fourth to monitor the guard's path and to keep watch on the pattern of the security cameras. Then, at that precise moment, you must bypass the fourth camera. blindly maneuver the MRU to the vault, get the file, and blindly maneuver back to safety. The hit on the vault demands planning, speed, luck, and perhaps more than all of these, nerves

Despite the fine graphics, the excellent interface, and the wealth of detail, what sets Hacker II apart is its ability to inspire paranoia and anxiety in the player. At every point, you wait for the sound of the detection alarm. The game is so intense that when the MRU's movement is interrupted by a message telling you of problems with the machine, you are startled, thinking you have been spotted. Similarly, the attempt on the vault is so risky that for sheer excitement it is practically unparalleled in computer games

of steel

I have a few quibbles, however. First, there is no Save Game feature, which means you must try the whole mission in one sitting. Second-and here I don't want to give anything away-successfully retrieving the file

does not end the game. The vault indent is so perfectly climated that anything beyond it is almost amonying. It would have been preferable, I think, to allow the game to be replayed, each time with the filing cabinet in different locations and containing different locations and containing different locations and containing different would have made the game endlessly replayable.

But Hacker II is a fine effort nevertheless. It will take a while to get started, but once the learning is out of the way, the game has much to offer. I recommend it to anyone who enjoys a game that rewards patience and skill, especially if they like the esponage genre as well. I do not recommend it to anyone with a weak heart.

anyone with a weak heart.

Hacker II: The Doomsday Papers

Activision

2350 Bayshore Frontage Rd. Mountain View, CA 94043 \$39.95 (Apple II and Commodore 64) \$49.95 (IBM PC and compatibles, Tandy 1000, Amiga, Macintosh, Atari ST)

### Chessmaster 2000

James V. Trunzo

Requirements: Apple II-series computers with a minimum of 64K, Amiga, Atari XIseries computers, Atari ST, Commodore 64, IBM PC and compatibles, and Macintosh computers.

In late July, the United States Chess Federation held its annual competition to determine the top chess players and computer chess programs in the country. At the close of the grueling competition, Chessmaster 2000 claimed sovereignty over such established computer chess programs as Sergon III and MyChess 2.0. In the process of earning an unofficial rating of 2000 (Grandmaster ranking), Chessmaster 2000 also overcame the Cray Blitz mainframe chess program, long the standard in chess simulations. Perhaps Chessmaster 2000 accomplished this feat by virtue of its 71,000-move opening library; or perhaps its midgame play, allowing the program to think a dozen moves ahead. was the reason for its success. Whatever the reason, it should suffice to say that Chessmaster 2000 is a formidable opponent, no matter who sets up the pieces and issues a challenge. Still, I-your humble reviewer-with an unofficial rating of 0020 (Grandturkey ranking). If the above seems to be a bit of a

paradox, it should be noted that I had preset the difficulty of play to Level 0,

EASY MODE, only slightly higher than the "Coffeehouse" level, which plays a very "relaxed and casual game" to be kind. The preceding examples of playing range represent, obviously, one of the best features of Chessmaster 2000: It truly can be played by the total povice or the consummate chess player with no loss of features or enjoyment. And while Chessmoster 2000 can make a move in as little as five seconds or in as long as two hours, its average move at midlevel takes only two minutes, and it plays, at that level, a game of chess that only superior players will be able to beat.

### Many Options

Containing all the features that are now accepted as standard in a cleans stimulation (take-back moves, computer jaw. accepted as the control of the contr



mouse, keyboard, or loystick linguit, an outstanding library of 100 classic games that the beyond of the property of the tractic beyond of the property of the completion; 90-degree rotation of the 3to board, enabling you to see the board from every angle; an extensive list of chess problems to solve; and even a coupon for a discount membership in the U.S. Chess Federation.

When you're using Chessmaster 2000 on an Amiga, Atain SI, or Macintosh, you'll find that no sacrifices have been made, the program giving the user very conceivable option and graphics feature possible. On eight-bit machines (64, Atain XE, Apple Ile and Ilc, for example), one or two compromises were necessary in the 3-D mode, for example, the helpful chess notation borders are not available. Software



### GREAT PRODUCTS FOR YOUR COMMODORE CAPTURE

promenade C1" The Eprom Programmer Thoughtfully designed,

Take control of your '64 or '128" with this easy to use carefully constructed, the promenade C1" is respected cartridge Lets you make a back-up disk of your around the world for quality and value. The original memory-resident software. Your program is then fully software controlled programmer does away with accessible to you and your program can be re-booted personality modules and switches Intelligent from your disk 3-5 times faster. Or make an autoprogramming capability can cut programming time by starting cartridge using the promenade C1 and a CPR 95% With Disk Software . . . . . still just \$99.50 cartridge kit. Its magic

### CAPTURE™ is a bargain at 39 95 CARTRIDGE MATERIALS

CPR-3 - Three socket board, case and 3 eproms, for use with CAPTURE*	29.95
PCC2 - Two 2732 (4K) or 2764 (6K) eproms For '64 or '128 in 64 mode	4.95
PCC4 - Four sockets for 2764, 27128 or 27256 (32K) eproms. Bank switching	17.95
PCC8 - Like the PCC4 but twice the capacity. For multiple programs	29.95
PRB4 - Four sockets, eprom & battery backed RAM combination	24.95
PTM2 - Basic 128 mode cartridge board Two 2764 or 27128 eproms	5.95t
PTM4 - Four sockets, 27128 & 27256 eproms, 128 mode bank switcher	19.95†
PCCH2 - Plastic case for above cartridges (except PCC8)	2.25
Eproms - Always in stock at competitive prices. †available June '8	

34.95
79.95
149.95
199.95

### SHIPPING & HANDLING: USA - UPS SURFACE \$3.00 FORFIGN (AIR MAIL ONLY) \$13.00



JASON-RANHEIM 1805 INDUSTRIAL DRIVE AURURN CA USA 95609

TO ORDER TOLL FREE 800-421-7731 FROM CALIFORNIA 800-421-7748 TECHNICAL SUPPORT 916-823-3284 FROM OUTSIDE USA 916-823-3285 MC, VISA, AMEX WELCOME

when in 64 mode.

Toolworks decided to sacrifice this fea ture in favor of retaining total sophistication of play. Onscreen chess clocks were also omitted, for the same reason, on some eight-bit machines. This reviewer agrees with the company's decision to maintain the advanced play algorithms in favor of a few frills

It goes without saying that Chessmaster 2000 is now the vardstick by which other similar programs will be measured. It certainly deserves any accolades that it receives.

Chessmaster 2000 Softmare Toolmarks Santa Monica Blvd., Str. 214 Beverly Hills, CA 90210 distributed by Electronic Arts

1820 Gateway Dr. San Mateo, CA 94404 \$39.95 (Apple II, 64, Atari XL, and IBM

\$44.95 (Amiga, Atari ST, and Macintosh versions)

level of performance you want is already built in Our competitors, however, think they can sell you

much sense

a computer with a puny memory, and then charge you a small fortune to expand it. We don't think that makes

TEN COMMANDMENTS

That's why the 1040ST offers you 1024 Kbytes of memory built in for the incredibly low price of just \$999. That's less than \$1 per Kilobyte. About the only thing the competition offers is the

who buy it." She The real genius of the ATARI 1040ST™ is that the chance to spend big bucks to upgrade their systems to where the ST"started in the

"We shall create a computer

that is as smart as the people

first place. We're pretty sure which computer smart shoppers will buy

The ATARI 1040ST is at your computer retailer now.



JL ATARI

ID 1986, Asset Corp. ADAM, 1940ST, and ST are TM's or reg. TM's of Atam Corp.

### The Music Studio For Amiga And Atari ST

Stefan Lipson

Requirements: Amiga and Atari ST computers with 512K minimum memory, versions also available, with slightly different features, for Commodore 68, Atari 800/XL/XE, IBM PCJr, and Tandy 1000 computers. Only Amiga and ST versions are included in this review.

The Music Studio from Activision is among the first of what promises to be a host of sophisticated music programs becoming available for the Commodore Amiga and Atari ST computers.

It's an easy-to-use program, featuring pull-down menus and icons which are selected with a click of the mount of the documentation consists of a small booklet explaining the available features as they are offered on both the Amiga and the Atari ST versions. Although the documentation does not in-though the documentation does not induce the section of the software.

The program itself offers five basis screen from which to work. The Composition revers displays a treble and proposition of the proposition of the composition of the composition of the comtended of the composition of the comyou to adjust the volume, speed, time againstur, and key in which the compomouse to the noise from the composition of the composition of the composition of the mouse pointer to the desired move the mouse pointer to the desired place with a clack of the mouse. An earcion in the lower left-hand corner will, when selected, July the pieze as it a

The Composition screen allows you The Composition screen allows you can you fill 5 different sounds, or presets, which are included with the program. The different sounds, including baseous, Prench born, harmonical, and the present sounds are you at the present sounds are baseous, for example, the notes appear on the staff in green. The notes for the Prench horn appear in blue, and so on.

Since the Amiga allows you to play four different parts simultaneously, the color-coded notes help you to distinguish clearly among the four tracks being played. Lyrics can also be inserted within the score.

The Composition screen includes a pull-down menu with options which allow you to cut, paste, delete, copy, and otherwise rearrange what you have written. You can even hear the score played back in half-time or double-time.

Designing Your Own Sounds If you aren't seisfied with the sound presets, you can create your own with the Instrument Design screen. This was the property of the Instrument Design screen displays the Instrument Design screen displays the vave forms of any 7 of 35 possible wave forms of any 7 of 35 possible individually or as a group. (The Auri screen is slightly different, appearing more like the control panel on an early or you then a subject to the property of the property

can be adjusted. The newly created sound can then be tested with the push of a button. If you like the sound, you can save it, and if you aren't satisfied with it you can either discard the sound or retain the sound you previously had. If you don't read music and don't want to wrestle with standard musical notation. The Music Studie also offers.

notation, The Music Studie also offers the Music Painthox screen. This appears as a music staff, but the mouse acts as a painthreath alyaing down colors acts as painthreath alyaing down colors. But the most support of the same staff, and the same

Using The Program With MIDI The Made Studies on that be used with a MIDI (Advatical Instrument Digital Interface) keyboard. An external MIDI (Advatical Instrument Digital Interface) keyboard. (The Music Studies was written with the Casio CZ101 synthesizer in mind) requires a MIDI Interface which was the control of the Casio. (The Interface allows you to write a composition and play it on the Casio. (The casen) per using the sounds provided within the Casio synthesis of the Casio. (The Casio CZ3000) and Viewend within the Casio CZ3000 and Viewend within the Casio C

maha D.V.7 keyboards, the RN-15 drum machine, and the TX-7 synthesizer. When working with the Composition screen, you may also print out your score with any standard plotter or printer (one staff only). If you'r esting more than one instrument at a time, howevey, don't forget that the colors will not the printer of the the coloronly writes one staff. And the coloronly writes one staff. And the coloronly writes one staff.



coded distinction between the different tracks is lost.

If you want to get a feel for what The Music Studio is capable of, the soft-

ware includes a number of prewritten tunes which illustrate its features. By selecting a tune from the song library, a transcribed version of the song will appear onscreen as the tune is played. The Amiga version of The Music Studio does not include a drum sound in its library, and the absence of a noise.

Statis does not include a drum sound in its library, and the absence of a noise generator makes it impossible to crease now with the instrument Design screen, one with the instrument Design screen, with a state of the control of th

Studio is an easy-to-use, full-featured music composition program that can be used effectively by both beginning and experienced musicians.

The Music Studio Activision 2350 Bayshore Frontage Rd. Mountain Vira, CA 94043 \$59.95 (Amiga and Atari ST) \$49.95 (BM PC)r and Tandy 1000) \$34.95 (Commodore 64 and Atari \$00/XL/XE)

### Attention Programmers

COMPUTE mogazine is currently looking for quolity orticles on Commodare, Atori, Apple, ond BM computers (including the Commodare Amiga and the Commodare Amiga and the commodare Amiga and interesting home opplication, educational program, programming utility, or garhe, submit If to COMPUTEI, P.O. Box 5406, Greensboro, NC 27403. Or write for a copy of "Writer's Guidelines."



Commodore 64



#### ack of most needed sol for efficient business operations!

eneral Ledger Has 8 general ledger options.
 Provides 150 chart-of-accounts

- 1500 general journal transactions. Maintains account belances for mo quarter and year
- sustom income statements, trus balances, full reports and more sventory Management . Tracking of 1000 inventory fems Maintains perpetual inventory records. · Calculates use, reorders, cost

everaging, etc.

· Provides 24 different payroll functions. Calculates payroll and tax deductions. · Prints payroll checks. Interfaces with General Ledger software. counts Payable/Checkwriting

 Combines tracking of vendor payables with an integrated checkwriting system Maintains master file, provides invoice listings Gives aging report by 30, 60, 90 days.
 Interfaces with General Lecture software.

90-Day Limited Factory Warranty. Mfr. List: \$199.80 ENTIRE SET of 4 Liquidation Price

Item H-1678-7025-059 Ship, handling: \$4.00 IOTE: Also available by individual titles



--------ID TO: -M.B. Direct Marketing Corp. 5 Xanium Lane No. / Microspole, IBN 5541-4484 Commodore Business Solivers Setje) from H-GS-CCG+SSG-Shock plus S4-each for ship, henclang claim renisions said 6% sales tru. Sozye, no C.O.D.

ente ordare paud by check i Charge O WSA® O MasterConds O American Digress® LEASE PRINT CLEARLY Exp.\_/

OMBCOMBCOM

Only NRI teaches you to service and repair all computers as you build your own 16-bit IBM-compatible

micro millions, the decomputer service rechnicians surses forward. The Department of Labor estimates that compater service jobs will actually a faster growth than any other

Total System Training As an NRI student, warfl or total hands on training as you actually build your own Sanyo MBC-S50 series keyboard up. Only a person who knows of

damentals can cope with of the sandicard beands of computers And as an NRI graduate, you'll possess the up-to-the-

You learn at your in your own home, at your own comfort able pace. Without classroom pressures

We'll give you IVÍ CHECK

Name (Please Print)

without rigid night-school schedules, without wasted time Your own personal NRI instructor and NRI's complete technical staff will answer your questions, give you guidance and special help whenever you may peed it. The Exciting Sanyo 16-bit IBM con patible Computer—Yours To Keep Cotes hall the new Sarryo as the "most intrigu ing" of all the IBM-PC compatible computers it uses

the same 8088 microprocessor as the IBM-PC and the MS/DOS operating system. So, you'll be able to choose thousands of off-the-shelf software programs. to run on your completed Sanya. As you build the Serryo from the keyboard up



well give you a total mastery of computer operations and servicing techniques. You'll do programming in BASIC language. You'll prepare interfaces for penpherals such as printers and pysticks. Using offey programs, you'll check out \$658 functioning

software and extensive data manuals, is yours to keep as part of your training. 100-Page Free Catalog Tells More Send the coupon today for NRI's big 100 pag color catalog, which gives you all the facts about training in Macrocomputers, Robotics, Data Communications, TV/Video/Audio Servicing, and other issing write to NRI at 3339 Wisconsin Ave., NW

IDM IS A PROGRESSION TRACEMENT OF INSUPPRISONS IN MACHINES CO.	potation
Schools onflinding Education Center n Avenue, Washington, DC 20016 118 temperow.	For Coreer course approved under G

shington, DC 20016

ONE FREE CATALOG ONLY	Sterfing Communications
Decisionles with Microcompaters	☐ Communications Electronic
nuncitions	☐ Industrial Electronics
Industrial Controls	☐ Barc Electronics
trongs Servicing	☐ Telephone Servicing
Design Technology	Small Engine Servicing
tages	☐ Appliance Servicion

Automotive Servicing Air Coachloring, Heating, Rehigenation & Salar Technolog

Locksmithing & Electronic

According by the National Home Study Council

#### Unnew

Dennis J. Jarvis and Michael L. Zinicola

This tinu, but powerful program for the Commodore 128 and 64 allows wou to resurrect a BASIC program after an inadvertent NEW command or system crash. Although it's written in machine language, you can use "Unnew" even if you're not a machine language programmer.

It's happened to virtually every BASIC programmer. You type NEW and press RETURN without thinking, only to realize that you forgot to save the program in memory. If you don't have a backup copy, that small slip can mean hours of wasted effort. However, NEW doesn't actually erase the program from memory-it only resets the computer's BASIC pointers so that no program appears to be present. Nothing appears when you LIST the program, but all of the program lines still remain in memory. To resurrect the program, you need only reset the computer's BASIC pointers so that it recognizes the program's existence again. Unnew" automatically re-

stores any BASIC program after an accidental NEW. It can also recover many programs which appear to be lost as the result of a system crash. We've included two versions, one for the Commodore 64 and one for the 128. If you have a 64, type in

and save Program 1. If you have a 128, type and save both programs. Both programs are BASIC

loaders which write a machine language program to disk. To use either program, load it, type RUN. and press RETURN, Program 1 creates a disk file named UNNEW 64.OBI, Program 2 creates a disk file named UNNEW 128.OBI. If the loader program detects a typing error, it deletes the file from disk and displays an error message instructing you to check for errors. If no errors occur, the program asks whether you wish to create another copy of the machine language program. In this way, you can create as many copies of Unnew as you need. After you've created the machine language files on disk, you don't need the BASIC programs again (unless you need to make additional copies of the machine language files).

#### Resurrecting BASIC

Apart from an accidental NEW. there are many different ways that a program can seem to disappear. For instance, a programming error may cause the computer to lock up. or fail to respond to the keyboard. When this happens, you can often regain control and return the computer to BASIC ready mode by pressing the RUN/STOP and RE-

STORE keys together. If you can list the program after pressing RUN/ STOP-RESTORE, you may not need to use Unnew at all. Save a backup copy of the program before doing anything else.

The instructions for using Programs 1 and 2 are different. We'll begin with the 64 version. Program 1. The 64 version works on the 64 and on the 128 in 64 mode. To use this program, you must be able to return the computer to ready mode. If the 64 seems to be locked up, try pressing RUN/STOP-RESTORE, If you're using a 128 in 64 mode and RUN/STOP-RESTORE does not work, press the reset button while holding down the Commodore key, Once the 64 has returned to ready mode, type this command and press RETURN:

LOAD "UNNEW 64 OBI" 8.1

When the program has finished loading, type this command and press RETURN: SVS 828

After the ready prompt appears, you should be able to list and save the program as usual

The 128 has a reset button that can be very useful in recovering a program. If the computer seems to lock up and RUN/STOP-RESTORE does not return you to ready mode. hold down RUN/STOP and press the reset button located on the right side of the computer. This operation resets the 128 and places you in the built-in machine language monitor. To exit the monitor and return to BASIC, type X and press RETURN. Try to list the program; if it can be listed, save a backup copy immediately.

Unnew is needed only for cases in which nothing appears when you list the program. After you return the computer to ready mode, place the disk containing UNNEW 128.0BJ in the drive. Then type this command and press RETURN:

#### BOOT"UNNEW 128 .OBJ"

The 128 automatically loads UNNEW 128.09 from disk and runs it. When the process is complete, the computer prints READY as usual. List the program to confirm that it has been recovered, then save it as usual. This procedure should work even in cases when the 128 has relocated the program during graphics operations.

#### **How Unnew Works**

You can use Unnew to recover programs without knowing how it works. However, an explanation of the technique will also illustrate something about how the computer stores BASIC programs. The usual starting address for a BASIC program is location 7168 (\$1C00) on the 128 or location 2048 (\$0800) on the 64. The first location in BASIC program space must always contain a zero to mark the beginning of BASIC text. Commodore BASIC programs are stored in memory line by line, in ascending order. At the beginning of each line is a two-byte link address, in low-byte/high-byte format, which tells the computer where the next program line begins in memory. Among other things, this linking scheme allows the computer to quickly scan through the program when it performs operations such as GOTO and GOSUB, which refer to a specific program line

The next portion of the program line contains the line number. The line number is stored in two bytes, also in low-byte/high-byte format. Following the line number are the tokenized BASIC kewords

and other characters that make up the rest of the program line. The end of each line is marked with a byte containing zero. This sequence of links, line numbers, program text, and zero markers continues until the last program line is reached. The last line contains another special marker: Instead of a link address, you'll find two zero bytes which indicate the end of

BASIC program text.
When you perform NEW, the
computer stores two zero bytes immediately after the zero that marks
the start of BASIC. When it finds
two zeros in these locations instead
of a non-zero link address, the computer concludes that there is no
program marker, so the
start-of-program marker, so the
start-of-program marker, so the
in addition, it resets separate pointers that mark the end of program
text and the beginning of variables.

On the Commodore 64, BASIC variables are stored in the same general area as the program, beginning immediately above the end of the program. Thus, a single pointer is used to mark where program text ends and variable storage begins used to mark where program text ends and variable storage begins to the 128 fm (128 mode), variables are stored in a different memory bank. However, the computer still maintains a pointer to the end of reozman text so that it knows where

to stop when saving the program, To restore a program after NEW, you must put a nonzero link address at the beginning of the program and reset the end-of-program pointer to point to the actual end of the program. In a nutshell, that's how Unnew works. More specifically, it begins by turning on the ROMs and the character generator (just in case a program crash turned them off). Then it decrements the start-of-BASIC pointer by one and stores a zero in that location. This insures that the computer will find a zero in the first byte of BASIC program space. Then it adds one to the pointer and stores a nonzero value in the two bytes that form the first line's link address. Once this has been done, the program calls an internal ROM routine that corrects all the program's line link addresses. Finally, it resets the end-of-program

pointer to point to the true end of

program text and ends by printing the usual READY prompt.

#### Worst-Case Scenario

Of course, there are some program crashes which Unnew can't fix. The 128 can always recover from a crash via the reset button. But if the crash POKEd garbage values into the program area, the program text may be irreparably garbled. That's why it's important to list the program after recovering it with Unnew, to make sure that the entire program is intact. The 64 does not have a reset button, and may be unable to recover from a hard crash-when the system locks up completely and cannot be recovered with RUN/STOP-RESTORE. To see what is meant by a hard crash, type this line and press RE-TURN (before you do so, make sure that you save any program that's in memory):

#### POKE 1,52 This POKE turns off the 64's

BASIC and Kernal ROMs, making it impossible to use the computer at all. Unnew cannot be used, since you must be able to enter direct mode commands to load and activate the program. Unless you've installed a hardware reset switch, you have no recourse but to turn the power off and on. Once the power is turned off, the contents of memory are lost completely.

For instructions on entering these listings, please refer to "COMPUTE's Guide to Typing in Programs" in this issue of coursure.

#### Program 1: Commodore 64 Unnew

- PM 18 POKE 53288,1:POKE 53281, 8:POKE646,1 JQ 28 PRINTCHR\$(147):E=8:GOSUB 218:C=8
- FR 36 OPENIS,8,15,"18:":OPENI, 8,8,"UNNEW 64 .OBJ,P,W" GX 46 FORI=1T038:C=C+1;IFC=15T
- BH 58 :REAOA:CK=CK+A KK 68 ::INPUT#15,EN,EM\$,ET,ES: IF EN<>## STHENE=1:GOSUB218 AC 78 IF E=STHEN98
- AC 78 IF E=8THEN98 GX 88 PRINT:PRINT\*OISK ORIVE E RROR(3 SPACES)\*EM\$:ENO GA 98 :POKE53281,C:POKE 53288,
  - C OH 108 PRINT#1,CHR\$(A); KS 116 NEXT:PORE53281,6:PORE53 208.6:CLOSE1:PRINT#15.

18: ":CLOSE15:PRINTCHR\$( 147)

RG 128 IFCK +> 3682THEN POKES	328 [11 SPACES]CLEAR CARRY	, DØ , U8 : I FE=1THEN RETURN
8,2:POKE53281,2:GOTO	(SPACE)FOR ADDITION KA 391 DATA 165.034[5 SPACES]:	XK 168 IFVAL(RIGHT\$(DS\$,5)) > (SPACE)87HENCHAR1,X,12,
RC 140 PRINT   PRINT "CHECKSUN	ER REN[2 SPACES]LDA \$22	*UNNEW 128 .OBJ WAS SCR
ROR, CHECK YOUR DATA	ST [7 SPACES]GET LSB OF TH	
ATEMENTS ": E=1:GOSUB2	PF 392 DATA 164.835[5 SPACES]:	RI,X,12, UNNEW 128 .OBJ WAS NOT FOUND
AF 158 A\$="":PRINTCHR\$(147)	REM(2 SPACES)LDY \$23	
OU LIKE TO SAVE THIS	Y [7 SPACES]GET MSB OF TH	FA 176 CHAR1,X,12, "CREATING UN NEW 128 .OBJ ON THIS DI
[3 SPACES]TO ANOTHER	DI XB 393 DATA 105,002(5 SPACES):	SKETTE(2 SPACES) "IRETUR
SK2 {Y/N)*	REMÍ 2 SPACES IADO #2	N
BB 178 GET AS:IF AS=""THEN DQ 188 IF AS<> "Y"THEN END	178 (5 SPACES) MOVE PAST THE MSB OF THE LAST LINE L	CF 188 REM CJ 198 REM(2 SPACES)OPCODE
AP 190 RUN	TNK	{11 SPACES SOURCE CODE
XR 200 IFE-0 THENPRINTCHRS [1 RX 210 CLOSE1:OPEN15,8,15,	47) XD 394 DATA 144,881[5 SPACES]: REM[2 SPACES]BCC ORG+29	[3 SPACES]COMMENTS BD 288 REM[2 SPACES]
"ICLOSE15	14 SPACESTIF NO. CARRY	(11 SPACES)
PA 228 PRINT: PRINT SCRATCH I	NG   SPACE OVER FROM ADDITI	[3 SPACES]
{SPACE}UNNEW 64 .OBJ [5 SPACES] *:OPEN15,8	ON BRANCH 15 ED 395 DATA 280(9 SPACES): REM	DG 216 REM YP 226 DATA 66 6BACES) DE
, "SØ:UNNEW 64 .OBJ" ED 230 PRINT#15, "10:":CLOSE IFE-THEN RETURN	(2 SPACES) INY	XP 228 DATA 88,88{6 SPACES}:RE M(2 SPACES)ORG \$8888
ED 238 PRINT#15, "IS: ":CLOSE	15: {11 SPACES CARRY OVER, (SPACE) ADD ONE TO MSB	[5 SPACES]PROGRAM START ING ADDRESS
PK 248 PRINT:PRINT*CREATING	UN   PM 486 DATA 133,845(5 SPACES):	QB 236 DATA 8D,63,FF(3 SPACES)
NEW 64 .OBJ ON THIS KETTE": RETURN		REM(2 SPACES)STA SFF83 (5 SPACES)TURN ON KERNA
DK 258 REH	[7 SPACES] SAVE THE END [SPACE] OF THE PROGRAM	L AND BASIC ROMS, RAM BA
FQ 268 REM[2 SPACES]OPCODE	AH 481 DATA 132,846 (5 SPACES):	NK Ø, AND CHARACTER GEN
[11 SPACES]SOURCE CO [3 SPACES]COMMENTS	DE REM(2 SPACES STY \$2E (7 SPACES POINTERS FOR	ERATOR MJ 248 DATA A9,88 [6 SPACES]:RE
RS 270 REM[2 SPACES]	(SPACE ISAVE PTC., COMMAN	M(2 SPACES)LDA #88
[11 SPACES]		[7 SPACES]END OF BASIC [SPACE]LINE PLAG
XP 280 REM	BR 418 DATA 876,116,164 :REM {2 SPACES}JMP \$A474	EG 250 DATA A8(9 SPACES): REM
RB 298 DATA 868,883 (5 SPACE REM(2 SPACES)ORG \$83		{2 SPACES TAY {11 SPACES}ZERO THE IND
(5 SPACES) PROGRAM ST	ART TO THE SCREEN	EX POINTER
ING ADDRESS	The state of the s	SD 260 DATA C6,2D[6 SPACES]:RE
MP 300 DATA 169,800(5 SPACE REM(2 SPACES)LDA #00	Program 2: Commodore 128	M[2 SPACES]DEC \$2D [7 SPACES]SET PROGRAM S
[7 SPACES] END OF BAS	IC Unnew	TART TO PROGRAM START-1
RP 310 DATA 168(9 SPACES):S		JK 278 DATA 91,2D[6 SPACES]:RE H[2 SPACES]STA (\$2D),Y
{2 SPACES}TAY		(3 SPACES)SET END OF BA
{11 SPACES}ZERO THE EX POINTER	11COLOR6,131COLOR5,4	GQ 288 DATA E6,2D[6 SPACES]:RE
AR 320 DATA 198,043[5 SPACE	S): BA 20 IFRGR(0)=5THEN FAST:X=23	H{2 SPACES}INC \$2D
REM[2 SPACES]DEC \$2E [7 SPACES]SET PROGRA	ELSE SLOW :X=0 CX 30 E=0:SCNCLR:GOSUB150:C=0	{7 SPACES   RESTORE PROGR
TART TO PROGRAM STAR	T-1 CP 48 DCLEARDS, US: DOPEN\$1, "UNN	AM STARTING ADDRESS XX 281 DATA A9,81[6 SPACES]:RE
JE 338 DATA 145,843(5 SPACE RHM(2 SPACES)STA (\$2	B) DM 50 FORI=1T030:C=C+1:IPC=15T	M(2 SPACES)LDA #S#1
Y{3 SPACES SET END C	P B HENC+1	(6 SPACES)PSEUDO LINE L INKS
ASIC LINE FLAG	XG 68 :READAS:A=DEC(AS)	KF 295 DATA 91.2D16 SPACES1:RE
GH 348 DATA 238,843 (5 SPACE REM[2 SPACES]INC \$28	S): JP 78 :: IFDS <> STHEN E=1:GOSUB1 58: PRINT DISK DRIVER ERR	M(2 SPACES)STA (\$2D),Y (3 SPACES)SAVE AS LINE
[7 SPACES] RESTORE PA		[SPACE]PSEUDO LINE LINK
AM STARTING ADDRESS CJ 350 DATA 169,001(5 SPACE	SH 88 ::CK=CK+A KG 98 :COLOR6,C:COLOR8,C	XH 388 DATA CB(9 SPACES): REM
REM[2 SPACES]LDA #\$8	DH 188 PRINT#1,CHR\$(A);	{2 SPACES}INY
[6 SPACES]PSEUDO LIN	E L SA 118 NEXT:COLOR6,7:COLOR8,7: DCLOSE:DCLEARDS,U8:SCNC	{11 SPACES}INCREMENT IN
OP 360 DATA 145,043[5 SPACE	S): LR	DEX POINTER TO MSB AK 310 DATA 91,2D[6 SPACES]:RE
REM[2 SPACES]STA [82	R).   KS 120 IFCK<>2844THEN COLOR6.3	
Y{3 SPACES}SAVE AS P DO LINE LINK LSB	SEU ICOLORS,3:CHAR1,X,18,[C HR\$(15)+"CHECKSUH ERSOR	[3 SPACES SAVE AS LINE [SPACE]PSEUDO LINE LINK
XP 370 DATA 20019 SPACES): B	EM . CHECK DATA STATEMENTS	MSB
[2 SPACES]INY [11 SPACES]INCREMENT	*):E=1:GOSUB150:END	SX 328 DATA 28,4F,4F[3 SPACES] :REM[2 SPACES]JSR \$4F4F
DEX POINTER TO MSB	. COMPLETED WOULD YOU I.	(5 SPACES) RELINK THE BA
QG 388 DATA 145,843[5 SPACE REM[2 SPACES]STA [\$2	IKE TO SAVE THIS (2 SPACES) TO ANOTHER DI	SIC LINES
YES SPACES ISAVE AS P	SEU SK? (Y/N)*:GETKEYX\$:IFX \$<>*Y*THEN END: ELSE RU	<pre>KX 338 DATA 28,B2,4F[3 SPACES]</pre>
MC 385 DATA 632,651,165 :RE	\$ <> "Y"THEN END: ELSE RU	(5 SPACES)PLACE THE END
{2 SPACES}JSR \$A533	GS 140 IF Emp THEN SCHOLD	INTO END OF TEXT POINT
(5 SPACES) RELINK THE SIC LINES	BA CR 150 DCLOSE: DCLEARDO, US:CHA R1,X,12, "SCRATCHING UNN	CB 348 DATA 4C, 37, 4D[3 SPACES]
SR 398 DATA 24(18 SPACES):B	EW 128 .OBJ[8 SPACES]*1	REM(2 SPACES)JMP \$4D37 [5 SPACES)PRINT 'READY.
[2 SPACES]CLC	SCRATCH "UNNEW 128 .OBJ"	TO THE SCREEN @

#### **EDIT For Apple II**

E. Joseph Billo Richard A. DeJordy

This short utility improves the editing abilities of Apple II-series computers using DOS 3.3.

The shortcomings of the Apple's BASIC editor, designed in the infancy of personal computing, are familiar to every Apple owner. It you're a dedicated programmer, you've probably typed POKE 33.33 more times than you care to count. For those who aren't familiar with this command, here's a brief recap of what it does. The usual procedure for editing a BASIC line is to LIST the line, then use ESC and the arrow keys to position the cursor for editing, Although BASIC lists the line in a width of 33 columns. the cursor can travel across the entire 40-column width of the screen. If the line you're editing contains a string that wraps around from one screen line to the next, the editor inserts several extra blank spaces in the string at the place where it wraps. To avoid this unwanted effect, experienced programmers often enter POKE 33,33 before listing the line, to limit the width of the screen window to 33 columns

In short, the built-in editor demands several steps just to place the cursor at the beginning of the line you wish to edit. First you need to enter POKE 33,33, followed by as many cursor movements as are needed to reach the desired line. "EDIT for Apple II" eliminates the need for such contortions by adding a new command to DOS 3.3.

#### Typing The Program

Type in the program and save it with the filtename HELLO on a disk containing DOS 3.3. When you boot the computer with that disk, the HELLO program automatically installs the EDIT command in DOS 3.3. (Note that any previously formated DOS 3.3 program will aready contain a HELLO program. This program Hello program, so you should with the program of t

Death a line, simply type EDIT followed by the desired line number. The computer sets the screen width to 33 columns, lists the line, and positions the cursor on the first digit of the line number, ready for editing. If you follow the EDIT command with a range of line numbers (for instance, EDIT 100– 120), it displays the range of lines indicated for your reference.

#### Adding A New

#### DOS Command

One advantage of this program is that it doesn't decrease the amount of memory available for programs. Rather than add a new command, it replaces INT, an existing DOS command. To accomplish this, it's necessary to substitute a new command name for the name INT in the command name table, change the address of the command handler routine in the command handler entry point table, and change the keyword flag bytes in the command valid kewoords table.

Perhaps the greatest obstacle faced in making BDT a DOS command is that the DOS syntax checker doesn't accept any DOS command followed by a number in the range required for line numbers (0–63999). A few commands, such as FRW and MAXFILES, can include numbers, but only within a restricted range.

How, then, to trick DOS into accepting a command followed by a number like 1000? The solution used in this case is to make DOS think it's accepting a filenamesomething that begins with a letter of the alphabet instead of a number. The new command stored in the command name table is EDI (without a T). When the command parser sees the command EDIT 1000, it interprets it as the command EDI followed by the filename T 1000. Since the first character isn't a numeric digit, the parser lets it pass. The reason for selecting INT is that its three letters can be replaced by EDI without disturbing the rest of the DOS command table.

The simplest way to pass control to the BASIC LIST command handler, along with the line number, is to fool BASIC as well. Before passing control to BASIC, the EDIT program scans the input buffer (\$200-\$2FF) where the characters EDIT 1000 are located, and changes the command EDI to LIS. Then control is passed to BASIC, where the BASIC syntax checker sees LIST

1000 and proceeds to list the line. The following table list the DOS 3.3 and monitor subroutines used in the program. The machine language code for the EDIT command is stored in an area that otherwise contains most of the DOS INIT command. As a result, you can't initialize an unformatted disk when EDIT is in place.

#### **DOS And Monitor Routines**

\$3DA DOS 3.3 entry point vector for routine that updates monitor I/O routin.s. \$A012 Exit DOS command parser if command not found in DOS command

name table (command must be BASIC). \$A22B Alternate entry point to DOS com-

mand handler for PR# command. Executes PR#S (S in A-register). SFC22 Monitor subroutine to perform VTAB to row specified in cursor variety (575).

vertical (525). SFDF0 Monitor subroutine COUT1. Prints character in A register to screen.

#### EDIT For Apple II

For instructions on entering this listing, please refer to "COMPUTEI's Guide to Typing in Programs" in this ssue of COMPUTEI,

E 18 REM :::GREETING PROGRAM TO INSTALL EDIT If 28 POKE 43249,69: POKE 43258, 60: POKE 43221,281: REM ::

68: POKE 43251,281: REM :: 1'ED1' 9 38 POKE 48268,147: POKE 48269 .174: REM :::ADDRESS

12 48 POKE 43319,32: POKE 43328, 112: REM :::VALID KEYMORDS % 50 POKE 40222,207: POKE 40223 ,3: REM :::DIBAGLE INIT CO

PLETELY 5 66 FOR X = 44692 TO 44796; RE AD C: POKE X,C: NEXT 4 169 DATA 169,193,133,54,169,1 74,133,55,32,234,3,162,8, 134,255,169,33,133,33,133, ,253,169,2,292,232,199,6,

134, 235, 169, 33, 133, 33, 133, 233, 133, 233, 169, 2, 221, 7, 247, 174, 286

8 118 DATA 247, 185, 258, 174, 157, 6, 2, 136, 16, 238, 76, 18, 166, 133, 234, 261, 221, 248, 11, 16
5, 36, 269, 2, 236, 255, 165, 25

133, 234, 281, 221, 248, 11, 16
5,36, 268, 2,238, 225, 165, 25
31 128 DATA 177, 233, 246, 17, 133, 2
53, 166, 255, 198, 37, 282, 288
, 281, 163, 37, 161, 16, 23,
133, 37, 169, 48, 133, 33, 169,
8,32, 43, 162, 288, 217
Cl 138 DATA 76, 34, 252, 261, 196, 19

**SpeedView** 

#### An 80-Column Preview Program For SpeedScript

Mark Schreiner

"SpeedView," an enhancment for COMPUTE's Commodore 64 Speed-Script word processor (wersions 3.0 and higher), provides 80-column preveiuing of text before the actual printing. Using 4 X Sight-resolution blocks, the program shows each page of the document will look when printed. A disk drive is required to create the combined file containing both SpeedScript and

SpeedScript, COMPUTEI's popular word processor, becomes an even more useful resource with this program. "SpeedView" lets you preview your text file in 80 columns so you can see precisely how a printout of your document will look.

#### Typing It in

SpeedView.

Program 1 is a BASIC loader which creates SpeedView. Type in and save the program; then run it. When the program asks for a filename, enter the name you wish to use for the machine language program. To use SpeedView, load Speed-Script but do not run it yet. Next, load SpeedView with the command

I LOAD"SPEEDVIEW", 8,1, replacing SPEEDVIEW with the name you used when creating the program (tape users should substitute 1,1,1 for, 8,1 in this command). Fin nally, type SYS 9480 and press RE-TURN. This command activates SpecdScript with the SpeedView enhancement.

#### Two For One

If you plan to use SpeedView regularly, you have the option of creating a combined file which contains both SpeedScript and SpeedView. Like SpeedScript, the unified file loads and runs just like an ordinary BASIC program. To create this file, type in and save Program 2. Reset the computer by turning it off and on, then enter this command and press RETURN.

#### POKE 44.48 POKE 48\*256.0 NEW

Load Program 2 back into memory and insert a disk containing copies of both SpeedScript and SpeedView. When you run Program 2, it asks you to enter the names of the SpeedScript and SpeedView files on the disk in the drive. After you've entered these filenames, you are prompted to enter a name for the new, combined file. Program 2 reads both files into memory, modifies the BASIC portion of SpredScript, then writes the unified package back to disk using the filename you selected.

To use this combined program, load and run it as you would any BASIC program. You now have a copy of SpeedScript with Speed-View permanently installed.

#### SpeedView Operation

To use SpeedView, press CTRL-SHIFT-P, followed by S, the command sequence to direct Speed-Script's output to the screen. Instead of the usual jumble of scrolling lines. SpeedView presents a neatly formatted representation of the document's first page. Press RETURN to view succeeding pages. SpeedView shows exactly how each page will look when printed on paper. When the last page has been displayed, press any key to return to SpeedScript. The screen preview option is the only Speed-Script command changed by Speed-View. All others function normally. You should never press RE-

STORE while previewing accurate with Specific No. 10 must be shown to the specific No. 10 must be combined file remember that the proper sequence is to load Specific No. 10 must be combined file remember that the proper sequence is to load Specific No. 10 must be combined file remember that the proper sequence is to load Specific No. 10 must be combined file remember that the proper sequence is to load Specific No. 10 must be specific

Some printkey values may not show up during the 80-column preview. SpeedView displays only those characters whose Commodore ASCII values are in the range of 32-90, or 193-218, inclusive. This includes the upper and lowercase alphabets, numerals, and punctuation marks. The Speed-View program code occupies 1.5K of space that's otherwise available for text memory. As a result, you may not be able to preview a very long document without breaking it into two smaller files. SpeedView behaves erratically if you change the page length to any value other than 66, or the right margin to any value greater than 80. To obtain the

best results, make sure to use those settings.

For instructions on entering these latings, please refer to "COMPUTE's Guide to Typing in Programs" in this issue of COMPUTE!

#### Program 1: SpeedView

SB 100 OPEN15,8,15 PX 110 INPUT "FILENAME FOR SPE EDVIEW FILE": PS:1F LEN(

P8)-0 THEM CLOSE 15:END
D0 128 OPER 2,8.2.P4".P.W"
XP 130 IMPUTAIS.A.AS, B.C.IF A=
0 THEN PRINT "CREATING
(SPACE)ML FILE":GOTO198
AG 148 IP A.63 THEM PRINT AS:
CLOSE 15:END
CG 158 PRINT "FILE EXISTS. REP
LACE LTT (Y/N)"
FM 160 GET X5:IFXA=" THEM168

NC 228 DXTA 168,37,142,38,3,14 8,39,3,169,38 KD 238 DXTA 141,169,9,169,263, 141,177,9,169,8 JC 248 DXTA 141,164,31,162,148 ,166,38,142,118,33 E3 258 DXTA 148,111,23,162,163 ,166,38,142,137,24 EM 266 DXTA 149,131,24,169,32,

EM 268 DATA 148,138,24,169,32,
141,136,24,76,13
BJ 278 DATA 8,169,8,141,2,37,1
41,3,37,137
PF 288 DATA 4,37,24,185,3,141,
4,37,238,5
PF 298 DATA 37,173,5,37,281,66

PP 298 DATA 37,173,5,37,281,66 ,288,18,32,228 DX 380 DATA 255,281,13,268,249 ,32,181,37,76,248 EH 316 DATA 37,169,23,141,24,2 88,169,27,144,17 SG 320 DATA 288,169,151,141,8,

t EQ 330 DATA 37,96,169,148,141,
g 340 DATA 17,208,169,56,141,
24,288,161,637
DATA 169,224,141,166,37,
169,8,141,165,37,141,2,3
7,141,3,37,141

SE 378 DATA 4,37,178,138,157,8 ,224,232,208,258 PM 388 DATA 238,166,37,173,166 ,37,288,241,169,16 QP 398 DATA 157,8,284,157,8,28 5,157,8,286,157 EA 468 DATA 8,287,232,208,241, 96,72,141,1,37 SD 418 DATA 152,72,138,72,173,

FR 420 DATA 152,72,138,72,173, 7,37,248,45,173 FR 420 DATA 8,37,208,3,32,122, 37,173,1,37 GP 430 DATA 201,13,208,3,76,61

,37,281,32,288 GR 448 DATA 3,76,18,38,144,12, 281,219,176,8 DK 458 DATA 281,193,176,18,281
,91,144,14,184,178
DM 468 DATA 184,168,184,96,184
,178,184,168,184,76
AX 478 DATA 282,241,32,38,38,2
38,4,37,32,38

QA 488 DATA 38,286,4,37,169,4, 24,189,2,37 PR 498 DATA 141,2,37,173,3,37, 185,8,141,3 JQ 588 DATA 37,76,248,37,165,2

JQ 508 DATA 37,76,248,37,165,2 54,72,165,255,72 FD 518 DATA 173,4,37,74,74,74, 133,255,168,8 KS 528 DATA 132,254,74,182,254 ,74,182,254,181,255

.74,192,254,181,255
CD 538 BRAR 133,255,173,4,37,4
1,7,24,181,254
K8 548 BRAR 133,254,165,255,18
5,224,133,255,173,2
EX 558 BRAR 37,41,246,24,181,2
54,133,254,165,255
C 568 BRAR 189,3,37,133,255,1
73,2,37,41,7
M8 578 BWAR 178,169,8,56,186,2,6

02,16,252,141,6 FX 588 DATA 37,74,13,6,37,74,1 6,37,72 AB 598 DATA 160,0,166,1,169,52 ,129,133,1,184 FH 600 DATA 17,254,145,254,134 ,1,08,104,133,255 JD 610 DATA 184,133,255

JD 610 DH7A 184,133,254,96,72,
224,3,288,5,169
KC 620 DH7A 1,141,7,37,184,32,
186,255,96,141
ED 630 DH7A 29,13,72,169,8,141
,7,37,32,181
FK 640 DH7A 37,184,96,256

#### Program 2: Unified File Maker

RJ 188 IFA-STHENINPUT"[CLR]NAM E OF SPEEDSCRIPT'SS\$:1 HPUT"NAME OF SPEEDSUEW' :SV\$ AE 128 IFA-STHENA-1:INPUT"NAME OF COMBINED FILE':NP\$: PRINT'EDONNILOADING FIL

MQ 158 AS="9468":FORE-8703:FOR E2854+1,ASC(MIDS(AS,1+1 ,1)):NEXT QS 155 PRINT"[DOWN WRITING COM SIMED FILE "IOPEN1,8,8," 8;"+NF5+",P,N"

JX 165 PRINT#1,CER\$(1);CER\$(8)
HS 178 PORI=2849T09918:PRINT#1
CHR\$(PREK(1));:NEXT:CL
OSS1:END

#### COMPUTE!

TOLL FREE Subscription Order Line 1-800-247-5470 In IA 1-800-532-1272

## Commodore 128 Machine Language

Part 4

.lim Butterfield, Associate Editor

Previous installments of this series of articles have explained some fundamentals of machine language programming on the Commodore 128. In this session, we'll look at ways that a program can get information from various parts of the 128's memoru architecture.

#### **Banks Or Configurations** Figure 1 shows the memory configuration called bank 15. As you can

see, it's a varied assortment of Figure 2. Bank 0 memory elements: RAM, ROM, Configuration and I/O chip registers. The bank 15 configuration is usually the most comfortable setup for machine language programming

Sometimes a program needs to get information from an area that's not visible in the current configuration. When this happens, the configuration must be switched to allow access to the desired data. The switch may be very brief indeed-just long enough to allow the data to be read or stored-or it may be a semipermanent reconfiguration.

#### Types Of Bank Switch

Data may be read from or written to any standard configuration (bank) by using one of a set of Kernal subroutines. The routine named INDFET (\$FF74) gets a byte, IND-STA (\$FF77) stores a byte, and INDCMP (\$FF7A) compares a byte






Figure 3. Bank 1 Configuration



(more on these later). First note that these three routines are a little slow (measured on the rapid scale of machine language operations). They switch in the appropriate configuration, do their business with one byte, then switch everything back. To read, compare, or store a hundred bytes, these routines would berform two hundred bank switches.

As an alternative, you can manipulate the configuration directly. The configuration can remain for as long as you need. However, you must be careful. If you switch out the Kernal ROM, you must take care not to try to use Kernal routies until it has been switched back in. The same goes for the I/O registers: You can't use them when they kern to make you will be the same goes for the I/O registers: You can't use them when they will be the proposed to the propo

#### The Kernal Switches

For most purposes, only four starydard configurations are necessary. Bank 15. Very convenient for ML programming. It has RAM from block 0, BASIC and Kernal ROMs, and the I/O chip registers (Figure 1), but this configuration contains the character generator ROM at locations \$D000-\$DFFF instead of the I/O chip registers.

Bank 0. Almost purely RAM from block 0. The exceptions are addresses \$0000-\$0001, which are the 8502 microprocessor's on-chip I/O port registers and addresses \$FF00-\$FF04, where MMU (memory management unit) chip registers are always seen, regardless of the bank configuration. Your machine language program will usually reside in this bank, and BASIĆ program text will also be stored here. As long as you don't try to do I/O or call Kernal routines, it's also a convenient bank for ML programming (Figure 2).

Bank 1. RAM from block 0 in addresses \$0002-\$0400. Above that, the bank consists of RAM from block 1 (except for the MMU chip registers at \$FF00-\$FF04). Use this configuration to read or change BASIC variables, arrays, and strings (Figure 3). Your program may reside in one place, but may need access to information from an area that isn't visible in the current configuration. To do this, you may use one of the following Kernal routines:

INDEET INDIRECTETCh SFF74

INDSTA INDirect STore \$FF77 INDCMP INDirect CoMPare \$FF7A Note that these routines are in

Note that these routines are in Kernal ROM. If you call them, the Kernal ROM. If you call them, the Kernal ROM. If you call them, the kernal routines are usually means that you can be must set up an indirect address somewher in the zero page of memory to be a pointer to the address you wish to access. Then you must tell the routine where this indirect address is conced, and set the processor's Y register with the offset from the address in the pointer for the must be from the address in the pointer access. (Load Y with \$00 If you wish to access the exact address in wish to access the exact address in

the pointer.) Here's an example, Suppose you wish to read the contents of address \$2468 within bank 1 using the Kernal INDFET routine. The first job is to pick an indirect address somewhere in page zero to serve as a pointer. Locations SFB-SFC are free, so the desired address can go there (LDA #\$68: STA \$FB: LDA #\$24: STA \$FC). In this case we set Y to zero (LDY #\$00). The bank number goes into the X register (LDX #\$01 for bank 1). Finally, we must tell the IND-FET routine where to find the indirect address pointer we have set up. This is done by loading the accumulator (A register) with the pointer address:LDA #\$FB. Now we can call INDFET with JSR \$FF74. Upon return from the ROM routine, the accumulator will hold the value read from address \$2468 in bank 1.

The procedure for using IND-STA or INDCAP to store or compare a value in another bank configuration is similar, except that it takes a bit more work to indicate it takes a bit more work to indicate pose you want to store the value 7 into location SCDEF in bank 0. It could be done this way: Begin by storing the target address in FPB-SFC (LIA) #SEP: STA SFB: FPB-SFC (LIA) #SEP: STA SFB: the system where the indirect address pointer is located by storing

INDETA routine, at address \$0290 EUAn #SRB 5.75 \$0289. TO SUB ULAN #SRB 5.75 \$0289. TO SUB UNDEAM comparison rather than INDETA for a store, you should store the indirect pointer address in 802C8. Set up the Y index (LDY #80) and put the bank number in X (LDA #\$00 for bank 0). Now you can load the byte value to be stored into the accumulator (LDA #\$07) and complete the store operation with ISR \$FSF 5.

the pointer address directly in the

After having done the selected task, these ROM routines return you to the same configuration that was set up when the routine was called. By the way, if you're wondering if there is a proper bank for addresses such as \$FA or \$0.289, don't worry. Addresses below \$0400 are always seen in block 0 RAM in normal operation.

If you're using the bank 15 configuration, a shortcut is available for storing data in bank 0. Remember that bank 0 and bank 15 see the same RAM (block 0) in all addresses below \$4000. In the bank 15 configuration, reading the contents of a ROM address (\$4000-\$CFFF or \$E000-\$FFFF) always returns the value from the corresponding ROM location, but writing to the address actually causes the value to be stored in the corresponding location in the underlying block 0 RAM, Thus, when you are programming in bank 15 (or bank 14), it's not necessary to use INDSTA to place values in bank 0 unless you need access to a RAM address under the I/O block (\$D000-\$DFFF). For instance, the example above could have placed a value in location SCDEF of bank 0 simply using STA SCDEF, However, the INDFET and INDCMP routines are still required for reading or comparing bank 0 locations from the bank 15 configuration.

#### Example Program

Here's a program to illustrate these techniques. First, a word to explain what it does. INPUTE is a problem command in BASIC. It often works well and efficiently, but it misbehaves when it encounters certain characters in a file. The characters that cause the most trouble are the comma, the colon, and sometimes quotation marks. If any of these are

found in a file. INPUT# may not perform a clean input. One more thing: On the 128, INPUT# causes trouble if it brings in more than 160 characters before it finds a carriage

return (character 13). Let's create a problem file that INPUT# won't be able to handle.

Enter this BASIC program:

188 DOPEN#1, "WEIRD FILE", W 118 IF DS ↔ 8 THEN PRINT"DISK E RROR: ";DS\$:DCLOSE#1:STO 128 PRINT#1, "THIS IS "; CHR\$(34 ); "MEIRD"; CHR\$(34) 136 PRINT\*1, "DOCTOR CHIP, PHD.

148 PRINT#1, "PRICE: PREE" 150 FOR J=1 TO 25 160 PRINT#1, "BORING, "; 178 NEXT J 188 PRINT#1, "AND DULL."

190 DCLOSE#1

Be sure to put a semicolon at the end of line 160. Do not put a space between the number signs (#) and the preceding characters or the program won't work. When you run the program, it writes a sequential file named WEIRD FILE to disk.

The file contains valid data. but INPUT# will have problems with it. The first line contains quotation marks, the second has a comma, the third has a colon, and the last line is longer than INPUT# can handle. To see how INPUT# fails. type NEW and enter this program:

100 DOPENSI, "WEIRD FILE" 110 IF DS +> 0 THEN PRINT DISK E RROR: "; DSS: DCLOSE#1: STOP

136 PRINT AS 140 IF ST-0 THEN 120 150 DCLOSE#1

When you run the program, the first line comes in without problems; however, it would have created trouble if the quotation marks had begun the line. The second and third lines are missing everything after the comma and colon, and the fourth line of data doesn't come in at all (it causes an error).

#### String Thing

The "String Thing" program pro-vides a substitute for the flawed INPUT# statement. It reads from a file and puts the data directly into a string. It isn't bothered by commas, colons, or quotation marks-they are just ASCII characters like any others. A carriage return or end-offile marker terminates the input. If the string's too long to fit the space provided, String Thing brings in as

much as it can The toughest part is interfacing with BASIC. How can a machine language routine pass a string to a BASIC program? The answer is, "only with great care," Strings can be difficult to manipulate. Like numeric variables, each string variable

has an entry in the variable table at the bottom of free memory in block 1. However, the table entry for a string variable doesn't contain the actual characters that make up the string. Rather, the characters are stored in an area at the top of free memory in block 1, known as the string pool. The table entry contains a three-byte descriptor for the variable. The first byte of the descriptor holds the length of the string. The remaining two bytes contain the address (in standard low-byte/highbyte format) of the location within the string pool where the characters

for the string begin.

strings, we'll create the string in BASIC, change its contents from machine language, then let BASIC use the changed results. We'll avoid moving the string or trying to change its length-both rather complicated operations. The string can be created with a BASIC statement something like A\$="XXXXX" We'll also use BASIC to open the file, since that will help keep the machine language routine short and simple. Then we call the ML program to read from that file and store the results in A\$. When a line of input from the file has been read we return to BASIC and use A\$, which now contains the input from the file.

**Bank Considerations** 

Our program will be located in block 0 RAM, and the string we want will be in block 1. To store values in the string, we need to cross banks with INDSTA. But first we must find where the string is located. That information is stored in the string descriptor in the variable table, also in block 1, so the block 0 ML program must retrieve it from there using INDFET.

To make the string easy to find. we'll make sure it's the very first variable defined in the BASIC program. This eliminates the need to

search for it by name.

Here we go. Since we know the string is the very first variable, we can use the system's start-ofvariables pointer in locations \$2F-\$30 as an indirect address to the descriptor in bank 1. We don't need the variable name, contained in the first two bytes of the table entry, so we start our index Y at a value of 2.

B00 LDY #\$02

To call INDFET correctly, we need to set the accumulator to the indirect address (\$2F in this case) and set the X register to the bank number (in this case, 1 for bank 1). BO2 LDA #\$2F

B04 LDX #\$01 B06 ISR SFF74

The ISR \$FF74 calls the IND-FET routine. When that routine returns, the accumulator contains one byte of the string descriptor. We save that byte in a zero-page area (starting at location \$FB) and go To simplify the task of passing back for more.

> B09 STA \$00F9,Y BOC INY

BOD CPY #505 BOF BNE \$0B02 Since Y starts at 2 and goes up

to 4, we'll store data in locations \$FB-\$FD. Location \$FB contains the length of the string and \$FC-\$FD contain its location. These three bytes-length and locationconstitute the string's descriptor.

Now we know where the target string is located in bank 1: that's where we'll put the input from the file. Let's connect to the file:

B11 LDX #801 B13 ISR SFFC6

The ROM routine at \$FFC6 is CHKIN, which selects logical file 1 for input. (The BASIC program which calls this routine must open logical file 1 to the desired disk file before the routine is called.) B16 LDY #500

The Y register will be used as an index into the string, so we initialize it for the first character position. Now let's get some characters:

B18 JSR SFFCF B1B CMP #50D B1D BEQ \$0B32

The BASIN routine (\$FFCF) brings in a character. If it's a carriage return, we've reached the end of the current string, so we branch

ahead to the exit. Otherwise, our task is to store the character in block 1 using the INDSTA routine. INDSTA requires the address of an indirect pointer-in this case the address of our string at \$FC-\$FDin location \$02B9.

BIF LDX #SFC B21 STX 502B9

Now we must put the bank number into the X register. By the way, upon return from INDSTA the accumulator still contains the character from the file that we are going to put away.

B24 LDX #\$01 B26 ISR SFF77

The character is stored in the string using INDSTA (\$FF77). Now we can move the pointer along to the next position within the string. so that the next character goes in the proper place:

B29 INY B2A CPY SFB B2C BEO \$B32

We've also tested to see if the string is full-if so, we'll skip ahead to the exit. One last test and the main job is done. We want to stop if we have reached the end of file or if an error occurs while the disk is being read. We check this by testing the serial status byte located at \$90. (The value here is the one returned when you use the reserved variable ST in BASIC programming.) If it's zero, we're not at end of file. B2E LDA \$90

B30 BEO 50B18

If we're at the end of a string or the end of the file, we don't branch back. Instead, we use the Kernal CLRCH routine (\$FFCC) to disconnect the input file. Also, we transfer the number of characters read into the string into the accumulator. B32 ISR SFFCC B15 TYA B36 RTS

There it is: a useful program that demonstrates loading and storing data across banks. Let's gather it together as a BASIC program.

#### String Thing Demo

96 REM \* TARGET VARIABLE MUST (SPACE) BE FIRST ONE ASSI GNED, AND MUST BE INITIA LIZED WITH A DUMMY STRIN G OF MAXIMUM POSSIBLE LE NOTE (288 CHARACTERS) 100 A\$="ABCDEFGHIJKLMNOPG"

118 AS=AS+AS+AS+AS+AS 128 A\$=A\$+A\$+A\$

198 REM \* FOLLOWING LINES POKE THE STRING THING CODE I NTO THE CASSETTE BUFFER 200 FOR J=2816 TO 2878 READ X: POKE J.X:T=T+X:NEXT J 216 IF T<>7688 THEN PRINT"ERRO R IN DATA STATEMENTS": ST

228 DATA 168,2,169,47,162,1,32 .116.285.153

236 DATA 249,8,266,192,5,268,2 41,162,1,32 240 DATA 198,255,160,0,32,207, 285,281,13,248 250 DATA 19,162,252,142,185,2,

260 DATA 285,200,196,251,240,4 ,165,144,248,238 276 DATA 32,284,258,182,96 390 REN \* READ THE DEMONSTR

ATION FILE USING STRING THING ROUTINE 466 DOPEN(1, "WEIRD FILE": IF DS <>8 THEN PRINT"DISK ERRO

R: ";DS\$:DCLOSE#1:STOP 418 SYS 2816:REM \* EQUIVALENT (SPACE)TO INPUT#1,AS 428 DDWG 1 436 PRINT LEFTS(AS,L)

448 IF ST-6 THEN 416 458 DCLOSE#1

We take care to make AS the first variable and make it a string of the maximum allowable length (255 characters), Lines 200-270 read the machine language routine from DATA statements and POKE it into memory. The program also demonstrates some BASIC 7.0 statements. DOPEN opens a disk file and DCLOSE closes it. DS and DS\$ check disk status. RREG retrieves the values held in the microprocessor registers upon return from the SYS. In line 420, it is used to transfer the accumulator contents into the variable I

Note the use of LEFT\$ in line 430. If you used just PRINT AS you'd get garbage characters following the input string. The String Thing routine takes a shortcut when writing characters into the string-it doesn't try to change the length of the string, since that's rather complicated in machine language. If you want to manipulate the string read from disk, use a statement like B\$=LEFT\$(A\$,L) to create a string of the true length. (Don't change A\$ in BASIC; you want A\$ to remain 255 characters long so that you can read large strings from disk.)

We've still seen only part of the story. There are more techniques that you may need to work within the 128's unique and powerful architecture. Stay tuned.

# RAM

Alton C. Williams

Would you like to expand your Commodore 64's memory without hardware add-ons? This short utility program opens an extra 16K of memory for storing machine language programs which can be executed with a normal SYS from BASIC. It doesn't really change your 64-the memory has always been there, hidden under the computer's ROM chips. But the program does make this memory easily accessible from BASIC, almost as if you'd gotten a free 16K memory upgrade.

The Commodore 64 has more memory than meets the eye. However, most machine language programs use the 4K section of RAM located at 49152-53247 (\$C000-\$CFFF) or the small 191 bytes of cassette buffer space at 828-1019 (\$033C-\$03FB). That's not enough room for very long programs. And since many 64 programs use these same areas, it's hard to find a place for a new machine language program without consuming some of BASIC RAM, which in turn leaves less room for a BASIC program and variables.

Fortunately, there's another solution. The 64 has a full 16K (16,384 bytes) of RAM underlying the BASIC and Kernal ROM chip addresses. The BASIC language interpreter is located in the 8K section. from 40960-49151 (\$A000-\$BFFF). and the Kernal operating system is located in the 8K section from

57344-65535 (\$E000-\$FFFF) To use this extra memory from BASIC, however, is not easy-one reason why it's often called hidden RAM. If you SYS to an address in this area from BASIC, the computer executes the instructions recorded in the ROM addresses, ignoring the contents of the hidden RAM. For instance, SYS 59626 calls the Kernal ROM routine that scrolls the screen up one line. SYS 58726 calls the ROM routine to home the cursor, and so on.

'64 RAM Expander" opens up new programming space by allowing you to SYS to a machine language program stored in underlying RAM. It doesn't really expand your 64's memory (the RAM has been there all the time), but the effect is the same as if you suddenly gained 16K of extra memory space.

#### Expand Your RAM

Type in and save a copy of 64 RAM Expander (Program 1). To use the program, simply load and run it. Now you can install any machine language program designed to reside in the hidden RAM. Use the statement SYS 920 to tell the computer that subsequent SYS statements will use the hidden RAM area. To return SYS to normal, use the statement SYS 931. These two commands allow you to switch the hidden RAM in and out at will.

When you SYS to hidden RAM, 64 RAM Expander switches out the ROM overlying the area where the program is located. If your program doesn't call BASIC or Kernal routines, that poses no problems. But BASIC ROM routines are not available when you SYS to a program located under BASIC (however, you

may still call Kernal ROM routines). If your program is located under the Kernal ROM, neither BASIC nor Kernal routines are available, since switching out the Kernal ROM switches out BASIC as well.

This program occupies the cassette buffer area from memory locations 920-1018 (\$0398-\$03FA). Do not use those locations when 64 RAM Expander is installed.

A Short Demonstration Program 2 is a short BASIC loader which demonstrates 64 RAM Expander. Load and run 64 RAM Ex-

pander; then load and run Program 2. It POKEs a short machine language routine into the RAM underlying BASIC ROM, activates 64 RAM Expander with SYS 920, then activates the hidden ML program with a SYS to location 41000 (SA in line 90). The program cycles the screen border colors until you press

a key. If you're not familiar with bank switching on the 64, you may well wonder how one writes a program designed to live in the RAM under ROM. Most machine language monitors see only ROM at those addresses, since the monitor itself typically needs ROM routines to function. One way is to write fully relocatable code, which executes the same way no matter where it loads into memory. The longer the program, however, the more difficult it becomes to preserve full relocatability. Another way is to write the program in a more convenient area, then adjust all the absolute addresses by hand. Again, that's a tedious business for all but the simplest programs. The best solution is to use a good machine language assembler which allows you to assemble object code to a disk file rather than to memory. Once the object file has been created, you can load it with ,8,1. Like POKEs from BASIC, a relocating load stores data in underlying RAM rather than

For instructions on entering these listings, please refer to "COMPUTEI's Guide to Typing in Programs" in this Issue of COMPLIES Program 1: 64 RAM

ROM

Expander KE 18 PRINT"[CLR]":T=8:FOR I=9 26 TO 1818 | READX | T=T+X | P OKEL , X : NEXT

PC 28 IF T +> 9573 THEN PRINT"ER BOR IN DATA STATEMENTS!! ", END PM 38 PRINT "EASY 16K IS NOW RE ADY FOR USE! ": END

ES 31 DATA 169,174,141,8,3,169 ,3,141,9,3,96,169,228,14 1,8,3,169 PG 32 DATA 167,141,9,3,96,32,1 15,8,8,281,158,248,4,48,

76,231,167 EM 33 DATA 40,32,115,8,32,138, 173,32,247,183,24,165,21 ,105,32,144,8

0X 34 DATA 128,169,48,133,1,76 ,227,3,165,21,185,64,176 ,18,165,21,185 GD 35 DATA 96,144,4,169,54,133 ,1,169,243,56,233,1,178,

169,3,233,8 PD 36 DATA 72,138,72,108,20,0, 169,55,133,1,88,76,174,1

#### Program 2: RAM Expansion Demo

CS 18 REM POKE PROGRAM INTO RA M UNDER BASIC ROL GR 28 ADR#41666:SA#ADR:CHK#6 EF 36 READ BYTE: IF BYTE <> 256 ' HEN POKE ADR. BYTE: ADR -AD R+1:CHK=CHK+SYTE:GOTO 38 RD 46 IF CHK +> 1577 THEN PRINT

(SPACE) ERROR IN DATA ST ATEMENTS " : END OE 50 SYS 920 REM TURN ON RAM (SPACE) EXPANDER RG 68 PRINTIPRINT

DX 78 PRINT "NOW RUNNING ML PR OGRAM UNDER RASIC ROM." ED 88 PRINT "PRESS ANY KEY TO (SPACE) OUIT." EA 98 SYS SAIREM START OUR PRO

CD 188 DATA 238,32,288,32,228, 255,248 DS 110 DATA 248,96,256

#### Attention Programmers

COMPUTEI magazine is currently looking for quality articles on Commodore, Atari, Apple. and IBM computers (including the Commodore Amiga and Atari ST). If you have an interesting home application. educational program, programming utility, or game, submit it to COMPUTEI, P.O. Box 5406, Greensboro, NC 27403. Or write for a copy of our "Writer's Guidelines.

Dovid D. Thornburg, Associate Edito

#### Whatever Happened To Logo?

Five years ago I predicted the demise of BASIC and its eventual displacement by Logo as a programming language for neophytes. In the intervening years I have spoken in defense of Logo to thousands of school teachers interested in educational computing, written numerous articles about Logo (including a monthly column that appeared in COMPUTE!), written seven books on the topic, and used Logo as my own programming language of choice and as a language for a successful course for graduate students in design.

As I look back on the past five years, I see that my own vision was clouded by my enthusiasm and that what I saw was a largely a dream, not an accurate reflection of the world of educational computing DASIC, as firmly entrenched as the QWERTY keyboard. Far from being dead, it is as popular as ever. Its original developers have even by more difficult of the programming languages.

#### The Vision

Logo burst into public view with a one-two punch that seemed to gather momentum among computerusing educators who saw the computer as a tool for developing a new curriculum in problem solving. Based on the notion that children learn best by discovery, Logo was seen by its creator, Seymour Papert, as a language that children could use to make discoveries about mathematics. His views, developed over years of study and research at MIT and elsewhere, were published in the book Mindstorms-Children, Computers, and Powerful Ideas (Basic Books, 1980), Shortly after his book appeared, versions of Logo were developed for just about every computer to come along.

Logo was presented as more than a programming language; it was inextricably linked to an educational philosophy-a philosophy that placed the child in an active role in the learning process. However wonderful Papert's ideas may be, many of them run counter to education as it is practiced in this country. Educational reform is a lengthy process and, while the philosophy associated with Logo points in a direction that appeals to some of us, it apparently lacks the "critical mass" of a Sputnik needed to shift our educational system.

#### LISP For Mortals

LIDE FOR MORTIUS LOgo is based on the artificial Intelligence programming language, LISP. The like LISP. Logo supports symbolic (as opposed to purely numerical) uses a composition of the library of the

But, because Logo was treated by many as a geometry language for kids that would let them create pretty pictures, the remainder of this language lay hidden from view. Of the authors whose books are still in print, Brian Harvey and I are among the few who have explored the spectrum of Logo programming in any depth.

A problem encountered by many who try to use Logo as a programming language is that it supports powerful computational supports powerful computational are hard for neophytes to grasp. Most beginning Logo programment quickly master the descriptive graphics programming aspects of the language and then give up when they encounted the more diffusion of the support of the language of the language and then give up when they encounted the more diffusion of the language and then give up maken they encounted the more diffusion of the language and the properties of the language and then give up and the language and language

programs and data. This allows Logo programs to be written whose output is other Logo programs, but this requires some skill to master. Most teachers lack the time needed to learn the nongraphic aspects of Logo, and this has helped perpetuate the myth that Logo is a picture-drawing language only to be used by young children.

#### Slow And Big Even those who have mastered

"the rest of Logo" have found the going rough, Most interpreted versions of this language are slow and lig. This has two consequences for those who use Logo on 684. or 1284-based computers. First, Logo programs run much slower than their BASIC counterparts. Second, users can't write very large programs. These two defects, however, are the result of Logo's implementations, not defects in the language

A few years ago, those of us who saw Logo as more than a play-ground for young minds started a campaign to encourage the development of a Logo compiler. A compiler solves both the speed and size problems at once: It is interesting to note that nonce of the Logo language verned ons within geographic proximity of Papert's MIT responded to this challenge. Instead, the first commercial was a complex to the commercial was a complex to the commercial was a considered to the challenge. Instead, the first commercial was developed by Expertelligence in Santa Barbara, California, Recently, Coral, an East Costa company, and

nounced a compiler-based Logo.

While these are steps in the right direction, Logo deserves to be widely used. And it will die unless its base is broadened.

David Thomburg is a regular contributor to this magazine and is the designer of Calliope<sup>500</sup>, a nonlinear idea processor for the Macintosh and Apple II series of computers. He can be reached in care of this magazine.

#### The World Inside the Computer

ed D'Ianazio, Associate Editor

#### Computer Pop-up Books

My seven-year-old son Eric is a highly visual thinker, as evidenced by the intricate and elaborate drawings he makes of bridges, underground mines, space stations, buildings, and mazes. Eric is fascinated by books with detailed, complex pictures like Noah's Ark by Peter Spier, and Cathedral and Pyramid by David Macaulay. On the other hand, he struggles with books which have lots of words but whose pictures are simple and spare. And, unfortunately, in school the tendency is to wean Eric from pictures and to force him to use words

Eric may not love books and words, but he does love stories, and he has a rich imagination. He likes to do his storytelling visually by dressing up and acting out parts and by creating concections and inventions out of things like string, rubber bands, play dough, balloons, food coloring, and water. This interest in storytelling through manipulation of real objects carries through to Eric's love of Lego building blocks and robot GoBots and Transformers. Eric will spend hours designing a Lego spaceship or transforming his little robots, but he won't spend ten minutes with a book. For Eric, the environment of the book is too frozen, abstract, and visually impoverished, compared to the rich, dynamic, visual environment of his favorite toys.

Eric is not particularly interested in books in general, but he loves "pop-up" books where the emphasis is less on words and more on manipulating the characters and objects in the stories. I recently discovered a new series of pop-up "books" for Apple computers that I think Eric will love. The books are part of the Explore-a-Story series being published by D.C. Heath, the school textbook company. There are eight different titles in the series, including "The Bald-Headed Chicken," "The Lima Bean Dream," and "What Makes a Dinosaur Sore?"

#### Transformable Software Books

The books themselves are nice enough: they are similar to other

children's picture books. But it is the software "books" that are unique and exciting. Children can page through the software book on the computer display screen just as they would page through the picture book Then the real fun starts.

Using a mouse, joystick, or keyboard, children can transform the original story into something completely new. They can move any character or object in the story, or change the entire background. They can add dozens of new charac-

ters and objects to each illustration. They can add their own text to each story page, erase the old text, or create entirely new text. The story can then be saved to disk or printed out as text or as a coloring book.

There are several features of Explore-a-Story books that appeal to me and which I think will appeal to Eric. First, unlike standard printed books, the Explore-a-Stories are not immutable. They are like sand in a sandbox-"story starters" which give children a micro-world in which to concoct stories of their own.

Second, Explore-a-Stories are like good pop-up books because they combine three great elements which appeal to children: mystery, surprise, and animation. Built into the stories are all sorts of surprise characters and character actions. Whenever you set a character down, it "comes to life": rabbits hop, frogs bounce, eagles soar, lima beans dance and flop. Mothers turn flips. Fathers somersault.

Third, Explore-a-Stories are





like transformers because they let children manipulate the stories and transform them into something new and personally meaningful to each child

"Create your own story" software is hardly new, but Explore-a-Stories have eliminated many of the defects in earlier programs and elevated the genre to a new level. And children like Eric might be coaxed away from a purely visual orientation to the world. This software gives them the ability to manipulate words almost as easily as pictures

Each Explore-a-Story package costs \$66 and comes with a doublesided disk, a backup disk, a teacher's manual, and five copies of the story. The disk runs on an Apple IIc or IIe with 128K. For more information, write D.C. Heath at 125 Spring Street, Lexington, MA 02173.

#### BASIC Slide Show For NEOchrome And DEGAS

Nearly every ST owner has used NEOchrome, the graphics program supplied with the computer, or DE-GAS, the excellent drawing program written by Tom Hudson. Both programs allow you to create stunning graphics, but how can you incorporate such pictures in a BASIC program of your own? This month's program demonstrates one way to display NEOchrome and DE-GAS pictures in any screen resolution, on color or monochrome 520ST or 1040ST systems. It adjusts automatically for the differences between DEGAS and NEOchrome pictures. However, you must set the correct screen resolution with Set Preferences before you run the slide show. (No harm is done if you display a picture in the wrong resolution, but the picture will be jumbled because the screen's bitplanes don't match up correctly.)

The program begins by asking for the filename of the picture you want to display. Enter the full drivepath and filename, including the exension. For instance, to display the NEOchrome file MYPIC.NEO located on the disk in drive A:, type the filename A: \MYPIC.NEO and press RETURN. To display a DE-GAS file named MYPIC.P12 from the subdirectory BASIC in drive B:. use B: \BASIC \MYPIC.PI2. Don't confuse the backslash ( \) character with a normal slash (/) when typing filenames. The backslash indicates a subdirectory and is not interchangeable with a slash. After you've entered the filename, the program displays the picture and waits for you to press either mouse button. When you press the button, the screen clears, the original palette colors are restored, and you're invited to enter another filename. To exit, press RETURN at the prompt.

Behind The Scenes Since column space is limited, this program includes only the bare essentials needed to get a filename and display a picture. If you want to transport these techniques to a program of your own, you'll probably want to refine the input routine and perform some checks for disk errors. Here's a nutshell description of how the program works. Lines 150-170 save the original palette colors in the array SAV%. Lines 180-190 call a VDI routine that hides the mouse pointer (so it won't spoil the picture). Lines 200-300 get the filename, adjust for the file type, and set the color palette for the new picture. The routine called in line 310 clears the entire screen surface with a VDI system routine. Lines 320-330 BLOAD the file into screen memory, and line 340 calls a routine that waits for a button to be pressed. Line 350 restores the previous palette so you can see what you're typing. Line 360 clears the last picture from the screen and goes back for another filename.

When you exit the program, the season and the mouse pointer visible again. Notice that BASIC's ment uitles don't reappear, although the menus still work as usual. ST BASIC is intelligent which needed—unless you're task enough to close all the windows at once—but it never refreshes the menu bar. The assumption seems to be that nobody would ever want to display full acreen graphics from



The revolutionary IO40ST\*
has a stazing clock speed of
8 MHz that the competition
> Just can't touch. And the
more speed your computer
has, the less time you'll
waste waiting for it to do
its job.
It's what you would ex-

pect from a system driven by a powerful 68000 microprocessor. Similarly, the 1040ST delivers one Megabyte of

invers one megacyte or memory for you to work with, which is two to four times more than our competitors deliver creating this amazing combination of speed and performance for the incredibly low price of just \$999. Which means the 1040ST sets new standards for speed, performance and price!

The ATARI 1040ST is at your computer retailer now.



ATARI © 1986, Abert Corp.

AND ATARI OF THE STATE OF THE



#### COMMODORE VICMODEM

the SX-64 or the VIC-20 Com Bell 103 Compati Full Duplex; 300 Baud.
 Manual Dial Direct Conn

· FCC Registered This Modern is LOW liquidation priced because it was closed out by Commodore<sup>th</sup> Add it to your computer for access to timely financial information, news and reference Ibraries, as near as your phonel An affordable introduction to phone/computer services; and you can communicate with computer users who also own modernal

Use with data cassette (included), or with terminal program software, available at computer stores

90-Day Limited Factory Warranty Mfr. List Price . . .

riced At Only Item H-1701-7041-072 Shipping, handling: \$4.00 each

\$59,00

Toll-Free: 1-800-328-0609 C.O.M.B. Direct Marketing Corp. 1405 Xenium Lane N/Minneapeks, MN 55441-4494 iond \_\_Modemie) Nem H-1701-7041-072 at \$19 each lus \$4 each for shipping handling differentials residents of 8% selective Sorry, Fo C.O.D. bridge)

My check or money order is anclased (No processing orders paid by Check )

wege 
VSA\* 
MasterCards: American of No

BASIC.

#### Handling Picture Files

Regardless of screen resolution, NEOchrome and DEGAS files always contain 32,000 bytes of actual screen data preceded by a short header. The header records the picture's resolution and color palette, it's 34 bytes long for DEGAS and 128 bytes long for NEOchrome. The palette data occupies 32 bytes. NEOchrome files also contain extra data for color cycling (this program doesn't do color cycling; it uses the palette that was in effect when you saved the picture).

To reconstruct a picture, the slide-show program reads the palette portion of the file into the string COL\$, then directs the computer to use the bytes in COL\$ as the new palette. Then it BLOADs the file into the ST's screen memory, using an offset to prevent the header portion of the file from going into the

screen Location &H44E is a pointer that tells you where screen memory begins, Location &H45A, which ordinarily contains a zero, is a flag that lets you switch to a new palette. The ST scans this location as a background task during every VBI (vertical blank interrupt) interval When you POKE a nonzero value into &H45A, the computer uses that value as the address of the new color palette. The program discovers the current palette by PEEKing the video display registers at 16745024. If the new version of ST BASIC includes ASK RGB and RGB (see last month's column) you should be able to read and change the palette with BASIC commands instead of fiddling with hardware registers.

System Variables Locations &H44E and &H45A are "official" system variables that Atari has promised not to change in future system updates. Another interesting variable is location &H45E, a screen pointer flag that's scanned during the VBI like the palette flag. When you put a nonzero value there, the ST uses the value as the new address for screen memory, making it possible to page-flip between alternate screens.

If you incorporate these meth-

ods in a program of your own, be sure to use double-precision variables when dealing with system addresses. The DEFDBL A statement in this program defines all variables starting with A as double-precision. which in turn causes BASIC to use longword (four-byte) values when you PEEK or POKE with those variables. POKEing a byte-length or word-length (two-byte) value into a place like &H45A usually causes a crash known as a bus error when the processor tries to address a nonexistent memory location.

#### **BASIC Slide Show**

130

150

100 rem Display Degas/Neochro se pice. res Set recolution BEFORE VOI FUR fullw 2:clearw 2

co1s-etrings (32, 32) defdb1 aidim sav2(15) peave=14745024:k=0 for j=0 to 15

eav%(j)=peek(psave+k)1k=k +2:next 180 poke contri, 123:poke cont

poke contri+6.01vd1svs(0) 200 input "Enter filenage";pi

210 if len(nicnapes) s0 then 4 220 flags=lefts(rights(picnam e4.3),1) 230 offset=128:junk=4:ren Nec chrose file

240 if flags="N" or flags="n" then 260 250 offeet=34:junk=2:rem Dega

close liopen "I",#1,picna x==inputs(junk.1) cols=inputs(32,1) close 1:anu=varptr(col\$)

apal=EH45Aspoke apal, anu opeub 370 ascr=6H44e;aa=peek(aecr) 330 bload picnames, as-offeet poke apal.varptr(sav%(0))

goeub 370:goto 200 poke contri, 3:poke contri +2.0 380 poke contri+6. Orydieve(0)

return poke contri,124:poke cont 410 pake contrl+6.0; vdieve(0) 420 of peek (intout) so then 40

430 return 440 poke contri, 122 spoke cont r1+2,0 450

460

poke contri+4, lipoke inti vdieye (0)

#### More About PRINTing

We started exploring the PRINT command last month. Let's now move on to look at ways to format text. Some of the commands we'll discuss are not identical on all versions of BASIC, so you'll need to experiment to see if they work on your computer, and, if so, what parameters (numbers and limits) are allowed. Try them out: it won't hurt the machine if it doesn't recognize a command. Your computer will just reply that you've made an error.

WIDTH is a command in some versions of BASIC that controls how many characters can be printed on a line across the screen. On some computers (such as an IBM PCjr), this command also determines the size of the characters or the resolution of the screen. For example, WIDTH 40 is a 40-character line with larger letters and medium resolution, and WIDTH 80 is an 80character line with smaller letters. On the IBM PCir, WIDTH 20 is a 20character line in the low-resolution screen. Note that on the PCir. changing the WIDTH also clears the screen

On other computers (such as the Amiga and Atari ST), WIDTH n specifies n number of characters in the printed line, where n can be any number you wish to use to control margins. The size of the letters does not change. On computers with windows, it's possible to print bevond the visible portion of the window, so WIDTH is handy to keep the printing within the window. Here's an example using the WIDTH command:

10 As-\*1234567890\* 20 WIDTH 18 30 PRINT AS+AS+AS+AS 40 END

Specifying Location Many versions of BASIC include commands for specifying where printing will be positioned on the screen. In BASIC for the IBM and

for the Amiga, use LOCATE row,column to position the cursor, followed by PRINT to start printing: 80 LOCATE 5.10 PRINT "TITLE"

In Atari ST BASIC, use GO-TOXY column,row to position the cursor, and then PRINT. Notice that this computer specifies the column number first, then the row number, and the upper left corner of the output window is 0,0. Also, the position of the printing will be slightly different than if you PRINT blank lines and then TAB over to a certain column: 80 GOTOXY 10.5-PRINT "TITLE"

Commodore BASIC has no special statements for positioning the cursor, but you can use cursor control characters within quotes to move up. down, left, and right. You can also use the TAB function, such as: 50 PRINT TAB(165): HELLO

The maximum number of character positions you can move with TAB is 255.

Create A Template

PRINT USING can be a real timesaver in specialized situations, but not all versions of BASIC offer it. The syntax varies slightly with brands of computers, so refer to your manual and experiment a little to see how this command works.

The main purpose of PRINT USING is to format your outputline up numbers or strings or perhaps print money amounts. If you print large numbers, you can use PRINT USING to place commas every third column for place values. You can print plus or minus signs for positive or negative numbers. You can print leading asterisks, You can use this command to round off numbers or to print to a certain number of decimal places even if there are trailing zeros. Here are some examples:

10 A-123.4567

20 B-64 30 C- 3 40 D=8.25031 50 PRINT DSING "###"-A 60 PRINT USING "###"-B 70 PRINT USING "\$\$###.##";A 80 PRINT USING "\$\$###.##";B 90 PRINT USING "\$\$###.##";C 100 PRINT USING "###-":I 110 PRINT USING "###.# A ";A,B,C,D 120 PRINT USING "\*\*###.##";C

130 FND

PRINT USING. The specifications vary with the brand of computer, so check your manual. Usually the exclamation point will print the first letter of a string, and backslashes or spaces between backslashes print certain numbers of characters in a string. The Atari ST allows characters (such as dots or numbers) between the backslashes to help you count how many characters can be printed. Here are some examples with strings:

You can also print strings with

10 SS="RICHARD 20 PRINT USING "1":S\$
30 PRINT USING "\\":S\$ 40 PRINT USING "HIS NICKNAME IS

50 PRINT USING "HIS INITIAL IS L":SS Review the last several "Beginner's Page" columns about strings. Using string control features with

PRINT statements gives you significant control over the output of your computer. PRINT USING is very handy in printing columns of numbers for reports. You can also print lists such as name and address lists with columns lined up. Use a combination of TAB, SPC, and PRINT USING to get your reports to look precisely the way you want them to look.

If your computer has color, be sure to use color in printing on the screen to highlight certain words or to add variety to the output. The color statements vary with the computer. The following are a few examples: 10 DEM ATABLET

20 COLOR 1:PRINT "NORMAL"

10 REM ATARI ST 20 COLOR 1:PRINT "NORMAL" 30 COLOR 2:PRINT "RED 40 COLOR 3:PRINT "GREEN" 50 COLOR 1 60 END

10 REM IBM

60 END

20 COLOR 4:PRINT "RED
30 COLOR 2,7:PRINT "GREEN ON WHITE"
40 COLOR 0,7:PRINT "BLACK ON WHITE"
50 COLOR 7:0:PRINT "RETURN TO WHITE ON BLACK"

60 END

20 COLOR 2,3PRINT "BLACK ON ORANGE"
30 COLOR 3,2PRINT "ORANGE ON BLACK"
40 COLOR 0,1PRINT "BELLO"
50 COLOR 1,0PRINT "BACK TO NORMAL"

10 REM COMMODORE 64 AND VIC-20
20 REM USE CTRL AND A NUMBER
30 REM USE RTS. HELLO [PUR]80B"
40 REM USE RVS ON FOR INVERSE COLORS
50 PRINT "(WHT) [RVS)TRY THIS"
60 END

Commodore computers allow certain graphics symbols in PRINT statements to draw with bullt-in characters. You can use either the graphics key or print CHRS(n) where n is a character number for a certain graphics character.

With all these options available for the PRINT command, even the beginning BASIC programmer can create elaborate computer effects by "just" printing.

#### CLOCK/CALENDAR Cartridge for your

Commodore 64 or 128 Computer Combines three most needed functions in a single plug-in cartridge:

\* Battery-Backed Clock/Calendar \* Battery-Backed RAM

Application ROM Capability

 Crystal controlled clock keeps time in seconds, minutes, hours day of the week, month and year with auto leap year
 SK bytes of battery-backed RAM included.

 8K bytes of battery-backed RAM included
 Application ROM socket handles up to 128K bytes of application software in EPROM

Operating software in ROM included
 Automatic recognition of computer type (64 or 128) on power-up or reset
 Maintains power-off, power-on log in RAM for dedicated control

Maintains power-oil: power-on log in RAM for dedicated control applications.
 30 day unconditional money-back guarantee
 CCSZ Certridge.
 \$49.95
Shipping A Handkins:

Shipping & Handling:
UPS Surface (USA Only) \$3.00
Foreign (Air Mail Only) \$13.00
Master Card, Visa, and Amex Welcome
10 Online Trull Free

From California Tech Support

JASON-RANHEIM 1805 Industrial Drive Auburn, CA USA 95603

800-421-7748

Mail to: University Microfilms International 300 North Zeeb Road, Box 91 Ann Arbor, MI 48106

Address.....

# Copies of articles from this publication are now available from the UMI Article Clearinghouse.

For more information about the Clearinghouse, please fill out and mail back the coupon below.

#### UMIArticle Clearinghouse

Yes! I would like to know more about UMI Article Clearinghouse. I am interested in

electronic ordering through the following system(s):

□ DIALOG/Dialorder □ TIT Dialcom
□ OnTyme □ OCLC ILL Subsystem

Other (please specify)

☐ I am interested in sending my order by mail.
☐ Please send me your current catalog and user instructions for

 Please send me your current catalog and user instruct the system(s) I checked above.

Name

Title Institution/Company Department

Mail to: University Microfilms International

### WF SPECIALIZE

IN ATARI® HARDWARE & SOFTWARE COPY SYSTEMS THE 1050 DUPLICATOR ™: The most powerful disk drive copy system ever developed for the ATARI®

 The main purpose of the Dupilicator is to capy disks! You will be • The fidth pillpure or me supercore in a copy and to face privat about any talk the accepta you make will not an any Attain two. Copies made with the Duplicator will run on any Attain two. Copies made with the Duplicator will run on any drive, untille our competition whose copies will only run on their own drives. The Duplicator is fully attained will be need any time own drives. The Duplicator is fully attained will be need any large. produced on the backup copy disk. Our device will reproduce any

stom format or heavily copy-guarded scheme, bod sectors, double class, 19 through 24 sector formats will present no problem to the ou with still have single density, density and one half, and double sidy. When you have a Duplication restalled in a 1600 dine that a sid be fund also five double density flow will have haice the stronger. Your drive will be compatible with other double density so sit the Bono Indus Person, etc.

Migh speed read & write. Your disk drive will read and load all or your software, sowing wear and fear an your drive. The 1950 drive now reads one sector of a first. This is slow and insplicing little time.

dard, unenhanced atives to read one User friendly disk software will be included with every Duy

only \$14995

#### HARDWARE POWER Fully Compatible with the XL & New XE Series

#### DUPLICATING TECHNOLOGIES IS PROUD TO PRESENT THE 520 ST DUPLICATOR™

Our Famous 1050 DUPLICATOR has now been con-verted to service the ATARI\* 520 ST. This is a revalutionary, new, saftware anly, disk capy system. Naw you can back-up heavily copy-guarded and pro-tected disks. And, most important, if new farms of saftware pratection should appear on the mar Duplicating Technologies will provide you with the acessary software upgrades.

Our exclusive ST DUPLICATOR\*\* triendly software and instructions.

"Constantly Warking on New Products and Software."



99 Jericho Tpke., Suite 202, Jericho, N.Y. 11753 ICAL (516) 333-5504, 5712 ORDER ONLY (516) 333-5950

ONLY (516) 333-5805



#### C. Itoh's Riteman F+ and C+. How can so much printer cost so little?

If you've been looking for a quality printer that's small enough to fit in a briefcase or on the corner of your desk, sturdy enough to take day-in, day-out printing without a whimper, and inexpensive enough to save your wallet from that empty feeling, look no further

Itoh's Riteman F+ (for Apple® IBM® and Atari®) and C+ (for Commodore®) gives you a lot of printer for the money.

For starters, they'll give you easy-to-read print with full descenders. In bold, italic, underline, subscript, superscript and more. At up to 44 lines per minute. And one button shifts you from draft to crisp, readable Near Letter

Quality What's more, the Riteman F+ and C+ feature an exclusive front paper feed design that makes loading paper really easy for the first time. According to PC Magazine, which awarded the printer the coveted Editor's Choice, "The most unique aspect of the [F+ and C+1 is its paper feed and platen system. The paper never jams, alignment is easy and the impression is good. In addition [it] supports a high-resolution graphics mode like that of the IBM® and Epson FX® series printers'

Like all printers in the C. Itoh Riteman line-up. the F+ and C+ are quality built and backed by a full one-year warranty Want a great little printer at a great price? Get

yourself a Riteman, From C. Itoh.

#### C. Itoh Digital Products, Inc.

19750 S. Wermont Avenue - Suite 220 - Torrance, CA 90502 Telephone (213) 327-2110 or (800) 423-0300

#### Your Roving Reporter

I attended (and exhibited at) the Los Angeles Atari Computer Faire on August 15 and 16, and I would like to share a few things I saw and a few thoughts I had. The most significant part of this Faire was probably Atari's presence. As far as I know, this was their first real participation in a user group-sponsored event, and they were there in force. Such Atari notables as Sam Tramiel, Sig Hartmann, John Feagans, Neil Harris, Mel Stevens, and Sandy Austin (and others who will undoubtedly embarrass me by asking me why I forgot them) all made an appearance.

Faster ST Graphics

Most important were the products being shown there for the first time. Atari's new blitter chip for the ST was being put through its paces. This chip takes over some of the graphics processing (such as moving sprites) that must be done in software on current ST machines. Depending on the type of processing, this chip should make graphicsoriented programs run from two to six (my estimate) times faster.

The 80-column adapter for the eight-bit machines was also on display, as was a new word processor for the ST: Microsoft Write, Although it is another nice, solid word processor, I did not see any really exciting features. But the very presence of Microsoft in the Atari world is expected by many to lend respectability to the ST machines. The real battle for attention,

though, was among the various purveyors of music software for the ST machines, particularly by the MIDI-oriented companies. Sounds ranged from exotically electronic to a guitar so realistic I thought it was a live accompaniment.

The Catalog (honest, that's the company's official name) people were showing off animated 3-D

graphics, which wasn't too surprising, given the capabilities of Tom Hudson's CAD 3-D program. But then they added liquid crystal "shutter" glasses for true 3-D vision and a glimpse into some fascinating future possibilities. Liquid crystal glasses are not exactly a convenience store item (they usually go for hundreds or even thousands of dollars-mostly to the military), but you can expect to buy a pair sometime early next year for \$150 or so, according to the exhibitors.

Significantly missing, though: the game companies. No Brøderbund, no Sierra On-Line, and so on. What a turnaround from the early days of the West Coast Computer Faire. Most attendees probably didn't complain, though, since there was a good deal of software for eight-bit and ST machines. There were literally hundreds of titles available in each category, even though the Faire organizers purposely limited the number of dealers at the Faire to four, and one of those sold no eight-bit software. Finally, the show was put on

by an association of user groups, and almost every member I talked to was pleased by the show and the turnout. Final figures were not in as I left, but John Tarpanian, president of both HACKS and ACENET, estimated the crowd for the two-day event at 3000 people. It seemed at least that big. Atari is encouraging at least two more such shows that I know of: one right here in San Jose in September, and one in Portland in October. There's another show in Virginia in November, though it's not as closely tied to Atari as these other three. I suggest attending one of these if you can.

Join Your Local **User Group** This is the first of my answers to readers' inquiries, and it ties in neatly with the discussion above. Several people asked me where they could get (1) help with their hardware and/or software, (2) cheap public-domain programs, or (3) up-to-date news on events of the Atari world. My answer to all three? Join a user group.

I have pushed user groups in this column before, and I will probably do so again. At the Faire, for example, one person thanked me for getting him involved in a group-he had quickly gotten the help he needed. I asked him if he's now returning the favor to newer members. He is. He's the club's librarian.

There are over 300 active user groups in the U.S. now, so there's a good chance there is one near you. And if you join one, maybe you can help put on one of these Faires in the next year or two.

How do you find a user group? Ask a local dealer or look for announcements in newspapers. And user groups: Be sure to have a publicity chairperson who gets you mentioned in your hometown paper from time to time. If you are absolutely desperate, send me a selfaddressed, stamped envelope, and 1 will give you the address of the closest group on my list. Send your request to P.O. Box 710352, San Jose, CA, 95171-0352. No guarantees of a good match, though Also, if you have a modem,

an account on CompuServe. You can leave messages for me by using my account number: 73177,2714. I expect to be active on Delphi in the near future, too, but I don't have an account name for that service yet. Please understand that I cannot give long-winded answers online. It costs money, remember, But I don't mind comments, suggestions, or even quick questions.

you might like to know that I have

#### Columns Revisited

One of the problems of writing about technology in general and computers in particular is how fast one product surpasses another. So this month I'm going to revisit three past columns and update you on some new and better products.

In June of 1985 I wrote about the Hewlett-Packard Laserlet printer which has since become an industry standard, although I take no credit for that. At the time I tested the machine, I asked the engineering types at Hewlett-Packard why they didn't make a combination office copier and computer printer since the two technologies seem so similar. They told me that the machines were really incompatible and the cost would double. Having been raised to respect police and engineers, I made no mention of the copier idea in my column. Nor did I dwell on the limitation of only being able to use eight different type styles-after all, that was in

Last month Xerox sent me its 4045 Laser printer to test. It has an arm under which one can slip an original and-guess what?-out comes a perfect Xerox copy. The copier feature adds a couple hundred dollars to the cost of the printer, but it's worth it. The 4045 permits the use of up to 22 fonts on a single page, and best of all, the command sequences to establish fonts, underlining, bolding, and other special effects are much simpler than those used on the HP. For example. I wrote that the sequence to begin bold printing on the Laserlet was ec&10Oec(0Uec(s1v10v0 s1b5T; the sequence for the 4045 is simply \*b.

Hewlett-Packard hasn't been idle in the intervening 18 months. and it's sure to have improved the Laserlet, But if you are looking for a high-quality laser printer, check out the Xerox 4045.

Second Thoughts My February 1986 column extolled

the virtues of compiled BASIC and the then new version of the IBM BASIC compiler. If I told you to buy it (I can't bare to look back), I apologize. After I wrote that column, Microsoft sent me a copy of its new OuickBASIC Compiler, which retails for \$99. The IBM BASIC Compiler was priced at \$495 in February of

1986-today it's \$539. I don't have the space to tell you why compiled BASIC is so much faster than the BASIC built into your PC (see the February column), but I do have the space to tell you that QuickBASIC is equal, even superior, to the IBM software. In all my tests, the Microsoft product compiled larger programs, produced smaller EXE modules, and did it in less time than the IBM product which costs five times more. QuickBASIC uses the same commands, files, and switches as the IBM compiler-and why not? Microsoft wrote the version sold under the IBM name

If you're thinking about a BASIC compiler, don't think about IBM; just buy Microsoft's Quick-BASIC. (By the time you read this. version 2.0 of OuickBASIC will be available.)

Online Thesaurus

separates synonyms by meaning. In writing about a RAM-resident spelling checker and a thesaurus in April of 1986, I noted that both products use the Random House dictionary, "Wonder what happened to Webster's?" I joked. Simon & Schuster was quick to let me know that it markets Webster's New World On-line Thesaurus and Webster's New World Spelling Checker.

I'll never give up IBM's Wordproof for another spelling checker, but I'm open on thesauruses. I was fairly happy using Reference Soft-

ware's Reference Set, until I tried Simon & Schuster's product. It sets a new standard for online thesauruses.

Like most RAM-resident software, Webster's is called to the screen by pressing a preselected key combination-on my PC it's Alt-T. The program then tries to

match the word under the cursor with one in its dictionary; failing that, it strips the word of prefixes and suffixes and attempts to locate the root word in its dictionary. Type "readmitted" and the program displays 20 words similar to the root 'admit" in a window superimposed on the screen. Now here's the amazing part. Select the synonym "declare" and the program tries to add prefixes and suffixes to compose three choices: redeclared, declared again, and declare. By par-

ing down to a root word, the program is able to generate more than 120,000 synonyms. Along the same line, the program changes articles to match the nouns they precede. Placing the cursor under "an automobile" and calling forth synonyms shows but one-"motor car." When you se-

lect that synonym by pressing the F10 key, Webster's not only replaces "automobile" with "motor car" but also changes an to a One feature I particularly appreciate shows parts of speech and

For example, "fire" displays 19 svnonyms for the noun, 13 for the verb, and 4 for the modifier "fiery." In addition, any of those words may be looked up for even more synonyms by simply pressing a key. Webster's On-Line Thesaurus.

at \$70 from Simon & Schuster, is a must for anyone who writes.

#### \_\_\_CAPUTF!≡

#### Apple PowerKey

The key-definition program (Program 1, p. 67) for this powerful keyboard utility from the September issue has an error as listed. Our lister program trimmed a RETURN statement from the end of the very long line 340. The easiest way to correct the problem is to add the following line:

#### 345 RETURN

Program 1 has an additional problem for Apple II+ users. The II+ keyboard doesn't include the backslash key used to append a carriage return character to a key-definition string. Reader George Teachman notes that changing the value 92 to 47 in lines 420 and 590 will allow II+ owners to use the regular slash (/) for this function.

The article states that Program 2 creates a file named POWERKEY.BINARY. Actually, the program creates a file named OMNIKEY.BINARY (see line 130). Thus, the instructions for loading the program in the "Putting It All Together" section of the article (p. 66) are incorrect. You can either change the name in line 130 of Program 2 to match the text, or change the name in the text to match the one currently used in the program.

#### Atari 130XE Automated

#### RAM Disk

There is an error in line 360 of this program from the September issue (p. 68). The statement GOTO 460 in that line should be GOTO 470.

#### Amiga Tightrope

This Amiga game from the August issue (p. 47) suffers from the same problem as the "Hex War" game in the July issue: the use of lowercase I as a variable name. Unfortunately, on our listing printer the characters for I and 1 are identical, making it nearly impossible to tell where to type 1 and where to type I. In the "Tightrope" lines labeled 4, 5, and 6, the variables used are 11, 12, and 13, respectively. Variable 11 is also used in the line labeled 810. In the left column on page 49, you'll find statements that should read DIM 11%(L), DIM 12%(L). and DIM 13%(L), as well as 11%(I)=, 12%(I)=, and 13%(I) =. In the future, we'll do our best to eliminate the use of lowercase I as a variable name in Amiga programs.

On page 118 of the July issue of COMPUTEL, the price of the teacher's guide for Braderbund's Science Toolkit was incorrectly listed as \$20. Actual cost is \$30



Your computer can talk in your own voice. Not a synthesizer but a true digitizer that records your natural voice quality—and in any language or accent. Words and phrases can be expanded without limit from disk. Speech Editor program afters or improves sounds.

And it will understand what you say. A real word recognizer for groups of 32 words or phrases with unlim rted expansion from disk memory. Speech playback and word recognition can work together. Have a two way co versation with your computer

Easy for the beginning programmer with new BASIC commands. Machine language programs and memory locations for the more experienced software

Exciting Music Bonus lets you hum or whistle to write and perform. Notes literally scroll by as you hum! Your composition can be edited, saved, and printed out, You don't have to know one note from another in order to write and composel

es invented by COVOX. One low price buys you to system includes a host of sample programs' in addition, you will receive period information about speech technology, applications, new products, up-dates, and us

ONLY \$89.95 includes all hardware and software available from your dealer or by mail. When ordering by mail add \$4.00 shipping and handling (\$10.00 foreign, \$6.00 Canada)

The Voice Master is available for the Commodore 64, 128, Apple IIc, IIe, II+, and Ateri 800, 800XL, 130XE. Specify model when ordering, Apple II+ (with 64K) owners must have joyetick adapter. Available from Covox at only \$8.05. Apple lie and li+ owners: Enhance speech quality and music capabilities with nal Sound Master hardware card Installs in slot 4 or 5. Available separately n \$39.95 with demo software, or order with Voice Master for only \$119.95 (saven

DEMO SPEECH DISK AVAILABLE New An introduction to Covox speech. The S5 disk gives several general vocabularies that you can use in any of your own programs. Sample programs include a talking keyboard, calculator, clock, and more English, French and German selections: Samples of level 1 and 2 speech editing 25 page bookle included Price a \$5 including postage (\$7 outside North Amer Check, money order, or cash only, SPECETY CONPUTER BRAND

CALL (503) 342-1271



(503) 342-1271 COMOX 675-D Conger Street, Eugene, OR 97402

# COMPUTE!'s Guide To Typing In Programs

Computers are precise—type the program cxacfly as listed, including necessary punctuation and symbols, except for special characters noted below. We have provided a special listing convention as well as a program to check your

typing-"The Automatic Proofreader." Programs for the IBM, TI-99/4A. and Atan ST models should be typed exactly as listed; no special characters are used. Programs for Commod-Apple, and Atari 400/800/XL/XI outers may contain some hard-to read special characters, so we have a listing system that indicates these control characters. You will find these Commodore and Atari characters in curiv braces; do not type the braces. For example, {CLEAR} or {CLR} instructs you to insert the symbol which clears the screen on the Atan or Commodore machines. A complete list of these sym bols is shown in the tables below. For Commodore, Apple, and Atari, a single symbol by itself within curly braces it usually a control key or graphics key. ou see (A), hold down the CONTROL key and press A. This will produce a reverse video character on the Cor dore (in quote mode), a graphics character on the Atan, and an invisible control character on the Apple

Graphics characters entered with the Commodore logo key are enclosed in a special bracket: [<A>]. In this case, ou would hold down the Commodore logo key as you type A. Our Commo dore listings are in uppercase, so shift symbols are underlined. A graphic heart symbol (SHIFT-S) would be listed as S. One exception is (SHIF SPACE). When you see this, hold do SHIFT and press the space bar. If number precedes a symbol, such as { RIGHT), {6 S}, or {<8 Q>}, you would enter five cursor rights, six shifted S's or eight Commodore-Q's. On the Atari inverse characters (white on black) should be entered with the inverse video

Mari	400	/Ann	/Xt	/YF	

When you see	Туре	See	
(CLEAR)	ESC SHIFT <	*	Clear Screen
(UP)	ESC CTRI -		Cursor Up
(DONN)	ESC CTRL =	- 1	Cursor Down
(LEFT)	ESC CTRL +		Cursor Left
(RIGHT)	ESC CTRL #		Cursor Right
(BACK S)	ESC DELETE	4	Backspace
(DELETE)	ESC CTRL DELETE	23	Delete character
(INSERT)	ESC CTRL INSERT	12	Insert character
(DEL LINE)	ESC SHIFT DELETE	ñ	Delete line
(INS LINE)	ESC SHIFT INSERT	D	Insert line
(TAB)	ESC TAR		TAB key
(CLR TAB)	ESC CTRL TAB	<b>C</b>	Clear tab
(SET TAB)	ESC SHIFT TAB	E	Set tab stop
(BELL)	ESC CTRL 2	63	Ring buzzer
(ESC)	ESC ESC		ESCape key

#### commodore PET/CBM/VIC/64/128/16/+4

When You Read:	Pre	es:	See:	When You Read:	Presa:		See
{CLR}	SHIFT	TR/HOME	-	RIS	COMMODORE	1	Œ
(HDME)	[6	LR/HOME	5	E 2 N	COMMODORE	2	17
(UP)	SHIFT 1	CRSR		R × A	COMMODORE	3	0
(DDWN)		CRSR L	0	R 4 8	COMMODORE	4	Ю
(LEFT)	SHIFT +	CRSR	1	R = 3	COMMODORE	5	
(RIGHT)	-	- CRSR →		R + 3	COMMODORE	6	
(RVS)	CTRL	9	1	E 7 S	COMMODORE		
(OFF)	CTRL	0		R + S	COMMODORE	8	H
(BLK)	CTRL	1		(FL)	ži		
(WHT)	CTRL	2		( F2 )	SHIFT B		ь
(RED)	CTRL	[ 3 ]	22	(13)	ß		
(CYN)	CTRL	6	300	(R)	SHIFT		
(PUR)	CTRL	5		( FS )	B		Щ
(GRN)	CTRL	6	2	( P6 )	SHIFT 5		14
(BLU)	CTRL	7	€	( F7 )	fr fr		μ
(YEL)	CTRL	8	100	{ Fs.}	SHIFT 17		-

key (Atari logo key on 400/800 models). Whenever more than two spaces appear in a row, they are listed in a special format. For example, (6 SPACES) means press the space bar six times. Our Commodore listings never leave a single space at the end of a line, instead moving it to the next printed

line as (SPACE) Amiga program listings contain only one special character, the left arrow (+) symbol. This character marks the end of each program line. Wherever you see a left arrow, press RETURN or move the cursor off the line to enter that line into memory. Don't try to type in the left arrow symbol; it's there only as a marker to indicate where each program line ends.

#### The Automatic Proofreader

Type in the appropriate program listed below, then save it for future use. The Commodore Proofreader works on the Commodore 128, 64, Plus/4, 16, and VIC-20. Don't omit any lines, even if they contain unfamiliar commands or you think they don't apply to your computer. When you run the program, it installs a machine language program in memory and erases its BASIC portion automatically (so be sure to save several copies before running the program for the first time). If you're using a Commodore 128, Plus /4 or 16, do not use any GRAPHIC commands while the Proofreader is active. You should disable the Commodore Proofreader before running any other program. To do this, either turn the computer off and on or enter SYS 64738 (for the 64), SYS 65341 (128), SYS 64802 (VIC-20), or SYS 65526 (Plus/4 or 16). To reenable the Proofreader, reload the program your program, press any key (except and run it as usual. Unlike the original Ctrl-Break) to stop the listing. If you VIC/64 Proofreader, this version works enter NEW, the Proofreader prompts the same with disk or tape.

On the Atari, run the Proofreader to activate it (the Proofreader remains active in memory as a machine language program); you must then enter NEW to erase the BASIC loader. Pressing SYSTEM RESET deactivates the Atari Proofreader; enter PRINT

USR(1536) to reenable it. The Apple Proofreader erases the BASIC portion of itself after you run it, leaving only the machine language portion in memory. It works with either DOS 3.3 or ProDOS. Disable the Apple Proofreader by pressing CTRL-RESET

before running another BASIC program. The IBM Proofreader is a BASIC program that simulates the IBM BASIC line editor, letting you enter, edit, list, save, and load programs that you type. Type RUN to activate. Be sure to leave Caps Lock on, except when typing lowercase characters

Once the Proofreader is active, try typing in a line. As soon as you press RETURN, either a hexadecimal number (on the Apple) or a pair of letters (on the Commodore, Atari, or IBM) appears, The number or pair of letters is called a checksum.

Compare the value displayed on the screen by the Proofreader with the checksum printed in the program listing in the magazine. The checksum is given to the left of each line number. Just type in the program a line at a time (without the printed checksum), press RETURN or Enter, and compare the checksums. If they match, go on to the next line. If not, check your typing; you've made a mistake. Because of the checksum method used, do not type abbreviations, such as ? for PRINT. On the Atari and Apple Proofreaders, spaces are not counted as part of the checksum, so be sure you type the right number of spaces between quote marks. The Atari Proofreader does not check to see that you've typed the characters in the right order, so if characters are transposed, the checksum still matches the listing. The Commodore Proofreader catches transposition errors and ignores spaces unless they're enclosed in quotation marks. The IBM Proofreader detects errors in spacing and transposition.

#### Since the IBM Proofreader replaces the computer's normal BASIC line editor, it has to include many of the direct-mode IBM BASIC commands. The syntax is identical to IBM BASIC. Commands simulated are LIST, LLIST, NEW, FILES, SAVE, and LOAD. When listing

you to press Y to be especially sure you mean yes. Two new commands are BASIC and CHECK. BASIC exits the Proofreader back to IBM BASIC, leaving the

Proofreader in memory, CHECK works just like LIST, but shows the checksums along with the listing. After you have typed in a program, save it to disk. Then exit the Proofreader with the BASIC command, and load the program as usual (this replaces the Proofreader in memory). You can now run the program, but you may want to resave it to disk. This will shorten it on disk and make it load faster, but it can no longer be edited with the Proofreader. If you want to convert an existing BASIC program to Proofreader format

#### Program 1: Afgri Proofreader

By Charles Brannon, Program Editor

- 188 GRAPHICS 8 118 FDR I=1536 TD 1788:REA D A:PDKE I,A:CK=CK+A:N EXT
- 128 IF CK<>19872 THEN ? "E rror in DATA Statement s. Check Typing.": END
- 138 A=UBR (1536) 2 12 "Automatic Proofr mader Now Activated."
- 168 DATA 184, 168, 8, 185, 26,
- 3,201,69,240, 178 DATA 288, 288, 192, 34, 28
- 8,243,96,288,169,74 188 DATA 153,26,3,288,169, 6, 153, 26, 3, 162
- 190 DATA 8, 189, 8, 228, 157, 7 288 DATA 288, 245, 169, 93, 14
- 208 DATA 288,245,169,73,14 1,78,6,169,4,141 218 DATA 79,6,24,173,4,228 ,185,1,141,95 228 DATA 6,173,5,228,185,8 ,141,96,6,169
- 238 DATA 8,133,283,96,247,
- 238,125,241,93,6 248 DATA 244,241,115,241,1 24,241,76,205,238 250 DATA 0,6,6,6,8,32,62,2
- **IBM Proofreader Commands** 
  - 145,88,200,192,48 298 DATA 288,249,165,283,7 4,74,74,74,24,185 300 DATA 161,160,3,145,88,
    - 165, 283, 41, 15, 24 318 DATA 185, 161, 288, 145, 8 8, 169, 8, 133, 283, 184 320 DATA 170,184,168,184,4 0.96

#### Program 2: IBM Proofregder By Charles Brannon, Program Editor

- 18 'Automatic Proofreader Vers ion 3.8 (Lines 205,286 adds d/198 deleted/478,498 chang
- ed from V2.0) 188 DIM L\$ (588) , LNUM (588) ; CDLD R 8,7,7; KEY DFF: CLS: MAX=8: LNUM (Ø) =65536!
- 118 ON ERROR GOTO 128:KEY 15,C HR\$(4)+CHR\$(78):ON KEY(15) BOSUS 648: KEY (15) DN: GDT D 138 128 RESUME 138
- 138 DEF SEB-4H48: N=PEEK (&HA) 148 ON ERROR SDTO 6581 PRINT: PR INT\*Proofreader Ready.
- 150 LINE INPUT LS: Y-CSRLIN-INT (LEN(L\$)/W)-1:LDCATE Y, 1 168 DEF SEG=8:POKE 1858,38:POK E 1852,34:PDKE 1854,8:PDKE 1855,79:POKE 1856,13:POKE 1857,28:LINE INPUT LS:DEF SED: IF LS-" THEN 158 save it to disk with SAVE "filename", A.
  - 178 IF LEFTS(LS, 1)=" " THEN LS =MIDs(Ls,2):GDTD 178

188 IF VAL (LEFTS(LS, 2))=8 AND HIGS(LS, 3, 1)=" " THEN LS=M IO# (L#. 4)

F ASC (L#) >57 THEN 260 'no line number, therefore co 285 BL-INSTR(Ls," "): IF BL-8 1 HEN BL#=L#:GOTO 206 ELSE B

LS=LEFTS(LS,BL-1) 286 LNUM-VAL(BLS): TEXTS-MIOS(L \$,LEN(STR\$(LNUM))+1) 218 IF TEXTS THEN GOSUB 548 I IF LNUM-LNUM (P) THEN GOSU B 560: GOTO 150 ELSE 150

228 CKSUM-8: FOR I=1 TO LEN(L\$) : CKSUM= (CKSUM+ASC (MIOs (L+, 1)) #1) AND 255:NEXT:LOCATE Y,1:PRINT CHR#(65+CKSUM/1 6) +CHR\$ (65+ (CK5UM AND 15) ) " "+L\$

238 805UB 548: IF LNUM (P) -LNUM THEN LS (P) =TEXTS: GOTO 150 'replace line 248 GOSUB 588: GOTO 158 'insert the line

268 TEXTS="":FOR I=1 TO LEN(LS ):A=ASC(MIOS(LS, I)):TEXTS= TEXT9+CHRs (A+32# (A>96 AND A(123)) | NEXT 278 DELIMITER=INSTR(TEXTS, " ")

COMMANOS-TEXTS: ARBS-"": IF DELIMITER THEN COMMANOS-L EFT\*(TEXT\*, OELIMITER-1):AR DS-MIOS (TEXTS, DELIMITER+1) ELSE CELIMITER-INSTRICTEXT . CHR# (34)): IF DELIMITER T HEN COMMANOS-LEFTS (TEXTS, C ELIMITER-1): ARGS-MIDS (TEXT

S. OU INTTER 288 IF COMMANDS<>"LIST" THEN 4 298 OPEN "scrns" FOR OUTPUT AS

#1 300 IF ARREST" THEN FIRSTED PO MAX-1: 60TO 348 310 DELIMITER-INSTRIA IF OELIMITER ## THEN LNUM-V AL (ARB\$):GOSUB 548:FIRST=P

180TO 348 328 FIRST-VAL (LEFTs (ARGS, DEL IM ITER)):LAST=VAL (MIGS (ARGS. DEL IMITER+11) 338 LNUM=FIRST: BOSUB 548: FIRST =P:LNUM=LAST: BOSUB 548: IF PHE THEN PHAY-1

348 FOR X-FIRST TO P:NS-MIDS (S TR# (LNUM (X)) . 2)+" . 350 IF CKFLAB-0 THEN AS="": GOT 368 CKSLM=8:As=Ns+Ls(X):FOR I= 1 TO LEN(AS) | CKSUM= (CKSUM+ ABC (MID\$ (A\$, I)) #I) AND 255 INEXTIAS=CHR\$ (65+CKSUM/16)

+CHR\$ (AS+ (CKSIM AND 15) ) A\* 378 PRINT #1, As+Ns+Ls(X)
388 IF INKEYS()=" THEN X=P 398 NEXT : CLOSE #1: CKFLAG-#

8 BOTO 138 416 IF COMMANOS-"LLIST" THEN O EN "lpt1:" FOR OUTPUT AS #1:GOTO 300 428 IF COMMANOS="CHECK" THEN C

438 IF COMMANDS (>"SAVE" THEN 4 448 GOSUB 688: OPEN ARGS FOR OU

TPUT AB #1:ARS#="":GOTO 38 458 IF COMMANDS<>"LOAD" THEN 4 468 GOSUB 688: OPEN ARGS FOR IN PUT AS #1: MAX: 81 PER 478 WHILE NOT EDE (1) I INF INPU T #1,Ls:BL=INSTR(Ls," "):B Ls=LEFTs(Ls,BL-1):LNUM(P)=

VAL (BLS) : LS (P) =MIOS (LS, LEN (STR\$(VAL(BL\$)))+1);PxP+1: # MAX-P:CLOSE #1:60TO 138

498 IF COMMANDS="NEW" THEN INP UT "Erase program - Are yo u sure";L\$: IF LEFTs(L\$,1)= y" OR LEFTS(LS, 1) ="Y" N MAX=#:LNUM (#) =65536 !: 607 O 130:ELSE 130

500 IF COMMANDS-"BASIC" THEN O OLOR 7,8,8: ON ERROR GOTO 8 ICLS: END SIG IF COMMONDS COMETIES THEN

515 IF ARRES"" THEN ORGERTOS" ELSE SEL-1: GOSUB 688 517 FILES ARB\$: 80TO 130

52# PRINT"Syntax error": SOTO 1 548 P=8: WHILE LNUM>LNUM (P) AND P<MAX: P=P+1: MEND: RETURN 568 MAXWMAX-1-FOR YMP TO MAX-1

NUM(X)=LNUM(X+1):Ls(X)=Ls( X+1): NEXT: RETURN SHE MAX-MAX+1: FOR X-MAX TO P+1 STEP -1:LNUM(X)=LNUM(X-1) :L\$(X)=L\$(X-1):NEXT:L\$(P)= TEXTS: LNUM (P) =LNUM: RETURN 688 IF LEFTS (ARGS, 1) <> CHR\$ (34)

THEN 528 ELSE ARGS-MIOS (A BB4. 2) 618 IF RIGHTS (ARGS, 1) = CHRS (34) THEN ARGS=LEFTS (ARGS, LEN ( ORR#1-11

628 IF SEL-8 AND INSTRIARCS, ... 636 SEL-9: RETURN 648 CLOSE #1:CKFLAG=#:PRINT"5t opped.":RETURN 15#

150

AND PRINT "Error 0"; ERR: RESUME Program 3: Commodore

Proofreader By Philip Nelson, Assistant Editor

16 VEC=PEEK(772)+256\*PEEK(773) :LO=43:HI=44 26 PRINT "AUTOMATIC PROOFREADE

R FOR ";:IF VEC=42364 THEN [SPACE]PRINT "C-64" IF VEC=50556 THEN PRINT "VI C-26"

48 TP VEC-35158 THEN GRAPHIC C LR:PRINT "PLUS/4 & 16" 58 IF VEC=17165 THEN LO=45:HI= 46 :GRAPHIC CLR:PRINT"128" 68 SA=(PEEK(LO)+256\*PEEK(HI))+ 78 FOR J=8 TO 166 READ BYT: POK

E ADR. BYT: ADR-ADR+1: CHK=CHK 86 IF CHK <> 28576 THEN PRINT \*\* ERROR\* CHECK TYPING IN DATA STATEMENTS": END

98 FOR J=1 TO 5:READ RP,LF,HF: RS=SA+RF:HB=INT(RS/256):LB= RS-(256\*HR)

100 CHK-CHK+RF+LF+NF 1 POKE SA+L F, LB: POKE SA+HF, HB: NEXT 110 IF CHK +> 22054 THEN PRINT \*ERROR\* RELOAD PROGRAM AND

[SPACE] CHECK FINAL LINE": EN 128 POKE SA+149, PEEK (772) : POKE

SA+150, PEEK(773) 138 IF VEC-17165 THEN POKE SA+ 14,22:POKE SA+18,23:POKESA+ 29.224:POKESA+139,224 148 PRINT CHR\$(147); CHR\$(17);\* PROOFREADER ACTIVE":SYS SA 158 POKE HI, PEEK(HI)+1:POKE (P EEK(LO)+256\*PEEK(HI))-1.8:N

168 DATA 128,169,73,141,4,3,16 9,3,141,5,3

178 DATA 88,96,165,28,133,167, 178 DATA 88,96,165,29,133,104,
165,21,133,168,169
188 DATA 8,141,0,255,162,31,18
1,199,157,227,3
198 DATA 282,16,248,169,19,32,
210,255,169,18,32

288 DATA 218,255,168,8,132,188 ,132,176,136,238,188 218 DATA 288, 185, 8, 2, 248, 46, 28

210 DAYA 286, 185, 87, 2, 246, 46, 26 1,34,288, 8,72 220 DAYA 165,176,73,255,133,17 6,184,72,281,32,288 230 DAYA 7,165,176,288,3,184,2 88,226,184,166,186 248 DATA 24,165,167,121,8,2,13

3,167,165,168,185 258 DATA 8,133,168,282,288,239 ,248,282,165,167,69 260 DATA 168,72,41,15,168,185, 211,3,32,210,255

278 DATA 184,74,74,74,74,168,1 85,211,3,32,218 288 DATA 255,162,31,189,227,3, 149,199,202,16,248 290 DATA 169,146,32,210,255,76 ,86,137,65,66,67

388 DATA 68,69,78,71,72,74,75, 77,88,81,82,83,88 318 DATA 13,2,7,167,31,32,151, 116,117,151,128,129,167,136

Program 4: Apple Proofreader

By Tim Victor, Editorial Programmer 18 C = 8: FOR I = 768 TO 768 + 68: REAC A:C = C + A: POKE I

,A: NEXT 20 IF C < > 7258 THEN PRINT "ER ROR IN PROOFREADER DATA STAT A: NEXT EMENTS": END 38 IF PERK (198 ± 256) < > 76 T

HEN POKE 56, 81 POKE 57, 31 CA LL 1882: GOTO 58 48 PRINT CHR\$ (4); "INWA\$388" 58 POKE 34,8: HDME: POKE 34,1: VTAB 2: PRINT "PRODFREADER

INSTALLEO\* 66 NEM 188 OATA 216,32,27,253,281,141 118 OATA 288,68,138,72,169,8 128 OATA 72,189,255,1,281,168 130 DATA 240,8,164,16,125,255

130 DATA 248,8,184,18,125,25
148 DATA 1,185,8,72,282,288
158 DATA 238,184,178,41,15,9
168 DATA 68,281,58,144,2,233
178 DATA 57,141,1,4,138,74
188 DATA 74,74,74,41,15,9
198 DATA 48,281,58,144,2,233
280 DATA 57,141,6,4,184,178
218 DATA 48,281,58,144,2,233

# COMPUTE!'s Author's Guide

Most of the following suggestions serve to improve the speed and accuracy of publication. COMPUTE is primarily interested in new and timely articles on the Commodore 64/128, Atari, Apple, IBM PC/PCI; Amiga, and Atari ST. We are much more concerned with the content of an article than with its style, but articles should be clear and well-explained. The guidelines below will permit your good ideas

and programs to be more easily edited and published:

1. The upper left corner of the first page should contain your name, address, telephone number, and

the date of submission.

2. The following information should appear in the upper right corner of the first page. If your article is specifically directed to one make of computer, please state the brand name and, if applicable, the BASIC or ROM or DOS version(s) involved. In addition, please indicate the memory requirements of programs.
3. The underfined title of the article should start

about 2/3 of the way down the first page.
4. Following pages should be typed normally, except that in the upper right corner there should be an abbreviation of the title, your last name, and the page

abbreviation of the title, your last name, and the page number. For example: Memory Map/Smith/2.

3. All lines within the text of the article must be double- or triple-spaced. A one-inch margin should be left at the right, left, top, and bottom of each page. No

words should be divided at the ends of lines. And please do not justify. Leave the lines ragged. 6. Standard typing paper should be used (no erasable, onionskin, or other thin paper) and typing should be no not side of the state only (year and

able, offionskin, or other thin paper) and typing should be on one side of the paper only (upper- and lowercase).
7. Sheets should be attached together with a pa-

per clip. Staples should not be used.

8. If you are submitting more than one article, send each one in a separate mailer with its own tape

or disk.

9. Short programs (under 20 lines) can easily be included within the text. Longer programs should be be included within the text. Longer programs should be the program, record of the control of the program. Condit fatice, on a lique or disk If your attice was written with a word processor, we also appreciate acopy of the text file on the tape or disk. Program should be labeled with the author's annea, the title of the article, and, if applicable, the BASIC/ROM/DOS version(s). And tipes should specify whether they are to be LOADed or INTEREAL. We prefer to receive Applications, the program of the program of the control of the control of the program of the control of the control

cardboard mailers (available at photography, stationery, or computer supply stores).

10. A good general rule is to spell out the num-

In . A good general rule is to spen out the future bers zero through ten in your article and write higher numbers as numerals (10.24). The exceptions to this are: Figure 5, Table 5, TAB(4), etc. Within ordinary text, however, the zero through ten should appear as words, not numbers. Also, symbols and abbreviations should not be used within text: use "and" (not &), "reference" (not ref.), "through" (not thru).

11. For greater clarity, use all capitals when refering to keys (RETURN, TAB, ESC, SHIFT), BAS (SETURN, TAB, ESC, SHIFT), BAS (CE) words (LIST, RND, GOTO), and three languages (BASIC, APL, PILOT). Headlites and subbeads should, however, be initial caps only, and emphasized words are not capitalized. If you wish to emphasize, underline the word and it will be Halicized during typesetting.

12. Articles can be of any length—from a singleline routine to a multi-issue series. The average article is about four to eight double-spaced, typed pages. 13. If you want to include photographs, they

should be either 5×7 black and white glossies or color slides. 14. We do not consider articles which are submitted simultaneously to other publishers. If you wish to

send an article to another magazine for consideration, please do not submit it to us.

15. COMPUTE pays between \$70 and \$800 for published articles. In general, the rate reflects the length and quality of the article. Payment is made upon acceptance. Following submission (Editorial Department, COMPUTE Magazane, P.O. Box \$406, Secretaborn, N.C. 27403); it will take from four to eight weeks for us to reply. If your work is accepted, you went to be a seen of the payment of the paym

16. If your article is accepted and you have since and improvements to the program, please submit an entirely new tape or disk and a new copy of the articions to programs and articles. It is necessary that you send the revised version as if it were a new submission entirely, but he sure to indicate that your submission is a revised version by writing. "Revision" on the "It is not to be a program of the program of the IT, CANTIFIE does not accent unsolicited rorduct.

reviews. If you are interested in serving on our panel of reviewers, contact the Review Coordinator for details



#### When you want to talk computers...

HOME COMPUTERS.	MULTIFUNCTION CARDS.	DRIVES.
Atari Computers	AST	Priam
1040 Color System	SixPak Plus \$169.00	ID-60AT Innerspace1349.00
520ST Color System 749.00	SixPak Premium 369.00	Racore
520ST (512K)	Advantage-AT 339.00	1501 Expansion Chassis w/DMA319.00
65XE (64K)	DCA	2103 512K Memory Card129.00
130XE (128K)	IRMA 3270 Emulation799.00	
800XL (64K)	Fyerax	PRINTERS.
Atarl Peripherals	Edge Card 239.00	
1010 Disk Drive	EGA Video 279.00	Canon
1050 Disk Drive129.00	Herculas	LPP-8A1 Laser \$1899.00
1020 Printer	Color Card 169 00	Citizan
M301 Modern39.99	Graphics Card199.00	MSP-10 (80 col.) 299 00
835 Modern29.99	Graphics Card Plus219.00	Premier 35 LQ489.00
Ape Face Modem39.99	IDEAssociates	C Itoh
850 VF119.00	5251 Emulation Card549.00	Starwriter A10-30 279 00
ICD PR Connection	Intel	Cordata
Commodore Computers	8087, 80872, 80287Call	The Desktop Printshop2199.00
C 64 Package 499.00	PC-Above Boards	Diablo
C 128 Package	AT-Above BoardsCall	635 Daisywheel 1099 00
64 C	Paradise	Foson
64C Geos. 49.99	Color/Mono Card139.00	LX-86 120 cps Call
128 C. 269 00	Multi Display Card159.00	FX.85 160 cms Cell
Commodore Paripherals	Autoswitch EGA359.00	EX-800 300 cms Cell
1571 Drive249.00	Quadram	LO 800 24 Wire Cell
1541 Drive 199.00	Expanded Quadboard	luki
1902 Monitor 299.00	Quadport-XT	6000 Letter Ouglity Call
Amiga 1020 51/4" Ext199.00	Microfazer II	6100 Letter Quality Call
Amiga 1010 3½" Ext	Quad EGA Plus 369.00	5510C Color MatrixCall
Amiga 1080 RGB Monitor 289.00	STR	NEC
1660 Modem	EGA Plus/Dr. Halo319.00	3000 Spinwriter Series 779.00
1670 Modern	Vldso-7	P560, P660, P760
1530 Datasette	EGA Graphics Card 329.00	Okidata
C 128 Univ. Monitor Cable	The second secon	ML 182 120 cps
C 128 512K Expansion	DRIVES.	ML 192 Plus 200 cpsCall
PPI Printer Interface34.99	DINIVES.	ML 193 Plus 200 cps
Xetec S/Graphix 8K	Alliad Technology	Panasonio
Cardco G-Whiz49.99	Apple Half-Heights \$109.00	KX-1080 80 col199.00
Cardco Super G 52.99	CMS	KX-1091 80 col
Micro R&D MW350 49.99		KX-1092 136 col. 339.00
	Fyarax	Silvar-Reed
MS/DOS SYSTEMS.	60 MB Internal Back-up799.00	550 Letter Quality299.00
MOIDOS STOTEMS.	20 MB Streamer	Star Micronics
AT&T	Indus	LV-1210 120 cps199,00
Compaqfrom \$1499.00	Atari GT199.00	NL-10 Font CompatibleCall
Corona from \$995.00	Commodore GT	NX-10 120 cpsCall
IBM-PCfrom \$1199.00	lomega	Texas Instruments
IBM-XTfrom \$1799.00	A210H 10+10 1899.00	TI850 150 cps499.00
IBM-AT	A220H 20+202499.00	Ti855 150 cps
Leading Edgefrom \$1299.00	Mountain	Toshiba
	Drive card 20 MB689.00	P321 24 wire 80 col
Zenith	Drive card 30 MB949.00	P351 24 wire 138 col 1049 00
		1049.00



COMPUTER MAIL ORDER

#### .. When you want to talk price.

MONITORS.	IBM SOFTWARE.	C M Only!
Amdak	Ansa Software	PC-TOO
Video 310A TTL	Paradox S499.00	PC-XT Compatible
/ideo 410 TTLCall	Ashton-Tate	256K exp. to 640K \$49C
Color 600 RGB399.00	Framework II429.00	360K Floppy Drive
Color 722 RGB	dBase III Plus429.00	
Color 730 RGB 699.00	Central Point	C M Only!
Magnavox	Copy II PC-Backup24.99	
323 Amber TTL	Decision Resources	Curtis
15 Monitor 80 RGB 299.00	Chart Master229.00	SP-1 Diamond
IEC	Sign Master 159.00	Surge \$70
B-1285A Amber TTI	Diagram Master	Protector
C-1401P3A Multi-SyncCall	Man Master	C M Only!
rinceton	Lotus	C W Only!
Aax-12 Amber	Symphony449.00	Magnayox/NAP
HX-12 12" RGB429.00	1-2-3 Version 2329.00	
IX-12 12 HGB	Micropro	12" Comp. Monitor
	Wordstar 2000 239.00	w/Audio Green or \$70
SR-12499.00	Wordstar 2000	Amber, your choice
	Wordstar 2000 +	C M Only!
3420 Amberchrome169.00	Microrim	C IN ONLY:
3460 Quadchrome Enhanced499.00		Epson
axan	R:Base 5000299.00	Homewriter 10
220 Color Composite179.00	Clout 2.0139.00	
20 640x200 RGB399.00	R:Base System V349.00	(w/purchase of
330 640x200 FIGB439.00	Multimate	PIC Interface)
840 720x400 RGB449.00	Multimate Word Proc229.00	C M Only!
Zanith	Advantage269.00	C III Olliy.
ZVM-1220/1230 Monochrome99.99	The Softwara Group	Practical Peripherals
ZVM-1240 IBM Amber149.00	Enable349.00	Promodem 1200
ZVM-1330 13" RGB459.00	Satalite Systems	Stand Alone \$1.20
	Word Perfect 4.1219.00	Stand Alone \$169
MODEMS.	DIOL/HUMBO	modern — —
Anchor	DISKETTES.	C M Only!
/olksmodem 1200\$139.00	Maxell	Quadram
Signalman Express 1200199.00	MD-1 SS/DD (10) 5¼"\$11.99	Quadram
3480 64/128 1200 Baud	MD-2 DS/DD (10) 5¼"12.99	QuadJet # 4
/M520 520/1040 Atari129.00	MD-2HD AT (10) 51/4"24.99	7-Color \$17
Omega 80 Amiga129.00	Sony	
VARAX	MD-1 SS/SD (10) 5¼"9.99	C M Only!
1200 Baud IBM139.00	MD-2 DS/DD (10) 5¼"	• •y.
lavas	MD-2HD AT (10) 51/4"24.99	Atari
Smartmodem 300139.00	MFD1 SS/DD (10) 31/2"18.99	520ST
Smartmodem 1200	MFD2 DS/DD (5) 31/2"9.99	Monochrome \$5.10
Smartmodem 2400 579.00	Verbatim	System 94
Vicromodem IIe149.00	VE-1 SS/DD (10) 5¼"7.99	
Duadram	Amaray	C M Onlyl
Duadmodem II299.00	Disk Tub 50 5¼"9.99	
Supra	Disk Tub 30 3½"	Commodore
MPP-1064 AD/AA (C64)	Innovative Concepts	Amiga 1000
1200AT (Atari 8-Bit)	Fip-n-File 102.49	Color System \$1 20
1200AT (Atari 6-Bit)	Flip-n-File 50	and Drive

#### Call toll-free: 1800 233-8950.

Outside the U.S.A. 717 327-9575 Telex 5106017898 Educational Institutions call 1 800 221-4283 CMO. 477 East Third Street, Dept. A 211, Williamsport, PA 17701 ALL MAIOR CREDIT CARDS ACCEPTED.

opping and handleg. Lingue shyweres edy require additional charges. Personal and company checks segum 3 weds to clear For frater delivery site your back money order. Pensisyahara costoria and 5% sales (see All prices are subject to when you subject to charge and all news are subject to what she will be a subject to which the sales and similar of the manufacturent warrangs for casted grained from the sales and similar of the manufacturent warrangs for casted grained field.

Canadian Orders: OntarioQuebec 1 800 268-3974, Teronto 1 416 828-0866, Other Provinces 1 800 268-4559
Telex 06-218960, 2505 Dunwin Drive, Mississauga, Ontario, Canada L5L171
ALL PRICES SHOWN ARE FOR USA CRIDERS CALL THE CANADIAN OFFICE FOR CANADIAN PRICES

PHONE THE LOWEST THE BEST LINES 106 F S T **ELECTRONIC ONE\*** PRICES SEDVICE OPEN CALL (614) 864-9994 • P.O. Box 13428 • COLUMBUS, OHIO 43213 commodore ALL QUALITIES ARE LIMITED ALF COLOR CAVES 3.99 ONFIELD FOOTBALL GYRUSS DANCE PANTASY WED STED WORD GAME 3 39 19.99 **OHOST BUSTERS** ON COMPUTER PRINT SHOP LOGIC LEVELS 3 99 DIG DUG SEAHORSE PRINT SHOP LIE WIZARO PONCESS UP FOR GRASS \$ 90 POOYAN 1902A FIGD MONTS RHYMESPIDDLES SAMMY LIGHTFOOT IPS 1000 PRINTER 2.99 CODE WRITER ONE ON ONE 670 1200 BAND MODEM 149 96 DUCKS AHOY DAVIDS PINBALL MAIL MONSTERS **GATEWAY APSHA** MULE FRACTION PEVER 3 99 SPACE RESCUE MUSIC SET EPSON LXM JUST BOX CLIRSE OF BAL PINBALL CONS STORY MACHINE 12 99 COSMIC LIFE DELTA DRAW RISHER PRICE MUSIC ANASONIC 1091 DATEDS TALE FACE MAKER TREASURE ISLAND SUBLOGIC FOOTBALL SUBLOGIC BASEBALL THE FACTORY ALICE WONDERLAND MISC. HARDWARE SPARE CHANGE FASTLOAD JUNO PIRST MR ROBOT SNAKE MAN MACHS 29.99 WEN THES VETEC IN ARE GOD WORD WRITER 125 GENESIS OTAL COMM. MODEN CHOPLIFTER 4" COLOR THOM GORTEC 129.99 ATARI TEYAS ST ATARI SOFTWARE INSTRUMENT **ATARI 520ST** ATARIWRITER PLUS BOOKE BAN COMPUTER 130XE 128K COMPUTER 1050 DISK DRIVE LOGO MON DISK DRIVE 899<sub>PMP</sub> MICROSOFT BASIC CONTROLLERS . BUILT IN TOS 124 99 . SIZE KEYBOARD ASSEMBLER EDITOR STRACTHE ONE SOFTWASE ALL FOR SYNCALC STAR NX10 239 99 PRINT SHOP PAPER CLIP WISPELL ANASONIC 1080 59800 CASSETTE SOFTWARE PANASONIC 1091 HOME PLANETARIUM LIMITED QUANTITIES ALL OTHER SOFT 27 99 "CHECKBOOK MANAGER
"SAVAGE ISLAND BASICXE 520 ST ATARI XM001 ULTIMA P INTERFACES COLOR SYSTEM TAR RAIDERS II FAMILY ENTERTAINER U-PRINT INTERFACE 2 99 4 99 POLE POSITION 12.93 79800 THEATTIC 2499 SUPER DEMONATTACK MISSION ASTEROIDS 791 JAWOPEAKER II APE FACE DARK CHYSTAL 7.99 PERSONAL PASCAL 49 99 SEWER MANU MPP 1150 2 99 HACKERII 29 99 CHISHOLM TRAIL SLENTBUTLER SPIDERMAN 14.99 MINUS MISSION ZETEC FUGHT SIMULATORII PAC MAN 19.99 STRIP POWER 27 99 HOMPSON 14" COLOR STAR RAIDERS GOLDEN VOYAGE 149 99 **ASTEROIDS** 4.99 DEGAS 27 59 MODORE 1702 179.99 4.99 27 99 INTRO PACKAGE DIS DUS ROBOTRON MS PACMAN \*LEASE PURCHASE USCOUBLER 49.90 WINTER GAMES LEADER BOARD PHANTAGE MISSION IMPOSSIBLE JUNGLE HUNT 8 99 HOME FINANCIAL JOUSTA 5 99 SUPRA 1000E 34.93 1.99 HOME FINANCIAL MA DONKEY KONS 39 99 CASSETTE CABLES 4.93 ATARI TOUCH TABLET QUANTITIES ARE LIMITED - DON'T BE LATE TO ORDER NOW TO GROEF, CASHER CHECK, MONEY ORDER, MASTERCARD\* OR VISA\* (ADD 4% FOR CHARGE CARDS ... NO PERSONAL CHECKS ... NO C.O.D. IS. HIGH TO DRIGHE CASHING CRECK, MOMES UNDER STOCK OF THE CASHING INTERNATIONAL ACTUAL PREIGHT GHARGED ON ALL ORDERS OUTSIDE THE CONTINENTAL UNITED STATES INCLUDING A PIO
POLICIES: NO RETURNS WITHOUT A RETURN AUTHORIZATION NO RETURNS UNLESS DEFECTIVE ALL DEFECTIVES WILL BE EXCHANGED NO EXCEPTIONS CALL OR WRITE FOR FREE CATALOG CALL ELECTRONIC ONE (614) 864-9994 P.O. BOX 13428 COLUMBUS, OHIO 43213

#### OUR PRICES WON'T BYTE IBM APPLE ACCESSORIES

DUAL FL Includes: 258k, 2 Flop	Bird Casters SERNA  Discovery Service	Manet MCHO   9 M6   Monet MCHO   12 M6   M6   M6   M6   M6   M6   M6   M6	#500mpen	1990x40x40   1990x40x40   1990x40   1990x40
	HARD DISK SYSTEM — \$1249.0 fve, 20 Mag HD, Multi I/O Card, Display of	10	Siert Service 21 65	Character H. S. (1255) 346 95 Character Board 21 25 Kings Cuest I & II 31 95

#### COMMODORE

484018 Ada Transing Course Bop and Weiglie Hirthian a Code Pocket Planer 125 21 8 Had Sal Law of The West 18.90 Haley Project 24.95 F213 PSI 5 Trading Comp Fest Load 123 95 Stellberger Codox 64 willight Per Multiplen 54/120 40 95 MATERIAL STATE Fight Smuker II Charpak 120 Programmers Tool Ke Confict in Vietnam \$24.90 PRECISION Footal Yopal World Know Champana Signtess 126 256.35 Jet .... Sommy Daks 1-6 Jeson Personal Portlelo Manace 4 25 60 Pure Stat Basedull 25.90 035 SERVICEDAR RIESED Super C Compiler 64/128 Superscript 64 Clip Act 530.00 19.95 echnical Ass (rain System Cle Acit Colossus Chess N 2135 Gate \$47.95 Frankie Goes To Hollywoo Fortmaster II Master Modern Data Menager II ACCESS Music Systems
Advance Music Sestems BRODERBUND Laurier Broom 524.05 Where in the World Leady Board Tournesson Des 14.25 NEW DEI EASE n Carrier Sendano Bette of Arteston AS Library 1-2-0 Print Shap Companies Sads Tale \$24.96 MICRO LEAGUE Rings of Zeighen General Managera Dak More Wales 24.95 Chessraper 2000

Orders

Customer Service 718-351-1864 10AM to 6PM E.S.T.





#### Classified

#### SOFTWARE

DISCOUNT SOFTWARE: Amiga/Apple/Aneri/ C64-128/IBM PC-PCp/TRS-80/Timex/Sinclain Free Catalog: WMJ DATA SYSTEMS, 4 Butterfly Dr., Hsuppauge, NY 11788

MODORE: TRY BEFORE YOU BUY Best salling games, utilities, educational, classics and new releases. 100's of titles. Viss/MC. Free brochuse. RENT-A-DISC, Frederick Bidg. #345, Hunt's, WV 25701

(304) 529-3232 ATARI 8 BIT: FULL FUNCTION BUSINESS

DBMS. Any drive(s)/upgrades. GL/AR/AP/Inv/ Mail/W/P 9000 records/disk. MICROMOD. 1635-A Holden Ave., Driando, Fl. 32809 3051857-6014 Greyhound handicapping software: \$29.95. Enhanced: \$49.95. Professional Football handi

capping system: \$39.95. For most computers Pree Info. Software Exchange, Box 5382 CP, W. Roomfield, MI 48033, Call: (313) 626-7208 PREE APPLE SOFTWARE Dver 1000 Public Domain Programs on

50 diskernes \$5 each Plus \$1 for shipping per order. Send \$1 for catalog. CAH ENTERPRISES

PO Box 29243 Memohis, TN 38127 TI-99/4A OUALITY SOFTWARE for Business.

Home and Entertainment \*\* Borus Software Diffeet\*\* Send for FREE catalog to MICRO-BIZ HAWAIL BOX 1108, PEARL CITY, HI 96782 TI-99/4A Software/Hardware bargains

Hard to find nems. Huge selection. Fast service. Pree catalog. D.E.C., Box 690, Hicksylle, NY 11801

APPLE SDETWARE DOD DENNIESH Thousands of Public Domain programs available at 25¢ & less. Free ca CALOKE IND., Box 18477, K.C., MO 64133

TANDY 1000 PROGRAMS AND NEWSLETTER Send for free information on educational de entertainment peograms & newsletter, Soda Pop Software, PDB 683, Kenosha, WI 53141

If you'd like information on the latest version of your software, please call or write: Batterias Included Customer Support, 30 Mural St. Richmond Hill, Dniano, Canada L4B 185 (416) 381-9816

PRINT YOUR OWN BUSINESS STATIONERY Use your dot-matnx printer and this Business Papers Kit to make personalized invoices. letterheads, business cards, memos, etc. from plain paper. Try before you buy. Send \$7.50 to: once-System Software, Box 338, Medina, IL 60157. Specify Apple II or C64

"Electronic Christmas Cards," (IBM-PC TANDY 1000, APPLE II's), 8 colorful holiday scenes with 16 songs. Also Quiz Programs with jumbled clues (IBM). Some titles are "State Capitols" & "Foreign Capitol Send \$29.95 for each program or \$2.00 (refund with purchase) for catalog to "Nocher's Custom Software," Box 300278,

Arlington, Texas 76010, or call (817) 277-2911 to place your order HOME MANAGEMENT SOFTWARE - Itemia expenses, Print Mailing Labels, Create a Tele-phone Directory, For IBM and compatibles, User friendly and at a great price. Two disks.

Send \$29.95 to: Compudate, Suite 403-A, Montrose Dr., Greensboro, NC 27407-1272 Famert System. Forward /backword chains Create own knowledge bases. Requires LOGD interpreter. For C64/128, Tl, IBM, Apple.

Disk \$19.95 + \$2 p/h to Molly Softs 2019 Monitor Dr., Stafford, VA 22554 CHEAP SOFTWARE FOR PC/MS-DOS/PCjr... Games, Business, Educational and Utility Disk. For Catalog write: Morning Star.

P.O. Box 3095, Ann Arbor, MI 48106 PRO POOTBALL ANALYST, BEAT THE POINT SPREAD! Only 5 min per week & your local prespaper is all it takes to find hidden overlays in the betting line. Winning season GUARANTEED! IBM/C64/T89-\$34.93 (+ \$4.55 s/h) DRDER NDW1 1-800-341-1950 ex 77

Mail Orders: RIDGE, 170 Becodway #201-C. NYC, NY 10038. Catalog FREE SDFTWARE for C64, C128, IBM & CPM Send SASE for info (specify computer) to: PUBLIC DOMAIN USERS GROUP

P.O. Box 1442-A1. Orange Park, Ft. 32067 Books of the Bible + quiz about books +

Dld & New Testament Quiz. All for \$20 Mac, IBM-PC, C64/128, LEWIS ENTERPRISES Rt. 14, Box 45, Moore, OK 73165 (405) 794-3953 ATTENTION T.I. 99/4A OWNERS Over 1500 Accessories THE WORLD'S LARGEST

COMPLITER ASSISTANCE GROUP Now saving over 35,000 members worldwide with the best in technical essistence, sawice and products for the Taxes Instrument 99/4A To hacoma a membar and raceiva newsletters

elog, technical assistance and membarshi package, send \$10.00 for a ONE Year Member ship to: 99/4A National Assist Group National Headquarters P.O. Box 290812 Ft. Lauderdale, Florida 33329 Attention Membership Division For Information Call (305) 583-0463

MISCELLANEOUS

THE JUNIOR REPORT: THE NATIONAL NEWS LETTER. PCir-specific articles, reviews, Club news from across the

tion, \$18/vr (12 issues), PCir Club P.O. Box 95067, Schaumburg, IL 60195 " IBM PCIr OWNERS "

Learn to unleash it's hadden powers! How-to into from jr experts, software tips, freeware best buys and more! \$18 per year. Moneyback Guarantee. jr Newsletter, Box 163. Southbury CT 06458 TIS9/4A USERS-MICROpendium is a monthly journal dedicated to the 4A in continuous

publication since 1984 Send \$17 for 1 year to MICROpendium, POB 1343, Round Rock, TX 78680. Or send \$2 for sample.



21 single potrior Mo: HUES 8 151 15950 | 640 201 100 85 9 20 decide side for Mo: 8 Antique PDM | 1 201 270 150 000 000 200 270 The same state of the same sta the state of a section of a color of the state of the sta

COMPUTEI Classified is a low-coat way to tall over 350,000 microcomputer owners about your product or service. Rates \$25 per line, minimum of four lines. Any or all of the first line set in capital letters at no charge. Add \$15 per line for boldface words, or \$50 for the entire ad set in boldface (any number of lines.) linguize about display

Terres: Propayment is required. Check, money order, American Express, Vina, or MasterCard is accepted. Make attent: Propyratet is sequited. Check, racsey order, Aramcus Express, Visa, or MantecCard is accepted. Mail checks popular to COMPUTEP Publication. OWN: Ads are subject to publisher's approval and mass the either typed or legibly printed. One has equals 40 letters and spaces between veries. Fluore underline words to be not in beldies.

letters and space between review. Heave stateline words to be in a beldies.

The state of the st



COMMODORE

AMIGA

ATARI

XI /XE

WORLDS OF WONDER

LAZER TAG

LATER TAG GAME KIT - Includes Stor

ACCESSORIES

ANIMATED TALKING TOYS

ACCESSORIES

845.00

\$18.00

\$20.00

CALL

abva \$12.00

Lyte (Hand Unit), Star Belt

Lazer Tag Star Sensor

Lazer Tag Star Helmet

Lazer Tag Star Cap

& Star Service

Teddy Ruspin

Woodstock

Hand Puppets

Books & Tapes

Clothing (for talking

Snoopy Charlie Brown

\$12 Lazor Tao Star Vest

628

\$16 Mother Goose

AMIGA	51	AL/AE	04/120
512 K. Color System CALL	1040 ST System CALL	130XE Computer	D84C Computer CALL
256 K. Amiga CALL	520 ST System CALL	800XL Computer CALL	D1541C Drive CALL
A1010 315" Disk Drive CALL	SF314 Disk Drive . CALL	1050 Disk Drive	C128 Computer CALL
A1080 RGR Moritor CALL	SC1224 RGB Monitor CALL	1027 Printer \$ 99	VIC-1571 Drive
A1050 256K, Expansion CALL	SH204 20 MB Hard	1020 Printer \$ 24	VIC-1581 Drive CALL
ATODO 200K. Expansion CALL	Drive CALL	XM 301 Modern 9 39	512K RAM Expension 8179
WE CARRY A	CALL ON THESE AND COMPLETE LINE OF SOFTWAR		NG PRINTERS
ТОР		ABBY'S CHRIST	
AMIGA SOFTWARE	ATARI ST SOFTWARE	ATARI XL/XE	COMMODORE 64/128
Arctic Fox \$ 30	PC Board Designer \$279	DATASOFT	MINOSCAPE
Sky Fox \$ 29	Typing Tutor/	Poovan (D & C) . \$5.95	Tink's Adventure 96.95
Deluxe Paint	Word Inveders \$ 25	Moon Shuttle (D & C) . \$5.95	Tinka's Maxes 66.95 Tuk Goes to Town 96.95
Art Disk Vol. I \$ 24	Leader Board Golf	Moon Shuttle (D & C)	Mr Plani's Pant Set 89.95
Deluxe Print	Little Computer People \$ 29	MINOSCAPE	My Placi's Cartoon Ke 99.95
Art Disk Vol. II	Music Studio . 8 4B Paint Works 5 49	Tinka's Mages \$6.95	Show Director \$9.95
Deluxe Video	Paint Works \$ 49 Hole in One Golf 8 24	Tulk Goes to Town . \$6.96	Tank in the Land of The Builds Bors \$6.95
		Tonk in Land of	
Marble Madness . \$ 32 Winter Games 8 32	Flight Simulator II	The Buddy Bots \$6.95	Money Measure ID & Cl. 45.95
	Degas 9 29	Tink's Adventure . \$6.95	Money Manager ID & Cl 85.95
Marauder \$ 32 Grabbt \$ 32	Copy II . 6 29		Data Manager ID & C) . \$5.95
Little Computer People \$ 29	Phantasie . 9 29	ATARI INC.	COMMODORE
Aegis Draw	Print Master \$ 29	Juggle's Rainbow (C) \$2.99	Surpleded 59.00
Aegis Draw	Art Gallery I & III ea 9 24	Juggle's House (C) 82.99	
On Line 8 49	Roque \$ 25	States & Capitals (C) \$1.99	Music Composer 53.00 Foofish III 91.50
Music Studio \$ 39	Stent Service 8 29	My First Alphabet (C) \$2.99	English III 81 50 English V 51.50
Analyze \$ 69	Starolider . \$ 34	Hangman (C) \$5.00	Poolsh VII \$1.50
Amigs Assembler \$ 79	Temple of Arehai Trilogy 8 29	Statistics I IC)	
Amina Pascal 5 79	Thunder \$ 29	Speed Reading (C) \$10.00	Accounts Payable \$10.00
Lattice "C" . \$119	Winter Games 8 29	Basic (F)	
Leader Board Golf \$ 29	World Games 3 29	- INTROL	DUCING -

C64/128 SDFTWARE ALL ABACUS TITLES ALL MASTERTRONICS TITLES

Winter Games The Top Shop Gettysburg: The Turning World Games Road War 2000 Gemstone Healer .

CALL

CALL USAAF

\$29 M U.LE

945

\$29

832

649

620

620 Computer Quarterback

Shard of Spring Hardball Gunship F 15 Strike Eagle Fast Hack'em Copy II 64/128 Print Shop Print Master

Print Shop Companion . . . 10th Frame Order Line One On One Seven Ottes of Gold .... Silent Service E-15 Strike Fagle Music Studio Printshop Companion Temple of Apshai Trilogy Flight Simulator II

Monte Maker

ATARI XE'XL SOFTWARE

ATARI

ST

Scenery Disk (1-6)... Star Disk - San Francisco Star Disk Japan Karateka ... Nam Print Shop . . \$35 Graphic Library I II & III Touchdown Football Ogre

ALL TITLES ON DISK UNLESS MARKED (R) FOR ROM CARTRIDGE

WE CHECK FOR STOLEN VISA & MASTERCARD M-F 10 a.m.-8 p.m.; Sat. 10-3 ET S. Broad Street, Fairborn, OH 45324

NINTENDO ENTERTAINMENT SYSTEM DELLIXE SET ... Includes Control Deck. 2 Controllers. R.O.B. (Video Robot), Zapper (Light Gun), 2 Game Paks - Gyromine &

COMMODORE

64/128

Duck Hunt \$149 00 **ACCESSORIES** R O.B. (Video Bobot) \$42.00 Zapper (Light Gun) \$24.00 GAME PAKS

Bohot Series ea 432.00 Programmable Series ea \$28.00 Sports Senes , ea. \$24.00 ea \$24 00 Action Series Education Series ea. \$19.00 Ascado Clarence ea \$19 00

> & Ohio Resi 1-513-879-9



#### WORDS TO THE WISE from

#### DAVIDSON. software, the word is Davidson. It Works Thousands of teachers and parents have

#### made the Davidson choice . . . the wise choice in performance-proven educational NEW GRAMMAR GREMLINS

Students of all ages learn grammar basics. Over 700 sentences reinforce grammar rules Students practice their skills in the animated, fast-moving game, Color graphics, editor and more, all make learning

fun! Applets II family. \$49.95. (IBM™ available 8/86.) SPELL IT! Learn how to spell 1000 of the most commonly misspelled words. Animation, a lively arcade same and addvour-own words editor too! Applems II

family, Atari, TH Commodore 10 64/128. IBM.™ \$49.95. WORD ATTACK! Discover the meanings and usages of 675 new words Includes a fun, fast-action arcade game and add-your-own words editor. Apple<sup>TM</sup> II

Commodore™ 64/128, IBM ™ \$49.95 More award winning educational software

from Davidson: MATH BLASTER! " ALGE-BLASTER!

SPEED READER II CLASSMATE HOMEWORKER D

(800) 556-6141 In Calif. (213) 534-4070



Please send me a FREE COLOR SHOCHURE and the name of my nearest Davidson Dealer Name ....

City State Zip\_ Educational Software that Works

#### Advertisers Index

1		
	Reader Service Number/Advertiser	Pog
	102 Abocus Softwore	4
	103 Abocus Softwore	4
	104 Abby's Discount Softwore	. 10
	105 American International Computer Products	. 10
	106 American People Link	3
	107 Atori Corp	SO R
	108 The Avoion Hill Gome Compony	
	Botteries Included	
	Botteries included	2
	Broderbund Softwore, Inc	0-1
	Brederbund Softwore, Inc.	1:
	III Chose Monhotton	14
	CH Products	2
	112 C. Itoh	8
	C.O.M.B. Direct Morketing	7
	C.O.M.B. Direct Morketing	
	I13 CompuServe	2
	114 ComputAbility	9
	115 Computer Direct	8.5
	I15 Computer Direct I16 Computer Moil Order	a_o
	Covox, Inc.	ó
	17 Dovidson & Associates, Inc.	10
	118 Digital Solutions Inc.	~
	19 Duplicoting Technologies Inc.	8
	20 Rectmoic Arts	
	120 Bectronic Arts 121 Bectronic One	10
	122 Enlightenment, Inc.	. 101
	123 EPYX	
	124 Finol Frontier Softwore	
	125 Firstline Softwore, Inc.	
	126 infocom	4-14
	127 Joson Ronheim	- 44
	128 Josep Pocheim	0
	128 Joson Ronheim Lyco Computer	0_4
	NRI Schools	7
	I30 Ckidoto	٠.,
	131 Origin Systems, Inc.	Dr.
	132 Protecto	4 5
	133 Silicon Express	~~
	34 subLOGIC Corporation	100
	135 Thompson	. 100
	136 Unitech	100
į	The dillecti	. 102
١	Clossified Ads	102
1	The Complete Desictor Publisher & I Didn't Know	
1	The Complete Desktop Publisher & I Didn't Know You Could Do That with a Computer	53
1	COMPUTEI Books' Amigo Collection	7
1	COMPUTEI Books' Foll Releases	'n
ı	COMPUTEI Disk Subscription	64
ı	COMPUTEI Subscription	17
ı	COMPUTEI's Applie Applications Special	32



# Flight Simulator II Scenery Disks

#### The Challenge of Accomplished Flight With a realism comparable to (and in some ways even surpassing)

with a treatmic corporation of upon a found ways even surpassing \$100,000 arrorfs flight simulation. Flight Simulation if includes full flight instrumentation and winners, and provides a full-color out-the-window view. Instruments are arranged in the format standard to modern aircraft. All the radios needed for FRR flight are included from, rear, left, flight, and diagrant leven its you look in any direction. Program features are clearly documented in a %-page Filor's Operating Handbook.

For training in proper flight techniques, Flight Simulator II includes another 99-page instruction manual, compiled by two professional light instructors with over 8,000 hours flight time and 12,000 hours of avision teaching experience. You'll learn correct FAArecommended flight procedures, from basic sirrical control through instrument approaches. To rewird your accomplishments, when monual even nocludes a section on acrobatic manurerys.

#### The Realism and Beauty of Flight

Go sight-seeing over detailed, realistic United States scenery. High-speed graphic drivers provide an aramated out-the-window view in either day, dusk, or night fiving modes.

Flight Simulator II features over 80 airports in four different scenery areas: New York, Chicago, Seattle, and Los Angeles. Six additional Scenery Disks covering the entire Western half of the United States are now available in IBM and C64/128 disk formats. Apple and Atari versions will be released soon. Each disk covers a geographical region of the country in detail, and is very reasonably properly.

#### The Pure Fun of "World War I Ace"

When you think you're ready, you can test your flying skills with the "World War! A see" serial buttle game. This game sends you on a bombing run over heavily-defined element tertions." Six enemy fighters will attempt to engage you in combat as soon as war is declared. Your aircraft can carry five bombs, and your machine gurs are lasded with 100 rounds of ammunition.

See Your Dealer, Flight Simulator II is available on disk for the Apple II. Attri XL/XE, and Commodore 64/126 computers for \$49.95. Scenery Disks for the C44 and IBM PC (Left or Microsoft Flight Simulator) are \$19.95 each. A complete Western U.S. Scenery six-disk set: a also available for \$99.95. For additional product or ordering information. call (800) 637-4983.

Apple II is a tradework of Apple Con



ampaign IL 61620 359 8482 Telev 20699 From Origin, source of the classic, award-winning Ultima™ series, comes

# A futuristic, fast-paced strategy role-

playing game by Lord British and Chuckles. Based on the / award-winning Car

Wars® board game by Steve Jackson.



Drive the

freeways of the future where the right of way goes to the biggest gun. Somewhere within the 16 cities and outlaw infested highways are the clues you will need to complete the ultimate mission. Step into the arena on Amateur Night and earn the

right to custom-build your combat vehicles.

The AADA will offer you courier missions. The FBI

and the underworld will vie for favors. But watch out! To survive you'll need road experience, the ability to decipher clues, gambling skills, money, a super car—even a clone. The final gauntlet will test your tactical skills and hair



trigger reactions to the limit. But with triumph comes honor, and entry into the elite circle of AutoDuellists. The challenge of AutoDuel® awaits you. Are you ready?

#### L. DRIGIN 340 HARVEY ROAD, MANCHESTER, NH 03103 (603) 644-3360









# RETROMAGS

Our goal is to preserve classic video game magazines so that they are not lost permanently.

People interested in helping out in any capacity, please visit us at www.retromags.com.

No profit is made from these scans, nor do we offer anything available from the publishers themselves.

If you come across anyone selling releases from this site, please do not support them and do let us know.

Thank you!

